
12518/B

Libreria Antiquaria
ANGELO GANDOLFI
BOLOGNA

Materia Scienze VIII
Ubicazione XL a
Volumi 1
Prezzo L. 2_
1910

35 C 10.D 30723



PHARMACOPŒIA BATEANA,

SEU

Pharmaca è Praxi

GEORGII BATEI,

Regis ANGLIÆ Medici Primarii, excerpta, cum Viribus & Doſibus annexis.

Necnon ARCANA GODDARDIANA; & ORTHOTONIA MEDICORUM OBSERVATA:

Item TABULA POSOLOGICA; atque APPENDIX ad Pharmacopœjam Bateanam, ex Autographo Eximii Auctoris.

Cum INDICE Morborum Curationum, &c.

Huic tandem Noviſſimæ Editioni acceſſit

D. GEORGII ERNESTI STAHLY

FUNDAMENTA CHYMICO PHARMACEUTICA &c.

VENETIIS, MDCCXXXI.

Apud Jo: Gabrielem Hertz.

Superiorum Permiſſu, ac Privilegio.

Ad uso del Frà Agostino M.ª Fratini de' Servi di Maria

30723

WELLCOME
HISTORICAL
MEDICAL
LIBRARY

LECTORI.

EN tibi (*Lector Optime*) *Batei* M. D. Collegii Regalis *Londinenſis* Socii *Pharmacopœjam* damus: Cujus fuit dixiſſe ſatis; nemini enim, qui *Medicinam* ad Limina ſalutavit, ignotum eſt Nomen; *Regis Magnæ Britanniæ* Archiatrus, & apud exteros etiam Clarus.

Hic *Medicus illuſtris Medicinam* ornare ſempre ſtudens, & ejuſ-

ejuſdem Amœniora Prata peragrans, *Hanc* (inter Cætera) concinnavit *Opellam* Feliciſſimus *Medicus*, quam tibi non invidimus.

Vale Lector & Fruere.

No-

Notandum. *Medicamenta ſingula, quibus præponitur Aſtericus* *, in uſu fuiſſe frequentiori apud Autorem, cujus *Praxin ac Præſcripta in re Medica* non potui non animadvertere; quippe qui ſub *Ille* ἐν τῷ φαρμακοποιείῳ aſſiduè ſolebam verſari, viginti circiter annorum ſpatio.

NOI

NOI REFORMATORI
Dello Studio di Padoa.

COncediamo Licenza à Gio: Gabriel Hertz Libraro, che poſſi riſtampare il Libro intitolato *Pharmacopaja Bateana* giuſto l'eſſemplare ſtampato nell'anno 1703. con l'aggiunta dell'altro intitolato *D. Georgii Erneſti Stahly &c. fundamenta Chymico Pharmaceutica* giuſto l'eſſemplare ſtampato nell'anno 1727.

Dat. primo Settembre 1730.

(Carlo Ruzini Kav. Proc. Ref.
(Andrea Soranzo Proc. Ref.
(

Agoſtino Gadaldini Segretario.

PHAR-

PHARMACOPŒIA
BATEANA.

A C.

* ACetarium Scorbuticum. ℞. Fol. Cochlear. mar. ſelectiſs. ℥iii. Sacchar. albiſ. ℥vi. Sal. Cochlear. ℨi. contuſis opt. adde Succ. Aurant. ℥vi. m. *In iſto intingatur omnis Cibus Scorbuticorum.*

Acetum Lithargyrites. ℞. Pulveris Litharg. aur. ℥iv. Acet. opt. ℥viii. digere dies 3. ſæpe agitando; & filtra. *Pro Faciei Rubore, Puſtulis, &c. curandis.*

Acetum Mellis. ℞. Mel. ℔i. Acet. opt. ℔iii. ex Arena deſtilla ac rectifica. *Præter alios Uſus, ſolvere & lapides ſine ulla præcedente calcinatione dicitur.*

Acetum Peſtilentiale. ℞. Rad. Angel. Zed. an. ℥i. Bacc. Junip. ℥ii. Rutæ M. iii. Aceti opt. ℔iii macer. ac cola. *Pro Suffitu, & Oris collutione, graſſante Peſte.*

* *Æthiops Mineralis*. ℞. Fl. Sulphur. p. ii. Mercurii crud. p. 1. exactiſs. mixta incende, ut f. Pulvis nigerrimus ſ. a. *Uſus in Lue Venerea, Hydrope, &c. Ptyaliſmum non movet.*

* *Alkekengi Conditum*. ℞. Bacc. Halicacab. rec. ℥vi. contuſ. affunde Aq. Lactis ℔. iß.

exprime ſuccum, & clarifica cum album. ovor. Adde bacc. rec. Halicac. integras, & leniter coq. cum Nuc. m. ℥ iii. Troch. Gord. ℥ ii. Rad. Eryng. candefact. ℥ ii. ad teneritudinem. Baccis coctis & exemptis, Liquor cum an. Sacchari coq. in Syr. conſiſt. in quo Baccæ condiantur. *Nephriticum, Diureticum ac Lithontripticum.*

* *Allium Conditum.* ℞. Rad. Allii mund. ℔. i. coq. parùm in Aqu. font. quæ abjiciatur. Tum coq. in Aq. Hyſſop. ad mollitiem perfectam. Liquor cum ℔. i. Sacch. opt. coq. in Syr. circa finem adendo Allium, cum Ambr. griſ. gr. 24. Moſch. gr. 4. in nodulo ligatis, Sp. Hormin. ℥ ii. *Uſus in Colica flatulenta, Tuſſi, Aſthmate, Calculo, Arthritide, &c.*

Alumen Dulce. Solve Alumen in aqua, & coagula. Repete opus ter, ut Alumen dulceſcat. Vocatur & *Sacchar. Aluminis. Commendatur in Pectoris morbis, præſertim ex mineralium halitu contractis, Odontalgiam ſedat, gingivæ impoſitum. Doſ.* ℈ ß.

Alumen Febrifugum. Solve Alumin. ℥ iii. in Aquæ Cardui b. Sanguine Draconis probè tinctæ ac filtratæ ℔ i ß. & exhala ad ſiccitatem ſ. a. *Doſ.* ℈ j. *ante Paroxyſmum Febrilem, Sudorem movet, &c. v. Mynſicht.*

* *Aluminatum.* ℞. Succ. Limon. ℔ i. Alumin. ℥ ß. coq. ac deſpuma ſ. a. *Optimè valet in Rubore Faciei, Puſtulis, &c. interim bibendo Cerevifiam Catapſoras.*

Amuleta Peſtilentialia. ℞. Auripigmenti ℥ iß. Rad. Angel. ℨ vi. Mucil. Tragac. q. ſ. ut f. Paſta: exinde f. Amuleta N. 12. globoſa, ſerico obvolvenda, *Ad Cordis regionem geſtanda.*

Ani-

Anima Hepatis, v. Vitriol. Martis.

Antifebrile Concharum. Teſtis concharum oblongarum affunde Acetum, & macera horis 24. Abrade mucorem extern. exicca, ac pulveriſa, inſtillato ſæpe inter pulverandum Aquæ cardui coch. 1. quo Pulvis volatilis retineatur exicca ad uſum. *Doſ.* ℨ j. *Febrifugum eſt nobile. Ciet Sudorem ſat largiter.*

* *Antibecticum Poterii*. Fit ex Regul. Antimonii Martiati & Jovis Anglic. an. colliquatis, cum triplo Nitri detonatis, & Aqua edulcatis, ſ. a. *Doſ. gr.* vi *ad* xx. *in Lue Venerea, Hydrope, Scorbuto, Tabe, &c.*

* *Antim. Diapboret.* F. ex Antimonii p. i. Nitri p. iii. detonatis ac Aqua edulcatis ſ. a. *Doſ.* ℈ j. *bis in die per plures dies, augendo quant. gradatim quotidie uſque ad* ℨ i. *pro doſi. Uſus eſt ad Sanguinem mundificandum; in Cacbexia, Hydrope, Scorbuto, Lue Venerea, &c.*

Antim. Diapbor. fixum. ℞ Antimonii & Nitri an. Detona, ablue & exicca. Tum miſc. cum an. Nitri; detona, ablue, ſicca: dein miſce iterum cum an. Nitri, ac detona. Maſſam hanc in aqua coctam filtra, & præcipita cum Aceto deſtill. Tum ablue & ſicca. *Vires eaſdem obtinet cum priori in eadem doſi.*

Antim. Medicamentoſum. ℞. Antimonij p. v. Salis com. p. iv. Salis Tartari p. i. funde in Regulum ac edulcora. *Parum differt à priori in viribus.*

Antim. Reſuſcitatum. Sublima Antimonium & Sal Armoniacum an. cum tribus cohobiis: Digere ſublimatum cum Acet. deſtill., exhala & ablue ſ.a. *Diaphoreticum habetur; leniter Vomitum ciet.*

Apozema potenter Expectorans. ℞. Decoct. Pectoral. ℔ j. Syr. Scabioſ. comp. & Oxym. ſquillit. an. ℥ ii. Aq. Jugland. comp. ℥ i ß. Infuſ. croc. metall. ℥ i. m. *Dentur Cochlear.* iii. *ad* vii. *omni manè, ità ut provocentur tres circiter Vomitiones.*

* *Aqua Aluminoſa*. Alumen. & Vitriolum alb. an. commixt. coq. in vaſe terreo igne lento, donec indureſcant Lapidis inſtar. Injice Pulveris hujus coch. i. in Aquæ bullientis ℔ ii. donec ſolvitur, ac filtra. *Ad Ulcera, Uulnera, Fiſtulas, &c. lavanda.*

* *Aqua Animalis*. ℞. Sulphuris Equi non defatigati rec. globulos N. xii. miſc. cum Leucœn. ℔ viii. Adde Sem. Fœnic. d. Petroſel. an. ℥ ii. Theriac. Januenſ. ℔ i. Polypod. qu. Ruſci, Fol. hepat. an. m. ii. ZZ. ℥ iii. deſtilla lento igne ſ. a. *Doſ. ad* ℥ iv. *ſuper ſudando, in Pleuriſi, Doloribus, Rheumatiſmo, &c.*

* *Aq. Antiphthiſica*. ℞. Sang. vitul. rec. agitatione à fibris ſeparati, ℔ iii. Terebinth. Ven. ℥ x. Glyc. ℔ i. Uv. paſſ. exacin. ℥ xii. Ficus ping. N. 100. Limac. hort. N. 70. Rad. irid. rec. ℥ vi. Fol Tabaci Hiſp. inciſ. ℥ ii. Micar. panis alb. ℔ i. deſtilla ſ. a. *Doſ.* ℥ ii. *cum debita olei quantitate ſupernatante, omni manè cum Syr. Pectoral per dies* 15.

* *Aq. Antiſcorbutica*. ℞. Fol. Fumar. Naſturt. Aq. Cochl. utriuſque, Becabung. an. M. xii. Ling. Cerv. Cichor. Pini Chamędr. Praſſ. Agrimon. Centaur. min. an. M. x. Abſinth. Rom. Hepatic. an. M. iv. Rad. bryon. ℥ viii. Filic. ſem. Lapath. cort. Dulcamar. Fraxin. intern. an. ℥ vi. Sem. fraxini ℥ i ß. angel. ℥ ß. contuſis omnibus rec. adde Vin. Rhen. ℔ vi. in quibus Chalyb. Limat. ℔ i. vigecies extincta fuerit, exprime prelo & deſtilla in Baln. Mariæ (addendo Troch. de Cappar. Pulveriſator. ℥ vi.

Luti

Luti Martis ℥ i ß.) ad mellaginem; quæ poſtea exhaletur ad conſiſt. *Extracti*; quod ſervetur pro *Extracto Antiſcorbutico Bat.*

Aqua Antiſcorbutica. ℞. Fol. Ari, Cochlear. hort. Naſturt. aquat. Abſinth. vulg. an m. vi. Cort. aurant. rec. ℥. iv. Nuc. M. ʒ ii. infunde per noct. in Cereviſ. Brunſvicenſ. ℔ viii. & deſtilla ſ. a. *Micletbvv.*

Aq. Artbritica. v. Aq. omnium Florum.
Aq. Aſtbmatica. v. Aq. Pectoralis.

Aq. Becbica. ℞. Fol. heder. ter. tuſſilag. botryos, an. ℔ iii. Hyſſop. Roriſm. Puleg. marrub. an. ℔ i ß. Rad. enul. glyc. an. ℔ i ß irid. Fl. ℥ xii. ficuum inciſ. ℔ iii. croc. opt. ſem. aniſ. fœnic. d. an. ℥ ß. Spir. Vini ℔ x. Aq. Font. ℔ 48. macer. ac deſtilla per veſicam ℔ 24. vel 30. *pro Syr. Tolutano magiſtrali conficiendo.*

* *Aq. Benedicta*. ℞. Calcis vivæ ſonantis ℔ i. cui affunde Hydropeg. bullientis ℔ viii. Poſt complet. ebullit. & debitam reſidentiam, filtra ad uſum. *Doſ.* ℥ iii. *vel* IV. *ter in die, vel pro potu com. per menſem. Multùm facit in plurimis Caſibus epota; ſc. in Faciei Rubore, Puſtulis, &c. In Strumis, Aſthmate, Phthiſi, Empyemate, Dyſenteria maligna, Tumoribus Scroti aquoſis, Profluvio albo, Artbritide vaga, Ephelidibus, Herpete, Gangræna, OEdemate, Tumoribus genuum, & tibiarum, Ulceribus omnibus cum affluxu bumorum, &c. In Diabete curanda opt. Remed.*

\+ * *Aqua Benedicta comp.* ℞. Glyc. rec. ℥ i. cort. Saſſafr. ℥ ß. uv. paſſ. exacin. ℥ vi. Nuc. M. ʒ vi. Aqu. Bened. ℔ vi. infund. in frig. dies ii. & f. colat. *Idem preſtat cum priori, efficaciùs autem in aliquot Caſibus.*

* *Aqua Camphorata*. ℞ Vitrioli Rom. Bol. Armen. an. ℥ iv. Camphor. ℥ i. M. f. Pulvis, de quo projice ℥ i. in Aquæ bullientis ℔ iv. amove ab igne, & ſubſideant fæces. *Iſta tepida fove quævis Ulcera: Fluxiones omnes tollit: Mundificat, Siccat, Roborat, Dentes firmat, Putredinem arcet, Ignem ſacrum, & manus Scabioſas curat. In Ophthalmia, Epiphora, &c. mira præſtat.*

* *Aq. Caryophyllorum*. ℞. Fl. Caryoph. hort. rec. ℔ ii. Dactyl. ℔ i. Aniſ. Glyc. an. ℥ i. macer. in fœcum Vini ℔ 24. & deſtilla per Alembicum ℔ iv. quibus adde Sacch. Cand ℥ iv. & ſuſpende in nodulo Caryoph. aromat. Num. 3. vel 4. cum Moſch. & Ambr. griſ. an. gr. v.

* *Aq. Cephalica*. ℞. Rad. Pœon. mar. ℥. iv. Angel. Valerian. an. ℥. i ß. Caryophyllat. ℥. i. Fol. Salviæ, Roriſm. Beton. Majoran. Meliſ. Fl. Lavend. Beton. Pæon. Calend. Salv. Roriſm. Lil. conval. tiliæ an. Mi. ſtœch ℥ i ß. roſ. r. Paralyſ. an. M. ii. Lign. Rhod. Sant. Citr. an. ℥ vi. Nuc. M. ℥. i ß. Galang. ℥ ß. Cardam. Cubeb. an. ℥ iii. Infund. in vin. alb. opt. ℔ xiv. dies 10. deinde adde cinam. opt. ℔ i. macer. per dies 2. & deſtill. ſ. a. *In capitis Intemperie, Cephalalgia, &c. Doſ. coch.* ii. *Attrahe inter nares, fricentur optimè Tempora, loca pone aures; Ore teneatur & Auribus: Linteolum ea intinctum nuchæ adhibeatur. Plurimis levamen conciliavit, aliis incaſſum exhibitis.*

* *Aq. Ceraſor. comp.* ℞. Ceraſ. n. cum nucleis opt. contuſ. ℔ x. lactis rec. vaccæ rubræ cong. ii. Fol. violar. Rubi, Prunell. Caprifol. an. M. v. deſtilla ſ. a. *Doſ.* ℔. ß. *bis in die. In Tympanite curanda Præſtantiſs. Remedium.*

* *Aq. Chalybeata*. ℞. Chalyb. Limat. mund. ℥ iv. Vini alb. ℔. iv. Inſolentur ac agitentur quotidie

tidiè àd nigredinem Vini, & Martis diſcoloratione: dein adde fragor. recent. leniter expreſs. ℔ iv. Sperm. Ceti, Rhab. Mumiæ; an. ℥ ß destilla ad fæcum ſiccit. *Doſ.* ℥ iii. *vel* iv. *bis in die, ad fiſtulas, præſertim Urin. partium; Apoſtemata, Hæmorrhoid. dolorem, Mictionem purulentam, Contuſiones, Sanguinem coagulatum &c.*

* *Aq. Chamæmeli comp.* ℞. Fl. Chamæm. rec. dupl flore M. xxx. incid. contund. & infund. in Aq. ſtil. è fol. Chamæm. ℔ x. Vin. Hiſpan. ℔ xvi. Hor. 24. exprime & infund. ſecunda vice Flor. rec. M. xx. In tertia expreſſione infund. Flor. rec. M. xii. addendo flaved. Cort. Aurant. rec. ℥ ii. Fol. Abſ. pont. Centaur. Puleg. orig. an. M. ii. ß. Sem. Aneth. ℥ ii. Aniſ. Fœnic. Carvi, Cumin. Cardui ben. Card. Mariæ; an. ℥ i ß. Bacc. laur. Junip. an. ℥ ß. Nuc. M. ℥ iii. poſt macerationem debitam deſtilla ſ. a. *In Flatu, Colica, Calculo; Menſibus obſtructis, &c.*

* *Aq. Cinamomi Cardiaca.* ℞. Succ. Borrag. reſidentia depurat. ℔ 24. Caryoph. ſimp. flore M. ix. croc. ℈ ii. Cinam opt. ℔ i ß. Flor. Borrag. M. iv. deſtilla ſ. a. in Baln. Mariæ: *In Syncope, Animi deliquio, &c. Inſignis.*

* *Aq. Cinamomi Hordeata.* ℞. Aq. Hordei depurat. ℔ viii. Cinam. opt. ℥ xii. macera ac deſtilla ſ. a. in Baln. Mariæ. *Cum an. Oxym. Scillit. cochleatim ſumpta mirificè prodeſſe ſolet in Aſthmate.*

Aq. Cordium comp. ℞. Corda vituli valdè recentia per fruſtra ſect. N. vi. micæ panis à lacte vaccino inebriatæ ℔ i. Aq. Roſ. Dam. Aqu. fl. Aurant. an. ℔ i. Mala Citria inciſa Num. 3. Cinam. ℥ iv. Macis ℥ i. Gelat. C.C. cum Vino alb. fact. ℔ iv. Sanguin. Agni, Vituli, à fibris purgat. an. ℔ ii. Vini Hiſpan. ℔ iii. deſtilla ſ. a. *In virium dejectione mira præſtat.*

Aq. Coſmetica. ℞. Pedes Vitulin. confractos Num. vi. Leptopl. tyri ℥ vi. Pulveris Myrrh. ℥ iv. ß. Oenogalact. ℔ vi. deſtilla ſ. a. *Cum iſta facies abluatur, perfricando aluminis fruſto lævigato.*

\+ * *Aq. Crinalis.* ℞. Muſcar. vivent. ℔ iv. mel. ℔ i lactis ℔ ii. deſtilla ſ. a. *Præterquam quod in Alopecia mirè prodeſt, in Surditate etiam valet auribus inſtillata.*

* *Aq. Cucumerum comp.* ℞. Succ. Cucumer. hort. ℔ iv. Vin. alb. ℔ vi. Thecar. fabar. ℔ i ß. Fol. cum radic. Ononid. ℔ i. Bacc. junip. ℥ vi. Nuc. M. Num. xxi. Sem. petroſel. ℥ iv. Saxifrag. alb. ℥ i ß. Fl. Geniſt. m. viii. Sambuc. Lamii alb. an. m. vi. Deſtilla ſ. a. ad ſiccitatem *Doſ.* ℥ ii. *omni mane, præmiſſis pil. ex terebinth. Cypr. in Calculo & Arenulis expellendis.*

Aq. Cynosbati comp. ℞. Fruct. Cynorrh. cum ſem. contuſ. ℥ vi. Sem. Raphan. ℥ ß. Petroſel. ℥ i. Saxifrag. ℥ ii. Rad. Saxifrag. alb. ℥ i. Glyc. ℥ iii. Alth. ℥ vi. Seri lactis ℔ x. Deſtilla ſ. a. *Doſ.* ℥ iv. *bis in die cum Syr. de Alth. & de Portulac. præmiſſ. conſ. Cynosbati.*

Aq. Digitalis. ℞. Fol. Digitalis rec. ℥ xii. Glyc. ℥ iv. Aniſ. ℥ ii. Cereviſ. fort. ℔ xii. fermenta Dies 19. ac deſtilla ſ. a. *Antaſthmatica inſignis eſt: & optimè valet ad promovendam Expectorationem. Doſ. Cochl. aliquot ſæpe.*

* *Aq. Embryonum.* ℞. Rad. Eryng. rec. ℔ i. Dactyl. ℔ ß. Amygd. dulc. non decort. ℥ iv. contuſ. in pulp. adde Nuc. M. ℥ iii. Mac. ℥ ß. Aqu. Cinamom. hordeat. ℔ i ß. Vin. Hiſpan. Aqu. Meliſ. an. ℔ ii. deſtilla ſ. a. *Doſ.* ℥ ii. *ter in die cum Sacch. perlat. præmiſ. Elect. ex Conſ. Roſ. r. Garyoph. Nuc. M. condit. Pul. Ebor. Margarit. &c.*

* *Aq. Epidemica.* ℞. Fol. Chelidon. Roriſm.

Rutæ,

Rutæ, Salv. Artemiſ. Abſ. Anagal. Dracont. Scabioſ. Agrim. Meliſ. Scord. Centaur. min. Card. benèd. Beton. Roris ſol. an. M. ii. Rad. Angel. Torment. Gentian. Zed. Glyc. an. ℥ i. macer. in Vin. alb ℔ viii. Dies 2. dein deſtilla ſ. a.

* *Aq. Febrifuga*. ℞. Summit. Centaur. min. M. viii. Abſ. vulg. Parthen. Pentaphyll. Calend. Tormentil. Nicotian. virid. Acetoſ. Card. bened. Dracont. Chamæm. Chamædr. an. M. vi. Taraxac. M. xii. contuſ. adde Leucœn. ℔ iv. & deſtilla, & Aquæ deſtillatæ novis affuſis herbis macer. ac dedeſtilla ad ſiccit. In Aqu. deſtillat. infund. Rad. Fraxinel. Tormentil. an. ℥ i ß. Sem. Citri, Cardui bened. Card. Mariæ, Acetoſ. an. ℥ ii. Fol. Scord. Galeg. an. M. iv. deſtilla ſ. a.

Aq. Formicarum. ℞. Formicar. major. (Majo vel Jun. collect.) ℔ i. Mellis ℔ ii. Hydropeg. ℔ i. deſtilla ſ. a. *Doſ. cochl. j. Vomitum ciet & curat Febres Tertianas.*

Aq. Fortis Duplex. Fit ex Nitro & Vitriolo an. per Retortam deſtillata ſ. a. *Solvit* Lunam & Venerem.

Aq. Fortis Aluminata. ℞. Alumin. calcin. Nitri an. ℔ i. Vitrioli ℔ ß. deſtilla ſ. a.

Aq. Herpetica. ℞. Alumin. ℥ i. Vitrioli alb. ℥ ii. Acet. opt. ℔ ii. Rad. Enul. rec. ℥ ii. Fol. virid. Nicotian. M. i. coq. ad conſ. tertiæ part. colat. adde Vitrioli uſt. ℥ ß. *Cum iſtius q. ſ. pannis madefactis Herpetem permitte ſicceſcere, quater ſc. dum Eſchara adnata nova cuticula adnaſcitur.*

* *Aq. Hirundinum*. ℞. Hirundin. vivent. Num. 40. *Caſtor.* ℥ i. Vin. alb. ℔ iii. deſtilla. *Ad Epilepſiam curandam optimè valet.*

* *Aq. Hormini comp.* ℞. Fol. Hormin. rec. contuſ. M. xii. Sp. Vini ℔ ii. deſtilla ad ſiccitat.

Aquæ

Aquæ deſtillatæ affund. rec. Fol. Horm. M x. Fl. Lamii M. vi. & deſtilla ſecunda vice. repet. affuſio & deſtillatio tertia vice. cum rec. flor. & herbis, addendo Nuc. Moſc. ℥ i. Liquor deſtillans ultima vice excipiatur ſupra Sacch. albiſ. ℥. vi. Ambr. Griſ. in petia ſuſpenſ. gr. iii. intra Phialam. *In Abortu præcavendo (apud Mulierculas) multum facit. Profluvio albo ſubvenit.*

* *Aq. Hungarica.* ℞. Fl. Roriſm. rec. ℔. ii. Alcoh. Vini ℔ viii. Macer. ac deſtilla ſ. a. *Confert ad Arthritidem vagam, & Iſchiadem. Detur Coch. j. bis in ſeptimana. Facies & pars affecta quotidie lavetur. Attrahe in nares, &c. v. Uſus aquæ Cephalicæ.*

* *Aq. Lactis Alexiteria* ℞. Fol. Ulmar. Card. bened Galeg. an. M. vi. Menth. Aſſ. com. an. M. v. Rutæ M. iii. Angel. M. ii. contuſ. adde Lact. rec. cong. iii. deſtilla com. orginis.

* *Aq Lactis Cardiaca.* ℞. Pomor. redolent. cum cort. & ſem. ℔ xii. Fol. Meliſ. Scord. an M. x. Rad. zed. Tormentil. an ℥ viii. Lactis rec. ℔ x. deſtilla ſ. a.

* *Aq. Lactis Nephritica.* ℞. Fol. Alth. Parietar. Aparin. an. M. 4. Rad. alth. ℥ xii. Glyc. ℥ iii. Saxifrag. alb. ℥ iv. Lact. rec. ℔ xii. deſtilla ſ. a. Aliter. ℞. Albumina ovorum cum teſtis ſuis (demptis vitellis) Num. 24. contuſis optime & agitatis adde Lact. rec. ℔ viii. deſtilla lentiſs. igne ſ. a *Doſ.* ℔ ß. *omni mane per dies 15. vel 20. & præterea ſemel vel bis in menſe per dies 2. vel 3 continuos circa Plenilunium & Novilunium.*

* *Aq. Lactis Pectoralis.* ℞. Limac. hort. contuſ. ℔ i. Sang. Porcin. ℔ ii. Cap. Veneris, Heder. terr. an. M. iii. Ling. Cerv. M. ii. Glyc. aniſ. an. ℥ iii. Jujub. Uv. paſſ. an. ℥ iv. Lact. rec. ℔ xii. de-

deſtilla ſ. a. *Pulmonica*, *Phthiſica*, *ad Tabem*, *&c.*

* *Aq. Lactis Scorbutica*. ℞. Cochlear. mar. Sedi major. an. M. viii. Becabung. Gramin. Naſturt. aquat. an. M. vi. Chærefol. M. 4. Lact. rec. ℔ xii. deſtilla ſ. a.

* *Aq. Lamii comp.* ℞. Fl. Lamii alb. M. x. Conſolid. maj. M. viii. Hormin. M. 4. Dactyl. Num. 24. Nuc. M. ℥ iii. Caſ. lig. ℥ i. Oenogal. ℔ xii. deſtilla ad ſiccit. *Uſus in Profluvio albo*, *&c. Doſ.* ℥ iv. *pro vice*.

* *Aq. Melluminata*. ℞ Fol. Querc. Lanceol. Rubi, Fragar. Pentaphyll. Bugul. Millefol. Periclymen. Salv Roriſm. Roſ. r an. M. ii. Scob. guajac. ℥ iv. Rhodii ℥ ii. Radic. biſtort. ℥ i. Sulphur. viv. ℥ i. ſs. Vitrioli ℥ i. Alumin. ℥ iv. Mell. ℔ ſs. coq. in Aqu. fluent. ℔ viii. ad conſump. dimid. f. colat. fæce depoſita ſervabitur per annum totum: *Cum Ol.* Sulphuris, *ad Ulcera oris*, *&* *Ginvigarum*: *cum Flor.* Nitri, *ad Puſtulas*, *optimum remedium*.

Aq. Mercurialis. ℞. Rad. Lilior. alb. ℥ ii. coq. in Hydropeg. q. ſ. ad ℔ i. colat. adde Amyd. amar. excort. ʒ ii. f. Emulſio. In iſta ſolve in Mortat. vitreo Mercur. ſublim. ʒ ii. f. Aqua Albiſſima ſ. a. *Ad Faciei Ruborem*, *Puſtulas*, &c. *curand certiſſima Aqua*. *Tange loca ſæpe cum gutta minutiſſima*, *ſtatim exiccando cum linteolo*.

Aq. Odorifera. ℞. Poma Limon. & Aurant. rec. an. Num. vi. Rad. Irid. Florent. Santal. alb. Cinnam. an. ℥ ii. Macis, Caryoph an. ʒ vi. Fl Lavendul. M. iv. Chamæmel Rom. Roriſm an M ii. Fol. Majoran M. ii Ocim. M. iii. Styrac. Calam: ʒ iii. Benzoin: ʒ v: Fl: Roſ: Dam.

Dam. M. xv. Cyperi rot. ℥ ß. Aqu. Font. ℔ xxx. deſtilla in Alembic. ſ. a. Reſerventur aquæ primò deſtillatæ ℔ xv. cujus ſingulis libris adde (in nodulo ligat.) Moſch. opt. gr. ii.

* *Aq. Omnium Florum*. Fit ex ſtercore Vaccino Majo collect. cum Leucœni tertia parte deſtillato, vel, ex ſtercor. vaccin. rec. & limac. cum teſtis contuſis, an. com. organis deſtillatis. *Dicitur hæc Aqua Arthritica. Arthritidi vaga, Rheumatiſmo, Calculo, Urinæ ſuppreſſa, &c. maximè proficua Doſ.* ℥ iv. *pro vice*.

Aq. Ophthalmica. Fit ex Aq. è Reſin. Guajaci (quæ fit per Retortam igne moderato Cinerum cum Pulvere laterum, ſeparando Oleum & rectificando Aquam) cum Aqu. Roſ. alb. mixta ſ. a. *In morbis Oculorum optimum Remedium*.

Aq. Ophthalm. Sapphirina. Fit ex Aqu. Calc. viv. ℔ i. Sal. Armon. ʒ iii. ſolutis invicem, in pelvi ænea maceratis, donec colorem ſapphirinum acquirant. filtra ad uſum. *Morbis Oculorum variis ſubvenit; guttis 3. vel 4. pro vice in Oculos inſtillatis: Omnibus Ulceribus, Fluxionibus, Puſtulis, Suffuſionibus, &c. Medetur*.

Aq. Pectoralis. ℞. Rad. Helen. Ariſtol. rot. an. ℥ iii. Irid. nr. ℥ i ß. Irid. Florent. Petroſelin. Fœnic. Glyc. an. ℥ i. Fol. Nicotian. virid. M. iv. Scabioſ. Veron. Tuſſilag. Hyſſop. Marrub. Cap. Veneris, Card. bened. an. M. i. Jujub. Sebeſt. an. Num. 30. Caric. Dactyl. an. N. 16. Sem. Nicotian. ʒ iii. Nigell. ʒ i. Lini; Urtic. Naſturt. Sinap. an. ʒ ii. Bacc. Lauri ʒ vi. Guajac. pul. ℥ viii. Tereb. Ven. (in Vitellis ovor. ſolut.) ℥ ii ß. Leucœn. ℔ xvi. macer. Dies 3. & deſtilla ſ. a. inter deſtillandum Milleped. contuſ. Num. 60. in Petia ligat. ſuſpendendo in Receptaculo. *Egregii eſt*

uſus

uſus in Aſthmate, Dyſpnœa, Tuſſi, in Tartaro Pulmonum & Renum, &c. Doſ. ℥ii. *bis vel ter in die extra Paroxyſmum.*

Aq. Perſicariæ com. ℞. Perſicar. maculoſ. rec. ℔ iii. Pariet. Portulac. Thecar. Fabar. an. ℔ i. contuſ. adde Lact. rec. ℔ viii. deſtilla ſ. a. *Arcanum magnum habetur in Calculo Renum ac Veſicæ. Doſ.* ℥ iv. *bis in die cum melle per dies 20. continuos.*

* *Aq. Picarum comp.* ℞. Pullos Picar. Num. vi. Sterc. albiſ. de Pavon. Mar. ℔ ß. Viſci Querc. veri, Rad. Pæon. mar an. ℥ iv. Flor. Primulæ veris rec. ℔ i. Vin. Alb. & Hiſpan. an. ℔ v. Infund. ac deſtilla ſ. a. *Doſ.* ℥ iv. *manè & veſperi ultimis diebus ante Plenilunium & Novilunium: Inſigne Remedium in Epilepſia.*

* *Aq. Pnevmonica:* ℞. Fol. Peti opt. non convolut. Cort. extern. Aurant. an. ℥ iv. Cort. Vvinter. ʒvi. Aniſ. ʒ i ß. Vini Hiſp. ℔ vi. Sp. Vini ℔ i. macera, ac deſtilla organis vitreis. *In dolore Colico, Stomachi cruciatibus; Inappetentia, &c. Medela probatiſſima. Doſ. coch. i. ante cibum.*

Aq. Prolifica. ℞. Sem. Angelic. decort. ℔ i ß. Fœnic. d. Glyc. an. ℥ iv. Uvar. paſſ. exacinat. ℔ i. Fol. Artemiſ. Meliſ. an. M. iv. Cardui, Puleg. an. M. ii. Sem. Amomi ℥ iv. Oenogalact. ℔ xii. deſtilla ſ. a. *Doſ.* ℥ iv. (*præmiſſis præmittendis*) *cum Tinctur. Juniper.* ʒ i. *& Syr. è ſucco Salv. Coch. 2. manè & hora Somni præmiſſis Sem. Seſel. pulv.* ℈ii. *cum Rhodoſacchare.*

Aq. Regia. Fit ex Nitr. & Sal. Armoniac. an. ex Retorta vitrea ſatis ampla in Arena poſita, per ſecundum ignis gradum deſtillatis ſ. a. *Solvit aurum.*

Aq. Salivalis. ℞. Mercur. ſublim. Theriac. Androm.

drom. Zed. Cinnam. an. ʒii Croc. ʒß. Aqu. Font. ℔iß. Infund. per aliquot dies.

Aq. Sarſæ comp. ℞. Sarſapar. Chinæ nodoſ. an. ℥xii Lign. Guajac. ℔ii. Cort. ejuſdem, Saſſafr. an. ℥iv Santal. alb. Sem. Coriandr. an. ℥iß. Glyc. ℥vi. Vini alb. ℔24. Aq. Hord. ℔xvi. deſtilla poſt macerat. debit. per veſicam ℔xxiv. ſervando Aquam f. colat. quæ exhaletur in Baln. Mariæ ad conſiſt. *Extracti* ſ. a.

* *Aq. Senelorum comp.* ℞. Senelor. matur. à ſtipit. liberat. cong. ii. contuſis opt. adde Rad. Alth. Glyc. an. ℥. viii. Ononid. ℥. iii. Fol. parietar. Bacc. Halicacab. an ℥xii. Menth. M. ii. Sem. Dauci com. ℥iv. Coriand. ℥. ii. Neogalact. ℔xii. deſtilla ſ. a. *Doſ.* ℥. iv. *cum Syr. de Alth.* &c. *In Calculo multis auxilio fuit.*

Aq. Siphylica. ℞. Scob. Guajac. ℔iß. Cereviſ. meracæ rec. ℔ii. macer. ad Cinerem Dies tres & deſtilla ad ſiccitatem. *Doſ.* ʒi. *in liquor. conven. ad Luem Vener.*

Aq. Stimmios Sulphurata. Fit ex Antimonio, Nitro, Sulphur. an. deſtillatis in liquorem, filtrandum & rectificandum ſ. a. *Doſ. q. ſ. ut liquor conveniens acidus reddatur. Obſtructiones reſerat. Diureticum & Diaphoreticum habetur nobile.*

Aq. Styptica. ℞. Colcothar. Alumin. uſt. Sacch. Cand. alb. an. ʒi. Urinæ juvenis, Aqu. Roſ. rub. an. ℥i. Aqu. Plantag. ℥. iv. Digere ac filtra ad uſum.

* *Aq. Tuſſilaginis comp.* ℞. Herbar. Gerrard. Hyſſop. an. ℥viii. Fl. Tuſſilag. ℥xxiv. Glyc. ʒiv. Aniſ. ʒiii. Uv. Paſſar. ℔i. Cereviſ. fortiſ-

tiſ. ℔ xii. deſtilla ſ. a. *In Pleuritide, Empyemate, &c. valet.*

* *Aq. Venuſtatis.* ℞. Aqu. Menth. ℔ i. Sal. puriſſ. ℥ i ß. coq. & deſpuma. *Pro facie abluenda poſt Variolas tollit Furfuracea & Pruritum.*

Aq. Vermifuga. ℞. Mercurij crud. rectè purgat. ℥ i. Aqu. Gramin. Portulac. an. ℥ iv. macer. hor. 2. ſæpe ac fortiter agitando: poſtea decanta Aquam & cola, relicto in vaſe Mercurio. *Dentur coch.* iii. *ter in die.*

Aq. Uulneraria. ℞. Vitrioli opt. ℥ ß. Nitri puriſs. ʒ ii. Impone Aqu. font. cong. vi. per ſe maneant hor. 48. Syphone ſine ſubſidentis materiæ agitatione extrahe. *Doſ.* ℔ ß. *vel* ℔ i. *bis vel ter in die. Citiſſimam efficit curam Vulnerum aut Ulcerum. K. Digby Eq. Aurat.*

Arcanum Aluminis. Fit ex Alumin. dulc. ℥ ii. Sal. fuſi, ℥ vi. mixtis, reverberatis, & Aqua ablutis, ſ. a. *Vires eaſdem habet cum Alumin. Dulc.*

* *Arcan. Corrallinum.* F. ex Mercurij crud. ℔ i. Spir. Nitri ℔ iii. deſtillatis cum 3. cohobiis, Arcanum in fundo manens edulcando per calcinationem, vel ablutionem, ſ. a. *Doſ.* gr. iv. *ad* vi. *vel ultra, purgat præcipuè per Inferiora. Secretum eſt magnum in Lue Venerea, Hydrope, Podraga, Ulceribus, Scabie, Cancro,* &c.

Arcan. Corallin. Paracelſi. ℞. Mercurij crud. Vitrioli calcin. Nitri, an ℔ ii. M. & ſublima: ſublimatum Miſc. cum Nitri, & Salis parum calcin. an. ℔ i. Acet. q. ſ. ut f. Paſta, quæ rurſus ſublimetur, ſeparando rubrum à

flavo,

flavo, & abluendo utrumque ſeorſim; & Spiritu Vini accendendo ſ. a. *Doſ. gr.* 4. *ad* 8. *Vires æmulatur Mercurij dul. Secretum eſt in lue Venerea, Hydrope, Scabie, &c.*

Arcan. Coſmeticum. ℞. Talci Ven. ſubt. pulv. ſ. a. p. i. Olei Camph. p. ii. Digere in Baln. Mariæ ad ſummám albedinem ſ. a.

Arcan. Duplic. Elicitur ex Capit. mortuo Aquæ fort. duplicis in Aqua calida ſoluto, filtr. & exhalato, ſ. a. *Egregii Uſus in Melancholicis Affectibus, Febribus omnibus, Calculo, Scorbuto &c. Doſ.* ℈i. *ad* ℈ij.

Arcan. Joviale. Fit ex amalgamate (ex p. æ. Mercurii mundat. & Jovis Anglic.) pulveriſato, in Spiritu Nitri rectif. digeſto, & per Retortam ad ſiccit. deſtillato, maſſam in fundo tritam edulcando accenſione crebra Spiritus Vini ſ. a. *Doſ. an. gr.* iii. *ad* viii. *Sudorificum magnum*.

Arcan. Scriptorium. Fit ex Sal. Saturni ʒi. in Aquæ ℥i. ſoluto, pro Liquore Scriptorio ex pulv. Auripigmenti, Calc. viv. an. ℥ß. in aquæ ℥iv. digeſt. pro Liquore oblineatorio.

Aurum Fulminans. F. ex Auro in Aqu. Reg. ſolut. & cum Ol. Tartari præcipitato, edulcando ſiccandoque; ſ. a. *Sunt qui gr.* iii. *vel* iv. *ad Sudores ciendos exhibent*.

Aurum Moſaicum. F. ex Jove, Mercurio, Sal. Armon. & Sulphur. mixtis ac Sublimatis ſ. a. *Sudorificum eſt nobile*. *Doſ. ad gr.* x. *vel* xii.

Aurum Potabile. Purgetur Aurum bis per Antim. quod calcina, primò cum Mercurio & Sulphure; Secunda vice cum Sale marino fuſo, ac tertia cum Sale Tartari, dein extrahe

cum

cum Sulphure Saturni ſ. a. *Remedium cenſetur Univerſale adverſus omnes quoſcunque Morbos. Sudorificum eſt & Alexipharmacum Inſigniſſimum. Doſ. gt.* vii. *vel* viii. *in Vino generoſo.*

Aurum Vitæ. Fit ex Sol. ʒ ii. Mercurii purific. ℥ ii. ſeorſim propriis menſtruis ſolutis, mixtis, & in Retorta deſtillatis ad ſiccitatem, calcem reſiduam calcinando & edulcando ablutione cum Aqua, & acceſione Spiritus Vini ſ. a. *Omnibus aliis Catharticorum ſpeciebus antecellere dicitur: Eſtque domitor Vermium, Luis Venereæ, Petechiarum, Peſtis, Quartanæ, &c. Doſ. a gr. 3. ad 6. vel 8. cum Sacch Roſato, & in ovo, vel Brodio, vel in Pilulis, imprimis ſi coniungatur cum Scammonio, & humectetur Aqua Vitæ, quæ deſuper comburatur.*

B

Balſamum Anodinum. ℞. Sapon. Caſtil. ℥ i. Opii ℥ ß. Camphor. ʒ vi. Croc. ʒ i. Pyreni ℥ xviii. Digere in Arena Dies Noctesque 10.) & f. colat. *Linteola in iſto intincta dolentibus locis adhibeantur, renovando quarta quaque hora, donec ceſſent omnes cruciatus: Arthriticos enim dolores mirificè ſopit. Dentur internè gt.* 30. 40. 50. *in* Vino.

* *Balſam. Apoplecticum.* ℞. Ol. ſtil. Cinnam. Caryoph. Lavend. Limon. Majoran. Menth. Rutæ, Roriſm. Salv. Rhod. Abſinth. an. gt. xii. Succin. gt. vi. Bitum. Judaic. pulver. ʒ ii. Ol. Nuc. M. expreſ. ℥ i. Balſ. Peruvian. q. ſ. M. *Confortat caput, frigidoſque Humores diſcutit, adeoque in Apoplexia, Syncope, Paralyſi, con-*

venit, Naribus inditum. vel quoquo modo applicatum. Internè etiam exhiberi poteſt a gr. iii. *ad* vi. *&c. cum Electuar. aliquo Cephalico.*

Balſam. Embryonum, v. Spir. Embryonum.

Balſam. Fœminarum. ℞. Flor. minimorum Geranii moſchati ℥iv. Ol. Amygd. dulc. recentiſ. ℔ i ſs. inſolentur Dies 40. f. expreſ. adde Fl. Nymph. Lilior. alb. rec. an. ℥iv. Inſol. Dies 20. & f. expreſ. cui adde Ol. Jaſmin. ℥iv. Zibeth. ʒi. M. ſ. a. ut f. Balſ. *pro Perinæo, Inguinibus, & Lumbis* ἐν τῇ δυστοχίᾳ *inungendis.*

* *Balſam. Lucatelli.* ℞. Ol. Olivar. opt. ℔ iii. V. Hiſpan. ℔ i. Tereb. Venet. in Aqu. Roſ. lotæ, ℥viii. Ceræ ℔ i. coq. ſ. a. addendo Santal. Rub. pulveriſat. ℥ii. Balſ. Peruvian. ℥i. M. *Extrinſecus valet ad Ambuſta, Inflammationes, Ulcera, Vulnera, &c. Intrinſecus, detur ad* ʒi. *vel* ʒii. *in Vino, ad Contuſiones internas, Ulcera Renum, Calculos Renum ac Veſicæ cum difficultate Urinæ.*

* *Balſam. Magiſtrale.* ℞. Tereb. Ven. ℥viii. Styrac. liquid. ℥iv. Ol. Olivar. opt. ℔ i ſs. Ol. Hyperic. ℥i ſs. Laurin. Spicæ. Petræ, an. ℥i. Carann. Pulver. Sant. rub. an. ℥i. Benz. Sang. Dracon. an. ℥ſs. Ceræ ℥iv ſs. Bulliant. per horam, dein addendo Ol. ſtil. Bacc. Junip. ℥i. Ol. Cinnam ʒſs. Caryoph. ʒi. M. ſ. a. *Ad Vulnera Interna & Externa recentia ſanandà efficaciſſimum; nec non ad Omnes Combuſtiones & Contuſiones. Dolores in Oſſibus nerviſque mitigat. Naribus & Temporibus illitum ſuccurrit Cephalagiæ. Calidis cum pannis lateri adbitum confert ad flatus*

tus ejuſdem & dolores. Colicis, & Calculo laborantibus auxiliatur in vino tepido ſumptum ad ℥ iii. *Tubercula tollit pedum calloſa, reſecata prius ad vivum ferè, calidè inunctum. Narium ſiſtit Hæmorrhagiam, & aliarum partium. Coctionem juvat Ventriculo inunctum hora decubitus. Vermes necat internè, aut externè adhibitum.*

Balſam. Martiale. ℞. Chalyb. Limat. Mundat. ℥ iv. affund. Ol. Terebinth. ℥ v. poſt guttatim immitte Sp. Nitri ℥. iii. Digere leni calore Dies aliquot, deinde decanta ſ. a. *Summum eſt Vulnerarium.*

Balſam. Momordicæ. F. ex fructu ejus Oleo inſolato per longum tempus. *Valet optimè in Vulneribus, Ulceribus, maximè Hæmorrhoidibus, Matricis Ulceribus, Rupturis,* &c.

Balſm. Nuciſtæ. ℞. Nuc. Moſch. contuſ. ℔ i. Vini Hiſpan. ℔ ß. Butyr. opt. inſulſ. ℔ ii. Inſolentur (Vaſe opt. clauſo) ad Dies 5. Tum coq. leniter ad Vini conſumpt. & f. colat. *Uſus eſt tam internè quam externè. Expellit Fœtum Mortuum, Secundinas,* &c. *Exhibitum in vino ad* ℥ ß. *confert etiam ad dolorem Splenis, Capitis,* &c. *Inunctum valet ad omnes Dolores Frigidos.*

✝ *Balſam. Paralyticum.* ℞. Tereb. Ven. ℔ iv. Olib. Aloes, Caſtor. Myrrh. Xyloal. Fl. Hyperic. an. ℥ i. Gum. Elem. Ladan. an. ℥ iii. Styrac. liq. ℥ ii. Balſam. Peruvian. ℥ iv. Calam. Arom. Caryoph. Galang. an. ℥. vi. Cinam. ℥ i ß. Fl. Roriſm. Salv. an. ℥ x. omnia ritè præp. miſc. cum Terebinthina, addendo Sp. Vini ℔ iv. Digere tepidè per Dies vi. dein deſtilla per Retortam capacem: primò lentiſ. igne Cinerum per hor. 48. ut ſaltem tepeſcat Retorta: deinde fortiori aliquantum, tandem fortiſ-

mo, excipiatur prima Aqua per ſe quamdiu effluit inſtar Aquæ : ſecunda per ſe inſtar olei flaviuſculi tenuis ſubſtantiæ : tertia eſt craſſa. Vocetur 1. *Mater Balſami*, 2. *Balſam. Paralyticum*: 3. *Oleum Balſami. Confortat mirabiliter Nervos : Paralyſin & Contracturam ſanat, extrinſeu illitum, & intrinſecus exhibitum.*

Balſam. Podagricum, v. Balſam. Anodynum.

Balſam. Saturninum. F. ex Salis Saturni ℥ iv. Sp. Tereb. ℥ xii. digeſtis ſ. a. *Egregii uſus in Chirurgia : Convenit Ulceribus inveteratis, nec non Tumoribus. Curat Uulnera, eademque ab Accidendenti præſervat, præcipuè ſi addatur Camphora : Succurrit etiam Fiſtulis, Cancro, Morphæis, &c.*

Balſam. Sclopetarium. ℞. Ol. Lini, Terebinth. an. ℔ i. Virid. Æris ℥ ß. coq. parum ſ. a. *Pro Ulceribus veteribus & Vulneribus ſclopetariis duplici ſecundum.*

Balſam. Spinal. ℞. Axung. Human. ℥. iv. Ax. Anſer. Taxi, an. ℥ iii. Ol. Laurin. ℥ ii. Fol. Salv. Majoran. Ebul. Sambuc. Calaminth. Origan. Lavend. an. M. i. coq. ad Succor. conſumpt. f. expreſ. Adde Balſam. Succini ℥ i. Butyr. Macis ℥ ß. Petrol. Ol. Spicæ, an. ℨ ii. M. ſ. a. *pro Spina dorſi inungenda in Rachitide. Utatur manè, & paulò ante ingreſſum lecti, ſuppoſita lanâ ſuccida linteo duplici aſſuta.*

* *Balſam. Succini.* ℞. Succin. alb. ſubt. pulveriſat. ℥ ii. Ol. Tereb. ℥ vi. Tamdiu inſolentur, donec perfectè ſolvatur, Succinum. *Cerebrum & ſenſus roborat. Omnibus nervorum affe-* *ctibus,*

ctibus, Convulſionibus, Epilepſiæ, Paſſioni Hyſtericæ, &c. auxiliatur. Diureticum eſt inſigne.

Balſam. Spleneticum. ℞. Fol. Rutæ, Hederæ, Chamæmel. Thymi, an. M i. contuſ. adde Fel. Bovini, & Ol. ex pedibus bovinis ℔ i. Aquæ Vitæ ℥ i. coq. per horam, f. colat. *Mira præſtat in Splenis doloribus, omnibuſque frigidis doloribus.*

Balſam Sulph. Antimonii. ℞. Sulphuris Antimonii combuſtibilis. Salis Tartari an. ℥ i. Spir. Tereb. ℥ iv. Digere ſimul ſ. a. *Ad Ulcera ſordida, Fiſtulas, &c. Doſ. ad gut.*

* *Balſam. Sulph. Aniſatum.* ℞. Fl. Sulphur. p. 1. Ol. Aniſi p. 4. Digere donec ſolvatur Sulphur, ut f. Balſam. rubicundum. *In Catarrhis Pectoralibus, Tuſſi, Aſthmate, Phthiſi, Pleuritide, Colica, Peſte, Epilepſia, Apoſtematibus omnibus, Putrefactionibus Corporis; &c. valde proficuum Doſ. ad* ℈ i.

* *Balſam. Sulph. Bateanum.* ℞. Fl. Sulphur. ℥ i. Ol. olivar. opt. ℥ v. coq. l. igne (continuò agitando) ad conſiſt. Balſami. *Ad Ulcera omnia tum interna, tum externa, efficaciſſimum. Doſ. ad gut. 20. & ultra.*

Balſam. Sulph. Benzoinatum. F. ex Fl. Sulphur. & Ol. Benz. ut *Aniſatum Pulmonicum, ac Aſthmaticum, inſigne eſt: & ad Catarrhos exiccandos maximè valet.*

Balſam. Sulph. Knœphelii. F. ex Hepat. Sulphur. pulveriſat. p. 4. Ol. Lini rec. 3. ad craſſitiem coctis, & cautè ex Retorta deſtillatis; miſcendo oleum (ab Aqua prius ſeparatum) cum dimid. quantit. colcothar. Vitrioli ſupra ignem, & poſt refrigerationem deſtillando ex Retorta vitrea. Oleum quod extillat miſc. cum quant. dimid. Ol. Aniſi, & Digere ſ. a. ut f. Balſam

Balſammum eſt Pulmonum præſtantiſſimum conſumens & exiccans. Catarrhis, Aſthmati, Tuſſi, Phthiſi, Colicæ, &c *ſubvenit. Promovet Expectorationem, intercipit Defluxiones ad Articulos. Ventoſitates præcavet ac diſcutit. Doſ. a gr. 4. ad* 12.

* *Balſam. Sulph. Minerale.* ℞. Ol. Lini ℥. x. Sulphur. pulveriſat. ℥ ii. coq. leniter, continuo agitando, donec in mellis conſiſt. devenerint. *Applicetur locis dolentibus & debilibus Podagræ ſuper alutam vel linteum, renovando tertio vel quarto quoque die.*

Balſam. Sulph. Rulandi. ℞. Fl. Sulphur. ℥ i. Ol. Nucum vel Rapar. ℥ vi. V. generoſ. ℥ ii. macer. dies 8. aliquoties agitando, & coq. leniter ad Vini conſumpt. *Anodynum eſt inſigne, maturativum ac digeſtivum in vulneribus partium nervoſarum. Auribus inditum dolores earundem tollit.*

* *Balſ. Sulph. Succinatum.* F. ex Fl. Sulphur. cum Ol. Succini, ut *Aniſatum. Valet in Colica, &c.*

* *Balſ. Sulph. Terebinthinatum.* F. ut ſupra, cum Ol. Tereb. v. *Vires Balſ. Sulphur. Aniſati.*

+ *Balſ. Tartari.* ℞ Ol. Tartari p. d. ℥ ix. Crem. Tartari pulveriſat. ℥ viii. Digere ac evapora ad ſiccit. affunde Spir. Vini vel Acet. deſtill. extrahe inde Tincturam, filtra, & ad mellis conſiſt. abſtrahe ſ. a. *Præſtantiſſimum eſt adverſus Arthritidem & Calculum, laxatque Alvum. Doſ ad* ʒß. *externè inungantur partes dolentes Confert præterea in omnibus Morbis Chronicis ac obſtinatis.*

Balſ. Veneris. F. ex Lamin. Veneris cum Spir. Tereb digeſtis ſ. a. u. f. Balſam. Viride. *Ad Ulcera, Vulnera, Fiſtulas &c. mundificanda apprimè conducit, mixtum cum convenientibus.*

Balſ. Verum. F. ex Limacibus cum teſtis diu mul-

multumque contuſis cum an. Sacchari cand., ut f. Balſam. *Ad foveas Variolarum.*

Balſ. Virilitatis. v. *Ung. Virilitatis.*

Bezoar Animale. ℞. C. C. ad ſummam albed. calcinat. & pulveriſat. ℥ iv. læviga in pollinem ſupra marmor, affundendo guttatim Sp. Vitrioli q. ſ. uſque Paſta fiat, exinde fiant Globuli, qui ſtatim exiccentur. *Alexipharmacum, Sudorificum, & Vermifugum eſt. Fluxus alvi ſedat, Sitim extinguit,* &c. *Medicina eſt pro Infantulis nulli ſecunda.*

* *Bezoarticum Joviale.* ℞. Reguli Antimoni in Crucibulo fuſi ℥ iii. quibus adde Jovis Anglican. ſimiliter fuſi ℥ ii. ut f. de novo Regulus: poſtea leviga & admiſce Mercurii ſublimati ℥ vi. deſtilla ex Retorta: Butyrumque inde deſtillatum, cum Spir. Nitri ternis deſtillationibus fige: poſtea calcina, & ignitum in Sp. Vini extingue, & exicca: fit Pulvis griſeus. *Diaphoreticum eſt ſtupendum. Valet in omnibus Matricis Ægritudinibus; aliiſque Mulierum morbis quam plurimis. In Febribus, Peſte, Scorbuto,* &c. *Doſ. a gr.* iii. *ad* vi. &c.

Bezoart. Lunare. F. ex Luna in Sp. Nitri ſolut. & Butyr. Antimonii, procedendo ut ſupra cum Bez. Jovial. *Specificum eſt in Epilepſia, Convulſionibus, Hemicrania, Apoplexia,* &c. *Anodynum eſt & Sudorificum. optime valet in curando Eriſipelate. Doſ. a gr.* vi. *ad* xii.

Bezoart. Martiale. F. ex Croco Martis cum Butyro Antimonii ſoluto: deindè figendo ut ſupra; vel fit, ſolvendo Chalib. Limat. ℥ i. in Aqu. Reg. q. ſ. affundendo paulatim Butyr. Antimon. ℥ viii. & procedendo cum Sp. Nitri

Fluxus Hepaticos, & alios potenter ſiſtit, Viſcera roborat, &c Doſ. ad ℈ ß.

* *Bezoart. Minerale* F. ex Butyr. Antimon. ℔ i. & Sp. Nitri ℔ iii. vel q. ſ. mixtis & ternis cohobiis deſtillatis, ut in Bez. Jovial. vel fieri poteſt ex Capit. mort. Spiritus Nitri Bezoartici. *Magnum eſt Alexiterium ſaluberrimumque Remedium, quod Sudores promovendo magnos effectus monſtrat in omnibus Peſtilentialibus & Venenatis Affectionibus. Doſ. a gr.* vi. *ad* xii. *& ultra.*

Bezoart Mercuriale. F. eliciendo Tincturam ex Vitro Mercurii vitæ cum Butyro Antimonii, & figendo cum Spir. Nitri ſ. a. *Inſignis uſus in Lue Venerea.*

Bezoart Saturni. F. Tincturam extrahendo ex vitro Saturni (quod fieri poteſt ex Minio & & Silicibus) cum Buryro Antimonii non rectific. & cum Spir. Nitri figendo ſ. a. *Hyſtericum eſt. Conducit Lienis Affectibus. Doſ. ad gr.* vi.

* *Bezoart. Solare.* F. ex Laminis Sol in Spir. Nitri Bezoartico ſolutis, paulatim affundendo hanc ſolutionem Butyro Antimonii, & procedendo ut ſupra. *Sudorificum eſt egregium. Uſus eſt in Lue Venerea, Peſte, Podagra, Hydrope, Febribus, Obſtructionibus Lienis, &c. Doſ. a gr.* iii. *ad* viii.

Bezoar. Veneris. F. Tincturam eliciendo ex ſquamis Veneris cum Butyro Antimonii rectificato, & figendo per Spirit. Nitri ſ. a. *Exhibetur ab aliquibus in Lepra, Morbiſque Capitis & Cerebri. Doſ. ad gr.* vi. *Externè valet ad Ulcera antiqua, Fiſtulas, Impetigines, &c. mixtum cum Unguento appropriato.*

* *Bolus Alexiteria,* ſeu *Cardiaca.* ℞. Fol. Angelic. Meliſ. Scord. Pimpinell. Scabioſ. an. M ii.

Dra-

Dracont. M. i. Fl. Calend. Caryoph. hort. an. M. iii. Xyloal. ℥ ß. Bacc. Kerm. ℥ i ß. Coccinel. ʒ ii. Vini alb ℔ ii. vel q. ſ. macer. tepidè hor. 24. f. expreſſ. M. cum Bol. Armen. opt. pulveriſat. ℥ viii. ut fiat inſtar pulmenti, Sole exiccand. Repet opus 5. vicibus cum infuſ. dicta: ultimò f. Troch. ſ. a. *Doſ. à ℈ i. ad ʒ i. in Morbis Malignis.*

Butyrum Amygdalinum. ℞. Amygd. dulc. largiſ. in Aq. frig. macerat. & decorticat. ℔ i. contund. opt. in mortar. marmor. irrigando inter contundendum cum Aquæ font. pauxillo. Tum adde Aquæ Font. q. ſ. ut craſſeſcat inſtar cremoris, coletur ſtrenuè, & l. igni imponatur ſæpe agitando, donec bullire incipiat. Tum adde (coagulandi gratia) Succ. Limon. ℥ i. & ſuſpende in panno ſatis ſpiſſo, ut ſeparetur Butyrum in panno relictum ab omni parte ſeroſa; quod condiatur cum Saccharo & Aqua Roſ. ad gratum guſtum. *Anodynum eſt Elegans, lenit & maturat. ad Tormina Ventris Infantulorum valde commendatur.*

Butyrum Ceræ. Fit ex Cera citr. in Spir. Vini ſoluta, & filtrata, ut remaneat, in charta inſtar Butyri. *Edulcatum atque ad ʒ i. propinatum eximiè valet in Dyſenteria curanda.*

Butyrum Succini. v. Balſ. Succini.

C.

Calx. Auri (i. e.) Aurum Fulminans.

Calx Jovis. F. ex Jove liquefacto, & rudicula

cula ferrea agitato, donec planè in Calcem abjerit. Vel fieri poteſt ex Jove in Aqua Forti ſoluto, præcipitato, & edulcato ſ. a. *In Utero ſtrangulato ſpecifica. Doſ. ad ℈ ß.*

Calx Lunæ. F. ſolvendo Lunam in Aqua Fort. & præcipitando per Aquam ſalſam Ve. ſ. amalgamando cum an. Mercurij, adjecta Sal. Communis quarta parte. Vel cementando per Tartarum Vitriolatum per Sal. Gem., per Sulphur., &c. Vel reverberando per Dies 8. cum Nitro, Sulphure, Sale Armon. &c. ſ. a. *Hyſterica, Epileptica, Apoplectica, &c. habetur. Doſ. ad ℈ ß.*

Calx Saturni. (i. e.) Plumbum uſtum.

* *Cardiacum Cœleſte*. ℞. Sacch. albiſ. ℥ xvi. Aquæ Borrag. ℥ iv. coq. penè ad confiſt. dein bullientibus injice Fl. Borrag. recentiſ. à nigris puncturis liberat. ℥ vi. coquendo perge uſque Flores torreſcant. ab igne remotis admiſc. Fol. Auri Num xvi. Amb. griſ. gr. 24. *Cardiacum eſt Elegantiſſimum, Spiritus Vitales ac Animales recreans, omnibus Affectibus ex atra bile ortis eximiè conducit. In Melancholia Hypochondriaca nulli ſecundum.*

Cardiacum Magnum. v. Flos Cordialium.

* *Caryophylli Odorati*. ℞. Styrac. Calam. Ladan. an ℥ ii. Benz. ℥ i. Caryophyl. aromat. ℥ ß. ἀνθρακίων, ℥ iii. f. Pulvis ſubt. adde Aquæ gummoſæ q. ſ. ut f. Maſſa, ex qua fiant Caryophylli ſ. a. *Ad cubiculum Ægrotorum fumigandum.*

* *Caſ-*

* *Caſhevv, ſeu Catechu*. ℞. Terræ Japponic. pulveriſat. ℥ iv. Sacch. cand. alb. ℥ ß. Alum. glacialis, gr. i. Ambræ griſ. gr. iv. Mucilag. Gum. Tragac. in Aqua Roſ. extract. q. ſ. ut f. Paſta: ex qua formentur Pilulæ oblongæ minutæ inſtar Muſcerdæ. *Ad exiccandos Catarrhos, & Caput roborandum inſigniter conducit, in ore ſæpe retentum*.

* *Cataplaſma Apoplecticum*. ℞. Rad. Bryon. rec. ℥ iii. Sem. Sinap. Sapon. nigr. an ℥ i. Cantharid. ʒ vi. contuſ. opt. adde Acet. opt. q. ſ. f. Catapl. pro Capite raſo.

Catapl. Cephalicum. ℞. Pulveris Caryoph. Nuc. M. an. ʒ ii. Piper. Indic. ℥ ß Diaſinap. ʒ vi. Ferment. acris ℥ iii. Spir. Lavend. comp. ℥ i ß. vel q. ſ. ut f. Catapl. pro Capite raſo.

* *Catapl. Cynanchicum*. ℞. Pulver. albi Canis ℥ i. Pulp. Conſ. Roſ. r. ℥ ii. Syr. de Mecon. q. ſ. m. f. Catapl. *Sub mento adhibendum ab aure ad aurem, poſt Phlebot*.

Catapl. ad Paronychiam. ℞. Vitell. ovi unius rec. adde Reſin. com. tenuiſſimè pulveriſat. q. ſ. Balſ. Peruv. gt. vi. vel viii. optimè miſc. donec reducantur ad formam Cataplaſmatis, *Applica loco affecto. Egregium eſt Medicamentum*.

* *Catapl. Peſtilentiale*. ℞. Stercor. Columb. pulveriſat. ℥ iv. Croc. ℥ ß. Mithridat. Theriac. Lond. Sem. Sinap. an. ℥ i. Tereb. q. ſ. ut f. Catapl. *Pro Bubonibus rumpendis. Poſt ruptos Bubones Empl. adhibe* ex Empl. de Mucilag. Diach. cum Gum. & Stictic. an. ℥ i ß. Galb. ℥ ß.

* *Catapl. Podagricum*. ℞. Sapon. Nigr. ℥ iv.

Vitell.

Vitell. Ovor. Num. 2. Croc. ℥ i. Ol. Spicæ ℥ i. m. f. Catapl. ſ. a.

* *Catapl. Soleare* . ℞. Fol. Rutæ rec. ℥ ii. Rad. Bryon. rec. ℥ iv. Ferment. acerr. Salis nigr. Sapon. an. ℥ i ß. Muſtardæ ℥ iii. contuſ. adde Acet. q. ſ. *Pro plantis pedum, in Febribus.*

Catharticum Cæſareum . ℞. Pulp. ZZ. condit. ℥ ii. Reſin Scammon. ℥ i. Confect. Al-Kerm. ℥ ß Roſ. r. pulveriſat. Cremor. Tartari, an. ʒ ii. Ol. Cinnam. gt. xx. Spir. Vitrioli gt. xvi. Syr. de ZZ. condit. q. ſ. f. Electuar. *In omnibus Affectibus Frigidis utile eſt & jucundum Catharticum. Corpus ſine moleſtia purgat, Animum recreat, Appetitum excitat, Fœtorem Oris & Naſi emendat. Sanguinem rectificat, Flatus diſſipat, & Cruciatibus Colicis mirè confert. Doſ. à* ʒ i. *ad* ʒ ii.

Caudela Amygdalina . ℞. Cereviſ. opt. illupulat. ℔ ii. Aquæ Font. ℔ i. Cinnam. acut. ℥ i. coq. ad conſumpt. tertiæ partis, f. colat. cui adde Amygd. d. largiſ. mundat. ſed non decort. contuſ. Num. 60. coq. parùm, & cola per cribrum exprimendo, adde Sacch. albiſ. duri ℥ ii. f. Candela. *Pro Puerperis Diarrhæa laborantibus.*

* *Caudela Nenufarina* . ℞. Rad. Nymph ℥ i. Ichthyocol. C. C. raſ. Ebor. Sant. alb. an. ʒ ii. Rad. Biſtort. ʒ ß. Dactyl. Num. 4. Orizæ coch. 2. coq. in Cereviſ. illupul. ℔ ß. Aq. font. ℔ 1. ad conſumpt. tertiæ part. f. colat. adde Vitellum cum Album. ovi unius & Sacch. q. ſ. *Pro duabus doſibus. In Abortu præcavendo, dorſi infirmitatibus, Gonorrhœa, Profluvio albo, &c. Eximii eſt uſus. Detur bis in die.*

Can-

Cauterium Lunare. Solve Lunæ p. i. in Aquæ Fort. p. iii. & evapora ad ſiccitatem auge poſtea ignem ad calorem fuſorium, donec ceſſant fumi, & ſtatim materiam funde in vaſcula ænea aut ferrea magnitud. convenientis. *Cauſticum eſt perpetuum, ſi ab aere ſervetur. Tollit verrucas tangendo eas.*

* *Ceratum Album*. ℞. Ceræ albiſ. ℥ iv. Ol. Amygd. amar. ℥ v. Sperm. ceti puriſ. ℥. i. Ceruſſ. in Aqua Roſ. lot. ℥ i ß. Camph. ℥ ß. M. f. a. *Lenit, reſolvit, Anodynum eſt. Cicatricibus Exanthematum illitum, eas replet. Coſmeticum etiam eſt Elegans.*

Cereviſia Butleri ℞. Beton. Salv. Agrimon. Cochl. hort. Abſinth. Rom. an. M. iii. Rad. Enul. Raphan. Ruſtic. an. ℥ iv. M. f. Sacculus in Cereviſ. non lupulat. cong. iv. ſuſpendendus, cum lapide in fundo ſacculi. *Cephalica, Stomachica, Hepatica, Splenetica, Pulmonica, Diuretica, &c. Sanguinem rectificat, fixos ac crudos Humores reddit volatiles. Tartarum Pulmonum Renumque attenuat ac educit. Cachexiæ, Hydropi, Scorbuto, Melanch. Hypochondriacæ, Scabiei, &c. ſubvenit. Sit pro potu communi, aut ſaltem ter in die bibatur.*

* *Cereviſia Catapſoras*. ℞. Fol. Sennæ, ℥ vi. Mechoac. ℥ iii. Glyc. ℥ i ß. Sem. Carui ℥ ß. Rad. Oxylapath. ℔ i ß. Polypod. Rubiæ tinctor. an. ℔ ß. Fol. Scabioſ. Agrimon. an. M iii. Antimon. crud. craſſ. pul. ℔ i. M. f. Sacculus pro cong. 5. vel 6. Cereviſ. *Sanguinem purgat. Optimè valet in Pruritu, Scabie, aliiſque cutis fœditatibus curandis. Detur* ℔ i. (*plùs minùs*) *bis in die per dies aliquot.*

* *Cereviſia Embryonum*. ℞. Raſ. ligni Cotonei ℔ i. Sant. alb. Ebor. an. ℥ iv. Muſci Arbor. ℥ ii. Rad. Tormentil. ℥ i ß. Biſtort. ℥ i. Nuc. M. Sem. Coriand. an. ʒ vi. Uvar. paſſar. ℔ i ß. M. & ſuſpende in Sacculo in Cereviſ. rec. cong. vi. *pro potu ordinario. Abortum præcavet, infirmum Fœtum roborat. Uteri ligamenta firmat.*

* *Cereviſia Hydropica*. ℞. Fol. Praſſii. Ling. Cervin. Hepatic. Abſinth. vulg. Acetoſ. an. M. i. plenum. Incide, & poſtea in farina hordeacea obvolvantur: dein coq. in clibano. Tum paſtæ cum herbis in fruſta fractæ adde Salis abſinthii ʒ ii. ſuſpend. in Sacculo in Cereviſ. rec. cong. iv. *pro potu communi. Multos curavit Hydropicos.*

* *Cereviſia Jovialis*. ℞. Limat. Jovis ℔ i. Sant. alb. raſ. Ebor. an. ℥ iii. Uv. paſſ. ℔ i. Fol. Abſ. Rom. Ling. Cervin. Veron. Agrim. an. M. ii. Cort. Aurant. ℥ ii. M. f. Sacculus, pro cong. iv. Cereviſ. rec. *pro potu ordinar. Uteri morbis peculiariter curandis inſervit. Hepatica etiam eſt, & ſplenetica.*

Cereviſia Oxydorcica. ℞. Fol. Rutæ, Salv. Verben. Euphrag. an. M. i. Millepedes vivas Num. 400. Sem. Fœnic. d. ℥ i. Uv. paſs. exacinat. ℔ ß. Indantur Sacculo pro cong. iv. Cereviſ. rec. *pro potu ordinario, ad Viſus hebetudinem. Tern.*

* *Cereviſia Scorbutica*. ℞. Fol. Cochl. Marin. parùm ſiccat. ℔ i. Salſapar. ℥ iv. Saſſafr. ℥ i. Naſturt. Aquat. Beccabung. an. M iii. Salv. rubr. M ii. Caryoph. ʒ iii. Nuc. M ʒ vi. contund. & impone cong. v. Cereviſ. rec. cum fruſtulis Martis ℥ vi. in fundo Sacculi. *Pro potu communi.* * *Ce-*

* *Cereviſia Scrophularia*. ℞. Sarſapar. ℥ vi. Lign. Sanct. ℥ viii. Cort. Arbor. Jugland. Rad. Scrophul. Saſſafr. an. ℥ ii. Herb. Roberti M iii. Uv. paſſ. exacin. Milleped. vivent. an. ℔ i. M. f. Sacculus pro cong. iv. Cereviſ. rec. *Uſus præcipuus in Strumis Scruphuloſis. Ficis & Mariſcis Ani, Cancroſis ac ſimilibus ſerpentibus Ulceribus, Maligna Scabie, &c. bibendo hanc cereviſiam pro potu communi, & purgando ſemel in ſeptimana cum appropriatis.*

* *Cereviſia Vernalis*. ℞. Fol. Senæ ℥ v. Rad. Polypod. qu. ℥ vi. Rhab. Monach. Oxylapath. an. ℥ x. Uv. Corinth. ℔ i. Glyc. Sem. Fœnic. d. an. ℥ i ß. Raſ. Saſſafr. ℥ ii. Fol. Salv. Rub. Agrimon. Naſturt. aquat. Cochl. marin. an. M ii. M. f. Sacculus pro Cereviſ. cong. v. *Eaſdem vires obtinet, quas Cereviſia Catapſoras.*

* *Ceruſſa Antimonii*. Fit ex Regulo vice Antimonii crud. comburendo, *&c.* ſ. a. v. *Vires Antimon. Diaphoret.*

Ceruſſa Martis. F. ex Regulo Martis, omninò ut Ceruſſa Antimonii. Paratur etiam cum nonuplo Nitro. *Diaphoreticum eſt inſtar Ceruſſ. Antim.*

Chalcanthum Rubefactum. F. calcinando Vitriolum ad rubed. *Maximè adſtringit, & deſiccat. Valet in dyſenteriis, Hæmorrhagiis, &c. In evulſione dentis (ſi fluxus ſanguinis accidit) utiliter applicari poteſt cum aceto & linteo.*

* *Chalybs ſine Acido*. Paratur humectando Martem decies Sale abſinthii in Aqua cichor. ſoluto, & ſiccando in aere ſicco ac tepido. Poſtea f. pulvis ſubt. *Potenter aperit Obſtructiones. Doſ.* ℈. i. *ad* ʒ ß.

Cha-

* *Chalybs Tartariſatus*. ℞. Chalyb. Limat. mund. Tartari alb. pulveriſat. an. ℥ vi. Aquæ fumar. q. ſ. f. Maſſa inſtar Electuar. coq. in vaſe fictili in clibano (calore lento) ad ſiccit. pulvis ſubt. cui adde Aquæ fumar. q. ſ. & coq. iterum ad ſiccit. Repet. opus ter. dein f. pulvis ſubt. ſ. a. *Ex hoc fit Mars Potabilis.*

* *Cicera Tartari*. ℞. Tereb. Chienſ. opt. ℥ ii. Acidi Tartari ℥ i. Spec. Diaireos ſimp. Nitri præp. an. ʒ ii. M. f. Maſſa Pilularis. *Ad Podagræ præcautionem detur* ʒ ß. *bis in die per menſes aliquot. v Mynſicht.*

Cinnabaris Antimonii. Fit ſublimando Caput mortuum poſt deſtillationem Butyri Antimonii relictum, & rectificando ſ. a. *Sudores movet copioſos. Valet in Podagra, Lue Venerea, Epilepſia, Paralyſi*, &c. *Doſ.* ℈ ß. *ad* ℈ i.

* *Clyſſus Portulacæ*. ℞. Succ. Portulac. depurat. ℔ viii. Sacch. alb. ℔ i. clarifica, & coq. ad mellis conſiſtentiam. Eodem modo fieri poteſt *Clyſſus Argentinæ, Beton. Farfaræ, Heder. ter. Prunell. Agrimoniæ, &c.*

Clyſſus Vitrioli. ℞. Vitrioli Martialis viridis terna ſolutione & cryſtalliſatione purificati, & ad flaved. calcinati q. v. Solve in Acet. deſtill., filtra & cryſtalliſa, repetendo opus ad tertiam vicem. Calcina iterum ad flaved. & deſtilla ex Retorta cum cohobatione ad ſiccit. Tum deſtilla igne aperto donec Spiritus omnes extillentur, ex Capite Mortuo in aere expoſito eliciatur Sal, quod crebrò ſolvendo, filtrando & cryſtalliſando depuretur.

℞. Salis hujus p. 1. Sp. prædict. part. 4. extra-

extrahe Tincturam digerendo per menſem. Deinde filtra ad uſum. *Noxios Humores expellit per Inſenſibilem Tranſpirationem, Venerem ſtimulat, Uterum roborat, ejus motus inordinatos ſiſtit, & in utroque ſexu vim ſeminis ad generationem operatur. Doſ. gt. 2. ad 4.*

Colcothar Vitrioli. Nihil aliud eſt quam Vitriolum ad rubedinem calcinatum. Vel, Caput mortuum poſt deſtillationem Ol. Vitrioli relictum. v. *Chalcanth. rubefactum*.

* *Conſ. Aurantiorum*. ℞. Flaved. cortic. Aurant. recentiſs. minutiſs. inciſ. ℔ ß. contund. opt. cum Sacch. alb. ℔ i. in mortar. marmor. ut f. Conſ. ſ. a. *Uſus in Colica, Torminibus Ventris*, &c.

* *Conſ. Hepatica Corallitana*. ℞. Fruct. Cynosbati matur. a ſem. & capillamentis exactè liberat. q. v. cuſtodiantur ſimul in loco clauſo per dies vi: deinde adjecta V. Rubelli q. ſ. coq. ad mollitiem, & per ſetac. trajic. Pulpæ adde Sacch. opt. an. & ad unamquamque libram Aquæ Roſ. rub. ℥ i ß. coq. in Baln. Mariæ ad Mivæ conſiſt. *Confert ad Urinam cruentam, Calculum*, &c. *Diuretica habetur. Potenter Hepar refrigerat, & Scorbutica eſt.*

Conſ. Nicotianæ. ℞. Fol. Nicot. rec. ℔ ii Styrac. cal. ℥ ii. Cinam. ℥ i. Sacch. ℥ vi. Mann. opt. ℔ i ß. contund. & inſolentur Dies 48. *Mira præſtat in Aſthmate & Catarrho Suffocativo. Doſ. ℥ ß. quarta quaque hora.*

Corpus ſine anima. ℞. Rad. Irid. Florent. ʒ i ß. Moſch. gr. iii. Sacch. ℥ vi. M. f. pulv. *Uſus in Tartaro Pulmonum, Tuſſi, Aſthmate*, &c. *Oris Fœtorem tollit.*

Corvus Epilepticus. ℞. Corvum majorem deplumatum & eviſceratum, abjectis pedibus & ro-

roſtro, immitte in Ventrem Cor, Jecur, Pulmones, Veſicam fellis, cum Galang. & Sem. Aniſ. an. ℥iv. coq in vaſe terreo novo benè occluſo & lutato cum pane domeſtico in clibano. Poſt frigefactionem a lateribus ſeparetur, & ſecunda vel tertia vicefiat, cavendo tamen ne aduratur: dein f. pulver. ſ. a. *Doſ.* ʒi. *quotidie in Morbo Comitiali. Inſigne Remedium.*

* *Cremor Hordei.* ℞. Hord. perlat. mundat. ℥iv. coq (prima Aqua abjecta) in Aquæ Font. q. ſ. ad mollitiem. Contunde opt. Hord. cum Amygd. d. decort. N. 20. addendo Aquæ Hord. ℔ii ſs. f. expreſſ. fort. ſ. a. adde Sacch. opt. ℥ii. Aquæ Roſ. Dam. ℥i ſs. ut f. cremor. *Diureticum eſt, & Nutritivum, Sitim in Febribus extinguit.*

Crocus Jovis. F. amalgama ex Jovis ℥ſs. & Mercurii ℥ i ſs. a quo (evaporato Mercurio) relinquitur crocus Jovis. *Sudorificum eſt magnum. Doſ. a gr. iv. ad x. In Lue Venerea, Podagra, Peſte, Utero ſtrangulato. &c. mire valet. Uſus externus ad Ulcera inveterata, Cancros, fiſtulas, &c.*

Crocus Veneris. Fit reverberando Vitriolum Veneris ſ. a. *Diureticus eſt, Colicus, Uterinus, Febrifugus. Doſ.* ℈ ſs.

Cryſtallum. Lunæ. V. Vitriol Lunæ.

* *Cryſtallum Minerale.* Solve Sal Prunellæ in Aqua, filtra & cryſtalliſa ſ. a. Si addas Sacchari an. ante cryſtalliſandum, vocatur *Saccharatum. Putredini reſiſtit, ſitim ac æſtum in Febribus compeſcit, Tartaream ſaburram incidit, Coagulatum Sanguinem reſolvit, Dolores mitigat,* &c.

D

* *Decoctum Album*. ℞. C. C. calcinat. pulveriſat. ℥ii. Aquæ Font. ℔4. coq. ad dimid. f. colat. citò, per linteum rarum cum levi expreſſione. Liquori lacteſcenti adde Syr. de Succo Aurant. ℥iii. vel q. ſ. m. *Ad ſitim extinguendam in Febribus*, &c. *Uſus eſt egregii*.

* *Decoct. Amarum*. ℞. Summit. Centuar. min. Fl. Chamæm. Fol. Agrimon. an. M ß. Sem. Cardui ben. Citri, an. ʒi ß. Fl. Calend. P. ii. Rad. Gentian. ʒii. Sennæ, ʒvi. Rhab. ʒi. V. alb. Aquæ Font an. ℔i coq. ad dimid. f. colat. *pro 3, vel 4. doſibus*.

* *Decoct. Amarum alterans*. Fit omittendo purgantia.

* *Decoct. Ambroſianum*. ℞ Sem. Milii panici contuſ. ℥viii. Aquæ Font. ℔vi. coq. ad tertiæ Part. conſumpt. addendo ſub finem Vini alb. ℥xii. poſt refrigerationem, f. colat. traijciendo ſæpe per Manic. Hipp. ad limpitudinem. Dicitur & *Syr. Ambroſianus*. *Detur inter ſudandum ſæpe* ℔ß *pro vice tepidè*. *Diaphoreticum eſt nobile utatur in Hydrope, Arthritide vagâ, Podagra, Febre maligna, &c.*

Decoct. Analepticum. ℞. Cancros fluviat. contuſ. N. vii. in Vin. alb. & Aq. f. an. ℥xii. ad med. colat. adde Sacch. cand. q. ſ. *Dentur Coch.* ʒ *ſæpius in die, in Febribus Hetticis*.

Decoct. Antimoniale. ℞. Lign. Lentiſcin. Viſc. quercin. an. ʒvi. Fol. Beton. M i. Raſ. Saſſafr. ʒi. Antimon. crud. craſſ. pulveriſat. in Petia Ligat. ℥ii. coq. in Aquæ Font. q. ſ. ad ℔ii. f. colat. *Doſ.* ℥vi. *manè calidè ad Sanguinem mundificandum*, &c. *Ad Catarrhos, Scabiem,*

omneſque Impuritates confert. Liberat Corpus ab omnibus Humoribus noxiis.

Decoct. Antiphthiſicum. ℞. Cancros fluviat. Num. xii. Rad. Enul. ℥ii. Ireos Florent. Conſolid. major. an. ℥i. Glyc. ℥ß. Fol. Alchimil. Heder. ter. Millefol. Plantag. min. Veronic. Pulmonar. macul. Semperviv. maj. an. M. ii. Conſ. Roſ. r. ℥vi. coq. in Aq. Font. q. ſ. ad ℔vi. colat. clarif. cum Album. Ovor. adde Sp. Sulphuris q. ſ.

* *Decoct. Aſtacorum.* ℞. Aſtac. fluv. Num. 20. Rad. Ariſtoloch. rot. ℥ß. Symphyt. mai. ℥i. Fol. Sanicul. Alchimil. Bugul. Agrim. Heder. ter. Beton. an. M i. coq. in Aquæ Font. ℔vi. V. alb. ℔ii. ad conſumpt. tertiæ part. adde Syr. Limon. & Spir. Sulphuris q. ſ. m. *Pro Vulneribus Pectoris &c. Doſ.* ℥vi. *bis in die 4 horis ante paſtum: & plagulis iſto intinctis tege bis in die. Mirum in deploratis.*

* *Decoctum Digitalis.* ℞. Fol. rec. Digitalis ℥iv. vel M. ii. Uv. Corinth. mundat. ℥ii contuſ. adde Cereviſ. non lupulat. ℔ii. coq. ad dimid. f. expreſſ. fortis. *Pro Vomitorio in Epilepſia, &c.*

Decoct. Diureticum Augenii. ℞. Rad. Apii, Petroſelin. an. M. i. Rubiæ tinctor. ℥ß. Spicæ, Adianth. Cuſcut. Agrim. Cicer. rub. an. M ß. Rad. Aſari ℥i. Calam. Arom. ℥ß. Sem. Aniſ. Apii, Petroſelin. Fœnugræc. Dauci, Carui, an. ℥ii. Melon. Cucumer. an. ℥iii. coq. in Aquæ Font. ℔vi. ad conſumpt. ℔ii. f. colat. adde ſacch. q. ſ. *Datur in Urinæ difficultate: Doſ.* ℥vi. *pro vice.*

Decoct. Dyſentericum. ℞. Trium Panum corticem inferiorem: coq. in Aqu. font. ℔vi. ad ℔i. in qua infunde per duas horas Caryoph. contuſ.

tuſ. ℥ii. colat. adde Vin. claret ℔i. Sacch. albiſs. q. ſ.

* *Decoct. Ictericum.* ℞. Sterc. Anſer. raſ. Ebor. an. ℥i. Chelidon. cum tota Ling. Cervin. Fl. Hyperic. an. M. ii. Croc. ʒß. Vini alb. Aqu. font. an. ℔ii. coq. ad dimid. f. colat. adde Sacch. alb. q. ſ. & clarifica cum Album. Ovor. *Doſ.* ℥v. *bis in die, præmiſſis præmittendis.*

* *Decoct. Limacum.* ℞. Limac. hort. è teſtis ſuis exempt. mundat. Num. xii. Lact. rec. Vaccæ rubræ ℔ii. coq. ad dimid. colat. adde Aquæ Roſ. ℥i. Sacch. cand. ℥ß. m. f. Hauſtus; *omni manè ſumendus per totum menſem Maij.*

* *Decoct. ad Morſum Canis rabidi.* ℞. Fol. Rutæ ℥vi. Rad. allii, Theriac. Lond. an. ℥iv. Limat. Jovis ℥iv. Cereviſ. illupulat. veter. ℔iv. coq. ad conſumpt. dimid. & macera: *Sumat Æger morſus de colatura cocb.* vi. *bis in die per Dies* ix. *contin. & applic. Magma loco affecto.*

* *Decoct. Pacificum.* ℞. Salis Tartari cum Nitro fact. ℥viii. Fl. Pap. Rhœd. rec. Bacc. Junip. Rad. Helleb. nig. an. ℥viii. Aquæ bened. ſimp. ℔viii. coq. l. igne (vaſe opt. clauſo) per hor. 24. poſt refrigerationem f. colat. per manic. Hipp. *Dentur cocb.* 3. *bora Somni; & cocb.* 5. *manè quotidie cum Vin. alb. Saccbarato.*

* *Decoctio Polycbreſta:* ℞. Rad. Polypod. qu. ℥iii. Cichor. ℥ii. Rhab. Monach. ℥vi. Fol. Sennæ ℥ii. Sem. fœnic. d. Glyc. an. ℥i. Uv. paſſ. exacin. ℥. iv. coq. & infund. ſ. a. in Aqua Font. per hor. 4. colat ℔iiß. adde Succ. Cochlear. marin. depurat. ℥viii. Sacch. rub. Mann. an. ℥iii. clarif. cum Album. Ovor. *Doſ.* ℥iv. *ad* 8.

ad 8. ſing. auroris, ad Sanguinem purgandum, &c.

Decoct. Præſervatorium. ℞. Vini Malvat. ℔ iii. Rutæ M i. ZZ. Macropiper. inciſ. an. ʒ ii. Nuc. M. ʒ i. coq. ad conſumpt. tertiæ part. f. colat. adde Theriac. Androm. ʒ ii. Mithridat. ʒ i. Aquæ Angelic. fort. ℥ iv. m. *Doſ. coch. 1: ad præſerv. à Peſte, & coch. 3. pro vice in cura.*

Decoct. ad Rachitidem. ℞. Rad. Polypod. qu. Apii, Fœnic. an. ℥ i. Glyc. Aniſ. an. ℥ ß. Fol. Linguæ Cerv. Capil Ven. Cuſcut. Beton. Chelidon Tamariſc. an. M. i. Uvar. Corinthiac. cærul. ℥. iv. coq. in Aquæ Hort. ℔ iv. ad dimid. f. colat. *Dentur coch. 2. 3. vel 4. pro vice, bis vel ter in die: interim purgando ſemel in ſeptimana cum Syr. de Cichor. cum Rhab.*

Decoct. Rubiæ Tinctorum. ℞ Rad. Rubiæ tinctor. ℥ ii. Aniſ. Glyc. an ℥ ß. coq. in Aq. Font. ℔ iv. ad dimid. f colat. Doſ. ℥ iv. bis in die per Diès 20 *In Faciei Rubore, Puſtulis*, &c. *curandis præſtantiſs. Remedium.*

Decoct. Rubicundum. ℞. C. C. calcinat. ℥ i. Coccinell. integr. ʒ ß. coq. in Aqu. Font. q. ſ. ad ℔ i ß. colat. adde Aq. Cinnam. hord. ℥ i ß. Sacch. albiſ. q. ſ. *Detur Hauſtus frequenter in Variolis, Morbilis*, &c

* *Decoct. Reguli*. Fit coquendo Regul. vel Pocul. Antimonii ℔ ß. (plus minus) in V. alb. ℔ i ß. ad conſumpt. tertiæ partis. *Pro vomitorio.*

* *Decoct. Rhabarbari*. ℞. Rhab. ℥ ii. Uv. Corinth. contuſ. ℥ iv. Rad. Acetoſ. ℥ iii. Sem. Fœnic. d. ʒ i. coq. in Aqu. font. ℔ iii ad ℔ ii. colat. adde Sacch. alb. ℥ i. clarif. ſ. a. *Doſ.* ℥ iv. *ter in die in Rheumatiſmo*, &c.

* *Decoct. Scorbuticum*. ℞. Conos Abietis Num. 4. inci-

incide unumquemque in part. 4. adde Fol. Tritici vireſcent. ℥ ii. Liquor. poſſet. cum Vino albo fact. ℔ iii coq. ad ℔ ii. colat. frigidæ adde Spirit. Cochlear. ℥ ß. Syr. de Aurant. de Pomis alter. an. ℥ i ß. m. *Doſ.* ℥ iv. *bis vel ter in die.*

* *Decoct. ad Sitim.* ℞. Fol. Acetoſ. M ii. coq. in Aqu. font. q. ſ. ad ℔ ß. colat. adde Succum 12. Limonum, V. Rhen. ℔ ii. Sacch. alb. ℥ iv. vel q. ſ. ut f. gratiſſimum. *Bibatur ad libitum. Empiricus quidam hujus gratia mirè celebris evaſit.*

Decoct. ad Strumas. ℞. Geran. Robertiani Beccabung. an. M iii. Urticæ mort. M vi. Glyc. Aniſ. an. ℥ i. Uv. paſſ. ℥ iv. Senæ ℥ iii. Cartham ℥ ii Agaric. ʒ vi. Aq. Font. ℔ viii. infund. & coq. ad ℔ iv. *Doſ.* ℥ iii. vel 4. *ter in die, & præterea bibat (omiſſis Purgantibus) pro Potu com. interim adbibendo Locis Affectis Unguent. Digitalis.*

Decoct. Traumaticum. ℞. Summit. Hyperic. Veronic. utriuſque, Vincæ pervincæ, Agrimon. an. M ii. Rad. Chinæ, Symphyt. Santal. alb. Lign. Nephritic. an. ℥ i. Dactyl. inciſ. N. xxx. Glyc. ℥ i ß. Infund. per hor. xii. in Aq. Calcis q. ſ. colat. ℔ iv. adde Syr. de piloſell. è Succo Elatin. an. ℥ ii. ſervetur loco frigido. *Doſ.* ℥ iv. *Horis Mediciis.*

* *Decoct. ad Tuſſim.* ℞. Fol. Cynogloſ. M. 4. Hyſſop. Cap. Ven. Tuſſilag. an. M i. Aniſ. Glyc. an. ʒ vi. coq. in Aqu. Hord. ℔ vi. ad ℔ iv. colat. adde Sacch. Cand. q. ſ. *Doſ.* ℥ iv. *ter vel quater in die.*

* *Decoct. Ulmi.* ℞. Cort. interior. Ulmi rec. ℥ iv. coq. in Aquæ font. ℔ iii. ad dimid. colaturæ rubicundæ (inſtar V. Rubelli) adde Syr.

de Rubo Ideo ; & de Moris an. ℥ i ß. M. f. Gargariſ. Elegantiſſ. *Optimè valet in Linguæ Aſperitate , Aphthis ; Omnibus Oris Calidis Affectibus & Ulceribus cujuſcunque Generis . Pro potu communi cum pauco Vin. alb liberavit ab Elaphantiaſi, & Lepra Græcorum . Graveolentiſſimos movet Sudores.*

* *Dentifricum Dominarum* . ℞. Cryſtall. præp. ℨ i ß. pulveris Laterum , Lap. Pumic. an. ℥ ß. Oſſ. Sepiæ , Corall. utriuſque an. ℨ ii. Margarit. Caryophyll. an. ℨ i. Moſc. g 4. M. f. pulvis ſubt. cui adde Mell. Roſ. q. ſ. ut f. Paſta mollis. *Aliter*.

℞ Pulveris Laterum ℥ i Sp. Sulphuris q. ſ. ut fiat Paſta : Cui exiccatæ adde pulveris Tartari ℨ vi. Panis cremat. ℥ ß. M. *Pro dentibus fricandis, colluendo Os cum Vino.*

* *Dentifricum Infantium* . ℞. Butyr. rec. ℥ i Mell. deſpum. ℨ vi. Corall. rub. præp. ℥ ß. f. mixtura ſ. a. *Qua fricentur Gingivæ bis vel ter in die, ad Dentitionem facilitandam.*

* *Dentifricum Scorbuticum* . F. Salis Cochlear. Macis , an. ℨ i. Salv. ℈ iv. Aluminis uſt. ℨ ii. Sal. decrep ℈ ii. f. pulvis ſubt. cui adde Mell. Roſ. q. ſ f. Mixtura : *Pro dentibus fricandis ante uſum Lotionis ſeq.*

* *Dentilavium Scorbuticum* . ℞. Rad. Biſtort. Sem. Cochlear. an. ℨ ii. Alumin. ℨ i. Maſtich. ℨ iii. coq in Aqu. font. q. ſ. ad ℔ i. colat. adde Mell. Roſ. ℥ ii. M. f. Lotio.

* *Diachylon Odoratum* . ℞. Emp. Diachyl. ſimp. ℔ iii. pulveris Rad. Irid. Florent. ℥ iii. Ol. ſtil. Rhod. ℨ ß. Moſch. gr. iii m. ſ. a.

Diacreta. ℞. Cretæ albiſ. Aqua Viol. quater lotæ, ℥ i. Glyc. Sem. Cydon. Ocul. Cancr. an. ℥ ß. Nuc. M. Lap. Carpion. an. ℨ ii. Margarit. Coral.

tal. v. an. ʒ ß. Croci, Macis parum torref. an. ℈ ß. M. f. pulvis ſubtiliſ. *In Ardore Stomachi mirè valet. Dolorem ſiſtit; & Cauſam hujus Mali tollit. Doſ* ʒ i.

* *Diapalma Odora.* ℞. Emp. Diapalm. (cum Ung. Oleoque Roſato; loco Axungiæ & Ol. Olivar. fact.) Liquat. ℔ iii. Ol. ſtil. Rhodii ʒ ii. m. ſ. a.

Diatartarum. ℞. Reſ. Scammon. Tartari Vitriolat. an. ℥ i. Turpet. Hermodact. an. ℥ ß. Ol. Cinnam. & Caryoph. an. gt. xii. M. f. pulv. *Doſ.* ℈ j. *ad* ℈ iv.

* *Diateſſaron Potabile.* ℞. Sp. Vini Gallici ℥ iv. Succ. Limon. ℥ ii. Syr. Viol. ℥ v. Aquæ font. ℥ xii. m. f. Julap. gratum; *ante Paroxyſmos febriles bibendum.*

* *Diatrachia.* ℞. Arter. aſper. Ovium mundat. & in clibano ſiccat. ℥ iv. Arter. aſper. Capon. ſimiliter præp. ℥ iii. Raſ. Ebor. Priap. Tauri, Cervi, & Hippopotami an. ℥ ii. Dent. Hippopot. ℥ i ß. M. f. pulvis ſubt. adde Rhodoſacch. ℥ viii. M. D. ʒ i. *ter in die cum Syr. de Symphyto. Ad Urinæ Incontinentiam maximè valet.*

E

* *Elæoſaccharum Cardiacum.* ℞. Ol. chym. Nuc. M. ʒ iii. Ol. Cinnam. Sacch. opt. ℥ xviii. M. fiat. Pulv. ſ. a. *Ad edulcoranda Julapia*, &c.

* *Elæoſacch. Carminativum.* F. ex Ol. chym. Chamæm. gt. xxiv. Sacch. albiſ. ℥ xii. m.

* *Eloæſacch. Fœniculi.* F. ex Ol. ſtil. Sem. Fœnic. d. gt. 40. Sacch. albiſ. ℥ xii. m.

* *Elæoſacch. Nuciſtæ.* F. ex Ol. ſt. Nuc. M. ʒ i. Sacch. albiſ. ℥ xii. M. *Detur* ʒ i. *ſæpe urgente Ventris Inflatione.*

* *Elæo-*

* *Elæoſacch. Saſſafras*. F. ex Ol. ſt. Saſſafr. ʒii. Sacch. Albiſ. ℥vi. m.

* *Electuarium Album*. ℞. Ceruſ. Antimonii ℥iv. Sacch. albiſ. ℥xii. M. f. Pulv. cui adde Syr. de Radic. Eryngii ℥iv. vel q. ſ. ut f. Elect. albiſſimum. *Doſ.* ʒii. *vel* iii. *bis in die, augendo quantitatem quotidie gradatim ad* ʒvi. *pro vice Sanguinem purificat. Datur in Cachexia, Hydrope, Ictero, Scorbuto, Lue Venerea*, &c.

* *Elect. Aſthmaticum*. ℞. Flor. Sulphur. ℥iii. Cinnam. ʒi. ZZ. ℈iv. Croc. ʒii. Moſch. gr. vi. Mell. deſpumat. ℥vi. vel q. ſ. M. f. Elect. *Doſ.* ʒiii. *bis in die*.

* *Elect. Caryophyllatum*. ℞. Conſ. Caryoph. hort. ℥iv. Conſ. Roſ. r. ℥vi. Syr. de Cort. Citri ℥ii. Contuſ. opt. trajic. per ſetac. & adde Arom. Roſat. ʒiii. Caroyph. Indic. inciſ. ʒiii. Ambr. griſ. ℈ß. M. f. Elect. *Uſus eſt egregii in Anorexia, Ventriculi Dolore*, &c. *Doſ.* ʒi. *ad* ii. &c.

* *Elect. Caſtitatis*. ℞. Sem. Vitic. Hyoſcyam. an. ʒi. Camph. ʒii. Glyc. ℈iv. M. f. pulvis adde Conſ. Fl. Nymph. ℥iii. Syr. de Nymph. q. ſ. f. Elect. *Doſ.* ʒii. *vel* iii. *bis in die, ſuperbibendo Serum Chalybeat. & inungendo interim Renes, ac Teſtes Oleo Sem. Hyoſc. expreſſ.*

Elect. Chalybeatum. ℞. Martis præp. ℥i. Martis limat. mundat. ℥ß. Pulp. paſſular. minor. ℥xii. Ol. Cinnam. vel Caryoph. gt. 40. M. ſ. a. *Datur utiliter in Chloroſi, Hydrope*, &c.

* *Elect. Diarrhodi*. ℞. Spec. Diarrhod. Abbat. ℈iv. Mivæ Berber. ℥iii. Sacchar. albi in aqua Fragor. Solut. ℥iii. M. f. Elect. *Doſ.* ʒiii. *bis in die, ſuperbibendo Hauſtum ſeri de Sedo*.

Elect. Ducis Sabaudiæ. ℞. Sarſaparil. ℥iii. Sem.
Ebu-

Ebuli ℥vi. Sem. Hyperic. Fol. Chamædr. Chamæpit. an. ℥iii. Rad. Angelic. ʒiii. Ariſtol. rot. ʒvi. Cinnam. ʒiiſs. Caryoph. ℈iv. Croci ℈ii. M. f. pulvis ſubt & cum Mell. deſpumat. triplo f. Elect. *Doſ.* ʒiii. *per Annum totum, quotidie. Ad Arthritidem curandam optimum remedium.*

* *Elect. Epilepticum.* ℞. Sterc. albiſ. Pavon. ſiccat. Rad. Pæon. Mar. an. ℥ii. Rad. Valerian. ℥i. Sem. Pæon. excort. ℥iii. Carui ℥ſs. M. f. Pulv. cui adde Mel. Anthoſat. q. ſ. M. *Doſ.* ʒii. &c.

* *Elect. Juniperinum.* ℞. Bacc. Junip. ſucculent. contuſ. ℔i. infund. in Aqu. Font. ℔ii. per hor. 3. f. colatura adde Sacch. opt. ℔i. coq. ad Syr. craſſior. conſiſtentiam. Tum adde Elect. e Saſſafr. ℥iv. Calam. arom. pulveriſat. ʒiſs. Macis ʒi. Croc. ℈ii. M. ſ. a. *Diureticum, Stomachicum,* &c.

* *Elect. Lithontripticum.* ℞. Tereb. Ven. ℥ii. Vitell. Ovor. Num. 2. exactiſ. mixtis adde Pulveris Sem. Bardan. Milii Solis an. ℥i. Alkekeng. ʒiii. Lap. Judaic. ʒvi. Syr. de Alth. q. ſ. M. *Doſ.* ʒii. *bis in die (præmiſſis præmittendis) ſuperbibendo Aq. Senel. comp.* ℥iv. *cum Syr. de Alth.* ℥i.

Elect. Macis. ℞. Macis in Oxyrrhodino per 24. hor. infuſ. & exiccat ℥i. Sem. Citri, Cardui, Lign. vitæ, an. ʒiſs. fiat omnium Pulv. ſubtiliſ. cui adde Spec. Liberant. ʒi. Cort. Citri condit. ℥i Theriac. Androm. ʒiii. Conſ. Borrag. & Lujul. an. ℥ii. Syr. Lujul. q. ſ. f. Elect. *Uſus eſt in Peſte, ac Morbis Malignis.*

Elect. Oxydorcicum. ℞. Succ. Rutæ & Chelidon. depurat. an. ℥iv. Mell. opt. ℔i. coq deſpumando ad debit. conſiſt. deinde adde Pulveris

tris ſummit. Euphrag. (nigris ſurculis) ℥ ii. Sem. Fœnic. d. ʒ vi. Cinnam. Cubeb. Caryoph. Macis, Macropiper. an. ʒ i. M. f. Elect. ſ. a. *Ad viſum acuendum Inſigne eſt Remedium. Doſ.* ʒ iii. *bis in die.*

* *Elect. Paraliticum.* ℞. Sem. Sinap. ſiccat. & pul. ℥ v. Sem. Naſturt. ℥ ii. Syr. de Succo Salviæ ℔ i. vel q. ſ. f. Elect. *Doſ.* ʒ ß. *quotidie per Menſes aliquot. Optimum Remedium.*

* *Elect. Pectorale.* ℞. Pulp. Uv. paſſar. exacin. Pulp. Conſ. Roſ. r. Syr. Capill. Ven. an. ℥ iv. Sacchar. Cand. pulveriſat. ℥ iii. Spec. Diatrag. frig. ℥ ß. Spir. Sulphur. gt. 25. M. f. Elect.

* *Elect. Piperinum.* ℞. Piper. l. minutiſ. inciſ. ℥ i ß. Pulv. Fol. Rutæ ℥ ß. Sal. Gemmæ ʒ v. Ther. Januenſ. ℥ xii. M. *In Colica, Ventriculi Dolore, &c. (poſt varia incaſſum uſurpata) ad miraculum hoc præſtitit.*

Elect. Vermifugum. ℞. Fol. Helleboraſtri pulveriſat. ℥ ii. Mell. deſpum. ℥ vi. M. ſ. a. *Ad lumbricos necandos & educandos certiſſimum eſt Remedium. Doſ.* a ℈ iv. ad ʒ ii.

Elixir Camphoratum. F. ſolvendo Camph. ℥ ß. in Alcoh. V. Croco tincti ℥ vi. ſ. a. *Utiliſſimum eſt in Peſte, tum præſervando, tum curando. Item, in Paſſione Hyſterica. Doſ.* ℈ i.

Elixir Propriet. Dulce. Fit ex Myrrh. Aloes Croc. an. ℥ i. Alcoh. V. ℥ viii. *maceratis filtratiſque ſ. a. Uſus eſt proficui in Morbis Malignis, Hypochondriacis. Uterinis; Stomachi Cruditate, & inde Appetitu Imminuto. Extrinſecus Ulceribus ſordidis mundificandis inſervit.*

Elix. Prop. Peſtilentiale. F. ex Mirrh. Aloes, Croc.

Croc. an. ℥ ß. Spir. C. C. ℥ ii. unitis cum Alcoh. Vini ℥ iv. digeſtis & filtratis ſ. a.

Elix. Prop. Tartariſatum. F. ex Myrrh. Aloes, Croc. an ℥ i. Tinctur. Salis Tartari ℥ xii. digerendo filtrandoque ſ. a.

Elix. Salutis. ℞. Fol. Senæ ℥ iv. Lign. ſanct. Rad. Enul. ſicc. Sem. Aniſ. Carui, Coriand. Glyc. an. ℥ ii. Uv. paſſ. exacin. ℥ viii. Aquæ Vitæ ℔ vi. macer. in frig. per dies 4. dein f. colat. per. Manic. Hipp. Sunt qui addunt Sal. Tartari, Rhab. Scammon. &c. *Doſ. Coch.* 1. 2. *hora ſomni, & 3. 4. manè.*

Elix Vitæ. ℞. Nuc. M. Macis, Cinnam. opt. an. ℥ i. Caryoph. ℥ ß. Flaved. Cort. Aurant. & Citri, an. ʒ iii. Croc. opt. ℥ ii. Alcoh. V. ℔ iii. Digere ac filtra ſ. a.

Elix. Vitrioli. ℞. Cinnam. ZZ. Caryoph. an. ℥ iii. Calam. Arom. ℥ i ß. Fol. Salv. Menth. criſp. an. ℥ ß. Cubeb. Nuc. M. an. ʒ ii. Xyloal. Cort. Citri, an. ʒ. i. f. pulvis adde Sacch. cand. alb ℥ iii Spir. Vini ℔ i ß. Ol. Vitrioli ℔ i. extrahe Tincturam digerendo per Dies 20. ſ. a. deinde filtra ad Uſum. *Stomachum ac inteſtina maximè confortat, & Appetitum excitat. Ab Epilepſia & Apoplexia præſervat. Cerebrum purgat Caput, totumque Corpus multis Phlegmaticis Catarrhis repletum exiccat, illudque à dolore mirè tuetur. Doſ.* ℈ß. *ad* ℈ i.

* *Elleborus albus præp.* Fit affundendo Rad. pulveriſat. Aquam Spiritu Vitrioli impraegnatam diſſolutionis Coralliorum; macerando per hor 24. & exiccando. Repet. opus ter. *Doſ.* à ℈ß. *ad* ʒß.

* *Emplaſt. Adhæſivum.* ℞. Diachyl. ſimp. Diapalm. an. ℔ i. Pic. Burgund. & Sarcocoll. an. ℥ iv. Tereb. ʒ vi. vel q. ſ. M. ſ. a. *Pro*

Fon-

Fontanellis apertis ſervandis, & tutandis ab Inflammatione.

* *Empl. Burgundicum.* ℞. Pic. Burgund. ℔ i. pulv. Caryoph. ℥ x. Ol. ſtil. Piper. ℥ iii. M. ſ. a. *In Cephalalgia, Ophthalmia, Catarrhi, Vaporibus,* &c. *Humeris & Nuchæ applicatum Uſus eſt Inſignis.*

Empl. Camphoratum. ℞. Camphor. ℥ i ß. Balſ. de Tolu, ℥ i. Galb. colat. ℥ vi. M. *Uſus eſt in Uteri Suffocatione, Vertigine,* &c. *Umbilico adhibitum, vires & habet Emp. Diagalb.*

Empl. Catarrhale. ℞. Tacamah. Carann. an. ℥ i ß. Emp. de Beton. ℥ iii. Pulv. ſuccin. ℥ i. Caryoph. ℥ ß. Cort. Saſſafr. & Winter. an. ʒ ii. Balſ. Peruv. q. ſ. M. f. Maſſa. *Pro capite raſo.*

* *Empl. Diagalbani.* ℞. Galb. Acet. præp. ℥ xii. Ceræ ℥ viii. Tereb. ℥ v. M. ſ. a. *Tophos, Nodos, Scrophulas, ac Tumores duros, digerit, emollit, reſolvit, eorumque Dolores ſedat. Verrucas & Clavos Pedum tollit. Nervos ac Uterum roborat.*

Empl. Diaſulphuris Rulandi. ℞. Balſ. Sulphur. ℥ iii. Ceræ ℥ ß. Colophon. ℥ iii. liquatis adde Myrrh. opt. pulveriſat. ℥ iii ß coq. ſ. a. *Curat omnis generis Ulcera, & Vulnera quæcunque infallibiliter.*

Empl. Epiſpaſticum. ℞. Pic. Burgund. ℥ xviii. Ol. Olivar. ℥ ß, liquatis adde Cantharid. ſubt. pul. ℥ iv. Sem. Ammeos pul. ʒ ii. f. Maſſa Admodum adhæſivum.

* *Empl. Febrifugum.* ℞. Pulv. Gum. Lentiſc. ʒ vi. Aloes ℥ ii. Bol. Armen. ℥ iii. Euphorb. Staphiſagr. Bacc. Lauri, Fœnu. græc. Hyali Venet. an. ʒ ii. Fulig. ex Ligno contract. Salis nigr. an. ʒ i ß. Tereb. ℥ iii. vel q. ſ. M. f. Empl. ſ. a. *Carpis adhibitum horis 3. vel 4. ante acceſſionem*

nem Paroxyſmi, ſæpe curat Tertianas, aliquando etiam Quartanas.

Empl. Hæmorrhoidale: ℞. Litharg. Lunæ ℔ i. Axung. ℥ i. vel q. ſ. contund. opt. ut f. Maſſa convenienter dura, pro Empl Fieri etiam poſſunt *Suppoſitoria* ex eadem Maſſa ſ. a.

* *Empl. Laterale*. ℞. Fl. Sulphur. ℥ v. Rad. Irid. Flor. ℥ ii. Caryoph. ʒſs. Cumin. ʒ i ſs. pulveriſatis adde Picis Naval. & Burgund. an. ℥ iv. Tereb. ℥ iii. Ol. ſt. Carui, Rhodii. an. ℈ iv. M. ſ. a. *In Doloribus Pleuriticis multùm facit, præmiſſa Phlebotomia.*

* *Empl. Mammillare*. ℞. Sperm. Ceti ℥ i. Ceræ alb. ℥ ii. Galb. aceto præp. ʒſs. Ol. Samb. q. ſ. *In omnibus Mammarum Tumoribus, imò Scrophuloſis, Lacte concreto, Oedemate, &c. nil huic æquale.*

Empl. Nuchale. ℞. Gum. Elem. Tereb. an. ʒſs. Olib. Maſtich Gum. Tragac. an. ʒ iii. Bol. Armen. ℥ i ſs. Sem. Pſyll. Myrti, Balauſt. an. ʒ i. Euphorb ℈ i. Succin. ʒ ii. Pic. Burg. ℥ viii. Carann. ʒ x. Ol. Caryoph. Balſ. Peruan. an. gt. vi. M. f. Maſsa ſ. a. *Ad Odontalgiam tollendam pone Aures applica. Ad Defluxiones in Oculos, Ophthalmiam, &c. Nuchæ adhibe.*

* *Empl. Opiatum*. ℞. Diachyl. magn. ℥ iv. Mercurii viv. ℥ ii. Opii ℥ i. M. ſ. a. *Ad dolores Arthriticos & Venereos mitigandos eximè conducit.*

* *Empl. Paralyticum*. ℞. Pulv. Lumbricor. ℥ iv. Calam. Arom. ℥ i ſs Galang. ʒ vi. Mellis q. ſ. f. Empl. *pro Membris Affectis, nulli ſecundum.*

Empl. Podagricum. ℞. Opii, Sapon. Ven. an. ʒſs. Emp. Diachalcit. ℥ ii. M. ſ. a.

Empl. Saturninum. ℞. Saturni alb. ℥ iv. Cre-

tæ

tæ alb. ℥ß. Myrrh. ʒ ii. amalgamat. (ex p. ii. Mercurii, & p. i. Saturni) ℥ vi Axung. Veter. q. ſ. ad formand. Empl. in mort. calido duræ conſiſtentiæ. *Ulcera Calloſa & Maligna, imò Peſſima una ſola admotione curat, abluendo ea primò (ſi ſordida ſint) Aqua Solutionis Lap. Salutis, mox Empl. in alutam ſat ſpiſsè extenſum admoveatur Ulceri, & (ſi opus ſit) Emplaſtro Diachalciteos contineatur, ſuperinducta faſcia lanea ſatis ſtricta, neque removeatur ante 15. dies.*

* *Empl. Scorbuticum.* ℞. Fl. Hyperic. Fol. Piloſell. Veronic. mar. Cochlear. marin. an. M ii. Abſinth com. M i. coq. in Ol. Roſ. ℥ vi. ad Herb. Putrilag. Expreſſioni adde Sevi Cervin. Ceræ, Rhodomel. an. ℥ i ß. Fl. Tritici ℥. i. m. ſ. a. *Confert Ulceribus & Tuberculis Scorbuticis*

* *Empl. Smecticum.* ℞. Saturni rub. ℔ i ß. Ol. ℔ ii. Sapon alb. ℥ iv. Ceræ ℥ ii. coq. ſ. a. *Detergit ac Reſolvit. Dolores Dorſi & Juncturarum compeſcit. Contuſiones diſſipat. Dolores ſublevat Podagricos. Abortum præcavet feliciter Dorſo & Umbilico adhibitum, & continuò geſtatum.*

* *Empl. Soleare.* ℞. Sevi Ovill. ℥ iv. Pic. Naval. Reſin. an. ℥ viii. Thuris ℥ xii. pulver. Croc. ℥ß. Caryoph. Mac. an. ʒ vi. Cumin. ℥iß. Ladan ʒ vi. m. ſ. a.

* *Empl. Spaſmicum.* ℞. Picis Naval. ℥ iv. Caſtor. Ol. Coſtin. an. ℥ i. M. f. Maſſa. *Titulus vires indicat.*

Empl. ad Strumas. ℞. Emp. è Cicuta cum Ammon. ℥ iv. Gum. Elem. ℥ß. Mercur. præcip. corroſiv. ʒ x. M. *Scrophulis & Strumis medetur.*

* *Empl. Synanchicum.* ℞. Alb. Canis Pulv. ℥ vi. Mellis crud. ℥ viii. Fl. Tritici. ℥ ii ß. Ceræ ℥ iv. Ol. Roſ. ℥ vi. vel q. ſ. ut ſ. Empl.

ſ. a.

ſ. a. *Adbibeatur Jugulo & Colli partibus poſt Aures ubi Dolor.*

Empl. Tibiale. ℞. Mercurii ℥ii. ſolve in Aqu. Fort. ℥ii. adde Axung. Porcin. ℥iv. coq. in Vaſe fictili, continuò agitando rudicula ferrea, ad conſiſt. Empl. mollioris, & exhalationem humiditatis. Tum adde Ceræ fl. ℥i. Pulv. Maſtic. & Oliban. an. ʒiii. M. f. Maſſa ſ. a. *Ad Nodos, &c. in Lue Venerea.*

* *Empl. Vermifugum.* ℞. Pulv. Aloes ℥i. Colocynth. Myrrh. an. ʒiii. Fol. Sabin. Rutæ, Abſinth. Tanacet. Jugland. Rad. Bryon. an. ʒii. Ceræ, Reſin. an. ℥iv. Ol. Rutac. ℥ii. M. f. Maſſa ſ. a. *Pro Umbilico. Vermes enecat ac educit.*

* *Emulſio de Avellanis.* ℞. Nucl. Avellan. Num. 40. Sem. Cannab. Pepon. & Melon. an. ℥i. Portulac. ʒvi. Amyd. d. decort. N. viii. contuſ. adde Aqu. Lact. ſimp. ℔ ii ß. Aqu. Roſ. rub. ℥iv. Sacch. cand. ℥. ii. f. Expreſſio *Doſ.* ℔ ß. *bis in die cum Priapi Cervi* ʒi. *ad Ardorem Urinæ, Gonorrhœam, &c.*

Emulſio Cathartica. ℞. Sem. Cartham. ℥i. Mann. opt. ℥iii. Amygd. decort. ℥ii. Aquæ Hordei, vel Ebsham. ℔ ii. f. Emulſio ſ. a.

* *Emulſio Expulſiva.* ℞. Sem. Citri decort. ℥ß. contuſ. adde Aquarum Citri, Cardui, Ulmar. Scordii comp. an. ℥iii. Sacch. alb. ℥i. f. Emulſ. ſ. a. *Dentur coch. 3. ſecunda quaque hora ad Malignitatem Variolarum, &c. expellendam.*

* *Emulſio Cretacea.* ℞. Cret. alb. pulv. ℥iii. Aqu. Hord. ℔ iii. coq. ad ℔ ii. adde frigefactis Sem. 4 frig. major. an. ʒii. Amygd. d. Num. viii. Carui ℈ß. f. Emulſio, adde Cret. ſubt. pulveriſat. ʒiii. Sacch. Perlat. ℥i. vel Diacod. ℥iß. *pro re nata.*

* *Emulſio Dactylorum*. ℞. Dactyl. (oſſibus exemptis) N. 15. coq. in Cerev. illupulat. ℔ii ß. contund. Dactyl. cum Amygdal. d. N. 24. f. expreſſio cum Cerev. dicta: adde Sacch. cand. & Nuc. M. q. ſ. *Doſ.* ℔ ß. *ter in die per dies* 40. *vel* 50. *in Abortu, Infirmitatibus Dorſi, Gonorrhœa, Tabe, Tuſſi, Macilentia, &c.*

* *Emulſio Pœoniata*. ℞. Sem. Pœon. decort. ℥i. contuſ. adde Aquarum Rutæ, Ceraſ. n. Pæon. comp. an. ℥vi. f. Emulſ. adde Sacch. perlat. ℥iß. *Dentur coch.* 3. *manè; & hora Somni, præmiſſo Electuar. conveniente. In Epilepſia. Vertigine. Hemicrania, &c.*

* *Enema Alexiterium*. ℞. Fol. Scordii M. i. Sem. Citri ʒiii. Fl. Sambuc. Chamæm. Roſ. rub. Centaur. Min. an. P. i. coq. in Aquæ Font. q. ſ. colat. ℥x. adde Succ. Cherm. ℥i. Sacch. opt. ℥ß. M. *Ad extrahendum Venenum*, &c. *ab Inteſtinis, &c.*

* *Enema Colicum*. ℞. Decoct. com. (cum Bacc. Junip. & Fœnugr. an. ʒiii. præp.) ℥x. Infuſ. Croc. Metallor. Ol. Anethin. an. ℥ii. Sapon. Caſtil. Elect. Lenit. an. ʒi. Ol. ſtil. Bacc. Juniper. ʒß. M. ſ. a. *In Colica, Iliaca, Calculo, &c. inſigne.*

Enema Balſamicum. ℞. Decoct. fort. Equiſeti ℥vi. Ol. Hyper. ʒvi. Balſ. Lucat. ℥i. Peruan. ʒiii. M. *Ad Dyſenteriam, Excoriationes Inteſtinorum ſanandas*, &c. *maximè proficuum.*

* *Enema Dyſentericum*. ℞. Caput Ovis mactati cum lana confract. (demptis lingua & cerebro) coq. in Aqu. q. ſ. ad ℔vi. f. colat. pro Enemate. Addi poſſunt Fl. Chamæm. Malv. Alth. *&c.* vel, fieri poteſt ex Butyr. inſulſ. ℥x. Sang. Dracon. ʒii. Vin rub. ℥ii. Vel, ex Lact.

rec. ℥xii. Opii ℈i. Croc. ʒß. coctis, addendo Sacch. alb. ℥iß. Vitell. Ovor. Num. 2. *Eaſdem Vires obtinet cum priori.*

Enema Hyſtericum. ℞. Decoct. com. ℥x. Camph. ʒi Ol. Rutac. ℥ß. Mell. Mercurial. ℥iii. M. f. Enema.

Enema Oleoſum. ℞. Ol. Lini ℥iii. Ol. Chamæm. Aneth. an. ℥ii. Scorpion. Rutac. an. ℥i. Ol. Tereb. ℈i. M. *In Colica, Calculo, &c. Egregium.*

Enema Terebinthinatum. ℞. Decoct. com. ℥xii. Tereb. Ven. ℥ß. Vitell. Ovi unius, Syr. Viol. ℥iß. Diaphœnic. ℥i. M. f. Enema ſ. a. *In Dolore Calculi valde proficuum.*

Enema Vinoſum. ℞. Vini Hiſpan. ℥xii. Ol. Aniſ. Sacch. rub. ℥iii. M. f. Enema, *ad Tormina.*

Enema Urinoſum. ℞ Sem. Rutæ, Dauc. Cumin. an. ʒii. Senæ, ℥i. Urinæ ℔iß. coq. ad dimid. colat. adde Spec. Hier. ſimp. ʒii. Sacch rub. ℥. iii. f. *Enema Hydragogum; valet in Hydrope.*

* *Ens Veneris.* ℞. Vitrioli Martis opt. reverberat. & loti p. 1. Sal. Armon. p. ii. Sublima ſ. a. cum tribus cohobiis. *Anodynum eſt & pacificum. Uſus eſt eximii in Rhachitide, & Vermibus Infantum necandis. Proficuum in Pleuritide, ac Uteri Suffocatione. Obſtructiones aperit; &c. Doſ. gr. iv. ad xii.*

* *Epicarpia Febrifuga.* ℞. Helleb. alb. pulveriſat. ʒß. Nitri ʒii. Pulp. ficuum q. ſ. ut f. Maſſa Cataplaſmatis inſtar. *Carpis adhibend. horis 2. ante parox. Tertianæ.*

Eſſentia Abſinthii. ℞. Sp ardentis Herbæ fermentatæ ℥xii. Ol. ſtil. ʒii. Extracti ſpiſſi, & Salis ſoluti, an ℥ß. Digere ſ. a. ad uniendum:

dein filtra. Eodem modo parari poteſt *Eſſentia Cardui*, *Pulegii*, *Hyſſopi*, &c.

* *Eſſentia Martis*. ℞. Chalyb. limat. ℥iv. Affunde guttatim in vitro capaci Spir. Nitri ℥iji. Spir. vitrioli rectif. ℥ii. ſpatula ter vel ſæpius verſando. Tum diluatur Maſſa (antè nimium compacta ſit) Phlegm. Vitrioli ℥x. & efficietur Tinctura rubicunda, vel ſummè flava, quæ filtretur ad uſum. *Potenter aperit Obſtructiones cujuſcunque generis*. *Menſes movet*, & *curat Cachexiam*, *Chloroſin*, *Hydropem*, &c. *Doſ. gut.* 5. *ad* 15.

* *Extractum Abſinthii*. Fit ex Summitat. ſiccis in Spir. Vini digeſtis, ut eliciatur Tinctura, quæ filtrata ad conſiſt. extracti evaporetur, addendo ſing. unciis Extracti, Salis Abſinth. ʒß. Eodem modo fiant *Extr. Cardui Centaur. Gentian.* &c. Vel, fieri poſſunt ex Succis depuratis, evaporando in Baln. Mariæ ſ. a.

* *Extract. Albandal.* ℞. Pulp. Colocynth. a ſemin. opt. liberat. & pulveriſat. ℥iv. Glyc. Aniſ. an. ℥ß. Aquæ Cal. viv. filtrat. ℔iv. Diger. Dies 20. f. expreſ. & exhal. ad debit. conſiſt. ſ. a. *Humores Aquoſos educit ad miraculum*. *Doſ. a gr.* 5. *ad* 15. & *ultra*.

* *Extract. Antiſcorb. v. Aq. Antiſcorb.*

* *Extract. Chalybis*. ℞. Succ. Oxalid. depurat. ℔iv. Tamarind. ℥i. coq. parum, & clarifica. In iſto macer. tepidè Martis limat. ℥v. per Dies iv. ſæpe agitando, f. colat. quæ in Baln. Mariæ inſpiſſetur ad debit. conſiſt. Vocatus & *Magiſt. Martis*. Aliter paratur cum Succo Pomor. vice Oxalidis & Tamarindorum. *Doſ.* a ʒß. *ad* ʒi.

Ex-

Extract. Diateſſaron. ℞. Spec. Diateſſar. ℥iii. Rad. Angelic. ℥i. Zed. ℥ß Sem. Cardui ʒii. Aquæ Scord. comp. Cardui Meliſ. Angel. an. ℔i. extrah. Tincturam ſ. a. & exhal. ad debit. conſiſt. *Confert ad Affectus Frigidos, tum Cerebri, ut, Paralyſin, &c. tum Ventriculi, ut Inflati Hepatis, ut Hydropem, Cachexiam, Obſtructiones. Valet etiam efficaciter ad Morſus Venenatos, & Potionem Veneni.*

* *Extract. Draſticum* : ℞. Scammon. pulveriſat. ℥iii. Succ. Aurant. cum Cortic. expreſſ. ℔ii. Digere tepidè Dies vi. f. expreſſ. & exhal. ad Pil. conſiſt. *Doſ. a* ℈ß *ad* ʒß.

Extract. Ecphracticum. ℞. Xyloal. Galang. Caryoph. an. ʒß. Cinam. Gent. Cort. Winteran. an. ℥i. Rad. Raph. Ruſtic. ℥ii. Fol. Calaminth. Puleg. Abſ. an. M. i. Martis cum Sulphure præp. ℥viii. Vini alb. & Decoct. Tartari albi, an. ℔ii ß. macer. ſ. a. colat. exhal. ad debit. conſiſt. addendo Aloes ℥i. myrrh. ʒii. *Mickltbvv. In Morbo virgineo ac Scorbuto eſt efficaciſſimum: Magnas enim Vires obtinet in aperiendis Obſtructionibus, præſertim Lienis, Hepatis, Uteri, ac Meſenterii: adeoque Morbis indè natis ſubvenit.*

* *Extract. Febrifugum.* ℞. Pulver. Cort. Peruvian. ℥iv. Centaur. min. Rad. Gentian. an. ℥ii. Serpent. Virgin. ℥i. Spir. Vini ℔iv. vel q. ſ. extrahe Tincturam, & exhala ſ. a. *Titulus vires indicat. Doſ.* ℈ß. *ad* ʒß.

Extract. Fellis. ℞. Fell. Bubuli in Sole exicc. ℥ii. Spir. Vini ℔i ß. extrahe Tincturam, & exhala ſ. a. *Confert ad Menſes Suppreſſos. Doſ.* ℈i. *vel* ʒß. *in dies, operatur per ſedem.*

* *Extract. Ictericum.* ℞. Sterc. Ovill. rec. ℥iv. Rad.

Chelidon. ℥x. Curcum. ℥iſs. Lumbric. præp. ʒvi. Centaur. min. M. ii. Martis præp. ℥ii. Succi Limon. ℥vi. Aquæ Cichor. ℔iv. Infund. hor. 48. f. expreſ. quæ exhal. ad Pil. conſiſt. addendo Lumbric. præp. ʒiſs. *ter in die, ſuperbibendo Decoct. Icteric.* ℥iv.

Extract. Maltæ comp. ℞. Fol. Tuſſilag. Pulmonar. Maculoſ. rec. an. ℥vi. Glyc. ℥viii. Uv. paſſ. exacin. ℔ii. Cerev. illupulat. fort. debit. ætatis cong. vi. coq. ad conſumpt. cong. 4. f. expreſſ. fort. & exhala ad mellaginem. *Doſ.* ʒii. *bis vel ter in die, in Phthiſi, &c.*

* *Extract. Melampodii.* ℞. Rad. Helleb. n. veri cum fibris craſſ. pulveriſat. ℥vi. Sem. Aniſ. ℥i. Sp. Vini ℔iii. Infund. tepidè per Dies vi. f. expreſſ. & exhala. *Doſ.* ℈ſs. *ad* ℈i.

Extract. Paregoricum. ℞. Philon. Rom. ℥iſs. Mithrid. ʒv. Theriac. Lond. Diaſcord. an. ʒiii. Aquæ Card. ℔i. Sp. Vini ℥iii. macera, cola, & exhala ſ. a. *Proficuum in Morbis Contagioſis, Catarrhis, Doloribus, Vigiliis, &c.*

* *Extract. Pectorale.* ℞. Fol. Scabioſ. Hyſſop. Heder. ter. an. M. xii. Marrub. alb. Jaceæ, an. M. x. Tuſſilag. Helen. an. M. xviii. contuſ. exprimatur Succus, depuretur, & ad Mellaginem evaporetur ſ. a. *Doſ. coch.* i. *ter in die, ſuperbib. Decoct. Pector.*

* *Extract. Peticum.* ℞. Fol. Peti exotic. ℥ii. Glyc. ℥i. Fol. Aſari rec. ʒx. Sem. Aniſ. ʒiii. Coriand. ʒii. Rad. Angelic. Galang. an. ℈viii. macer. tepide in Hydromel. ℥xx. hor. 24. f. expreſ. & exhal. ad debit. conſiſtentiam. *Doſ. ad* ℈ii. *Craſſos Humores per Vomitum & nonnunquam per Seceſſum potenter expurgat. Feliciter datur in Aſthmate, & Pulmonum Tartaro, nec non in Febribus, præcipuè Tertiana, & Quar-*

Quartana. Utile etiam in Ictero; Hydrope, ac Artbritide.

* *Extract. Sarſæ.* v. *Aq. Sarſæ comp.*

F

Febrifugum Salis. (i.e.) *Sal. Armoniac. Volatile.*

Febrifugum Crollianum, v. *Antifebr. Concb.*

Febrifugum Riverii. ℞. Flor. Antimonii ter cum Sal. Armoniaco ſublimator. & edulcatorum, Vitri Antimonii in ℥iv. Aquæ Fort. (ex Nitro & Alumine factæ) præcipitati, an. ℥ß. Mercurii cum Aqu. Fort. (ex Nitro, Vitriolo, & Alumine facta) præcipitati ℥vi. Solis in Aqua Reg. ſoluti ℥i M. ac deſtilla ex Retorta gradatim ad ſiccit. cum 12. cohobiis. Pulveri quinquies loto & ſiccato adde Alcoch. V. ℔ii. deſtilla ex Retorta nova ſexies cohobando, effunde Alc. Vini & Maſſam Calcis pone in Crucibulo benè lutato igne rotæ, per 3. hor. Dein Alc. prædictum deſtillatum ſuper incende ſ. a. *Doſ. gr.* vi. *ad* ℈i. *cum an. Scammon. Sulpburat. &c.*

Flores Antimonii. Sublima Antimonium igne forti, aut per ſe, aut cum Arena vel Tartaro calcin. admixto. Flores albiſ. colligantur, Uſuique ſerventur. *Vomitum nonnumquam promovent. Doſ. gr.* 2. *ad* 4. *Sudorifici ſunt.*

Flor. Antim. Diapboret. Fiant ex Flor. Antimonii Oleo Sulphuris irroratis, & Crucibulo clauſo calcinatis ſ. a. *Viribus pollent cum prioribus.*

Flores Benzoini. F. ex pulvere Benz. opt. vaſi vitreato indito, deſuper ponendo chartam duplicem pyramidatam & l. igne ſublimando ſ. a. Flores chartæ adhæreſcentes (charta ſæpius mutata) eximantur. v. *aliter in Pharmacop. Londin. Pulmonici, Bechici, ac Aſthmatici ſunt Inſignes, & Catarrhos ſiſtunt. Sudorem movent. Doſ. gr.* 5. *ad* 12.

Flores Biſmuthi. ℞. Marcaſit. calcin. & Sal. Armon. an. & ſublima ſ. a. in Cucurb. forti. *Coſmetici ſunt celebrati ad dealbandam Faciem, cum duplici quantitate Pomati. Conferunt ad Cutis Vitia, Lichenes, Impetigines, &c.*

Flores Joviales. ℞. Jovis p. i. Nitri p. ii. ſublima ſ. a. Ablue Flores Aqua calida. *Præſtant magnopere in Uteri Suffocatione, tam Intrinſecus quam Extrinſecus adbibiti. Doſ. gr.* ii. *ad* vi. *repetitis vicibus.*

Flores Salis. Fiunt augendo ignem poſt deſtillationem Olei Salis, & ſublimando. Flores collo Retortæ adhæreſcentes colligantur. *Alexiterii ſunt. Doſ. ad* ℈i.

Flores Salis Armoniaci: F. ex Salis fuſi & Sal. Armon. an. ſublimatis ſ. a. *Diuretici, & Diaphoretici. Doſ. gr.* 5. *ad* 15.

Flor. Sal. Armon. Martiati. F. ex Martis limat. & Sal. Armon. an. ſublimatis Aeri exponendo Caput mortuum, miſcendo cum dimid. quant. Sal. Armoniaci, ſiccando, & ſublimando ſ. a. *Tollunt perfectè Cruditates Ventriculi, cum Vino abſinthiaco, aut Decocto Saſſafras, Sudorem promovendo. Optimè valent in Quartana.*

Flores Sulph. Albi. ℞. Lap. Prunell. hor. 2. calcinat. in Crucibulo optime operculato cum carbonibus vivis ſupra operculum poſitis, ℥ iii.

Sul-

Sulphur. ℥vi. M. ac ſublima igne Arenæ ſ. a. *Lacti Sulphuris Viribus æquivalent*. *Doſ.* ℈ i. *ad* ʒß.

Flores Viridis Æris. Solve Virid. Æris in Acet. deſtill. dein filtra ac cryſtalliſa ſ. a. *Summum eſt Mundificativum in Vulneribus*.

Flores Vitrioli. Sublima Salis fuſi & Vitrioli an. ſ. a. *Inſerviunt Plagis Putridis Mundandis, Incarnandis, & Cicatricibus Inducendis*.

Flores Zinci, f. uti *Biſmuthi*; *eaſdemque Vires obtinent*.

Flos Cordialium; nec non Cardiacum Magnum. ℞. Flor. ſiccat. Roriſm. Calthæ, Tunicæ, Superbæ, Borrag. Bugloſ. Roſ. rub. Roſ. pallid. Rorellæ, Viol. Actes, Beton Aurant. Jaſmin. an. ℥ i. Croc ℈ iv. Fol. ſiccat. Card. Ben. Scord. Angelic. Apiaſtri, Menth. Amarac. Valerian. an. ʒ vi. Rad. Heptaphyll. Zedoar. Ariſtol. rot. Caryophyllat. an. ℥ß. Gentian. ʒ ii. Sem. Ocimi, Cort. Citri, Sant. Citrin. Bacc. junip. Kerm. Cardamom. an. ℥ß. Cubeb. ʒ iii. Cort. Saſſafr. & Xyloal. an. ℥ i. contuſis contundendis adde Spir. Vini ℔ xxx. poſt macerat. debitam abſtrahe per Baln. Mariæ ℔ xx. quæ ſerventur ad uſum; nominatæ, *Flos Cordialium*. Reſidui fiat expreſſio, & colat. quæ per ulteriorem deſtillationem exhaletur ad Mellaginem. Singulis hujus Unciis accuratè admiſce Sacch. cand. alb. ℥ ii. Succ. Chermenſin. ℥ i. Tinct. Corall. ʒ vi. Margarit. præp. ℥ß. Terr. ſigill. ʒ ii. Bezoar. Animal. Bez. Orient. an. ʒ i. Ambr. Griſ. ℈ ii Moſch. ℈ß. Fol. Auri Num. 20. M. ſ. a. ut fiat *Cardiacum Magnum*.

* *Fotus Arthriticus*. ℞. Salv. Roriſm. Chamæm. Artemiſ. Hyperic. Abſ. vulg an. M. vi. Sal. nigr. M. iii. coq. in Aqu Cong. iii. ad ii. f. colat, pro Fotu.

* *Fo-*

* *Fotus Scorbuticus*. ℞. Artemiſ. Hyperic. Cochlear. utriuſque, Chamæpit. an. M. iii. Abſ. com. & Rom. an. M. iv. Roriſm. M. ii. Rad. Raph. ſylv. ℥ iv. coq. in Aqu. ſ. a. pro Fotu.

* *Frontale Cephalalgicum*. Fit ex Liq. ſtill. Roſ. q. ſ. in Aceto, vel Spir. Vini frixa, inſpergendo pulveris Nuc. M. ʒ i. Zedoar. ʒß. Camph. ℈ ii. *Adhibe Fronti & Temporibus*.

G.

Galbanetum Hartmanni. ℞. Galb. p. i. Sp. Tereb. p. ii. Digere ac deſtilla ex Retorta ſ. a.

Galbanet. Sennerti. F. ut ſuprà, addendo Ol. ſt. Lavendul. ℥ i. & deſtillando ſ. a. *Ad Membra Paralytica inungenda Inſigne remedium*.

Gargariſma Album. ℞. Aq. Plantag. ℥ iii. Aquæ Roſ. rub. ℥ i. Albumina Ovorum in aqueam ſubſtantiam agitata N. 3. Sacch. cryſtall. ℥ i. M. f. Gargariſma. Vel ℞. Rad. Alth. ʒ iii. Sem. Cydon. ʒ i ß. coq. in Aq. Hordei ℔ ii ß. ad ℔ i ß. circa finem addendo Liquirit. raſ. ʒ ii. colat. adde Albumina Ovorum agitata Nu. 2. Sacch. Cryſtall. ℥ ii. M. f. Garg. *quo Os ſæpè colluatur, & parùm ſenſim deglutiatur. Pro Aphthis, &c.*

* *Gargariſma Apoplecticum*. ℞. Sem. Sinap. pulveriſat. Spir. Caſtor. an ℥ ii. Oxyrrhodini ℥ i. f. Muſtarda ſ. a. cui adde Decoct. fort. Roriſm. & Beton. an ℔ i. Mel Anthoſ. ℥ ii. M.

* *Garg. Scorbuticum*. ℞. Roriſm. M. i. Caryoph. Num. 40. Sal. Coclear. ʒ ii. Omphac. ℔ iii. coq. ad ℔ ii. *Ad Gingivas Putridas in Scorbuto*.

* *Garg.*

* *Garg. Synanchicum*. ℞. Spong. Sambuc. ℥ i. Albi Canis ʒ vi. Fol. Rubi M. i. Roſ. r. M. ß. Geran. Columbin M. ii. Ficus Num. viii. coq. in Aqu. q. ſ. ad ℔ ii. colat. adde Acet. Sambucin. ℥ i. Mell. Roſ. ℥ iii. *Ad Ulcera Oris, Aphthas, &c.*

* *Gelatina Cornu Cervi*. ℞. C. C. raſ. ℥ vi. Aqu. Font. ℔ vi. infunde tepidè & coq. lento igne (vaſe clauſo) ad 3. vel 4. hor. ut fiat Gelatina colat. adde Succ. Limon. ℥ i. Sacch. opt. ℥ ii. *Reſtaurativa eſt in Tabe, &c.*

* *Gelatina Corroborans*. ℞. Pedes 4. Ovillos, 2. Vitulinos, Raſ. Ebor. Rad. Satyr. an. ℥ ii. Virgæ Hippopot ℥ i. C. C. ʒ x. Fol. Alchimil. Bellid. an. M. ii. Aquæ font. ℔ x. coq. ſ. a. ad ℔ iii. f. colat. adde Sacch. cand. alb. ℥ iii. Refrigerent & reſideat Gelatina, auferendo pinguedinem ac fæces ſ. a. *Detur Hauſtus manè cum Priap. Cerv. pulv.* ℈ i. *præmiſſis Pilulis adſtring.*

* *Gelatina Ichthyocollæ*. ℞. Ichthyocoll. albiſ. incil. & contuſ. ℥ ii. Aqu. font. ℔ ii. coq. ſ. a. ad med. adde colaturæ Lact. rec. ℔ i. Sacch. cand. ℥ i. *Doſ.* ℔ i. *bis in die*. *Ad Profluvium Album, Gonorrhœam, &c.*

Gilla Theophraſti. Nihil aliud eſt, quàm Vitriolum album depuratum.

H.

Helleborus. v. *Elleborus*.

Hepar Sulphuris. Fit ex Flo. Sulphur. liquat. ℥ iv. addendo Sal. Tartari puriſ. ℥ i ß. & miſcendo opt. cum ſpatula agitando, remot. ab igne ſerva Maſſam ad uſum. *Inſervit Tincturæ & Syrupo Sulphuris præparandis.*

Her-

Hercules Bovii. v. *Aurum Vitæ.*

I.

Ignis Philoſophicus. v. *Phoſphorus*.

† * *Infuſio Arthritica* . ℞. Anthos ℔ i. Sal. Armon. volat. ℥ i. Alc. V. ℔ vi. Digere in Lagena opt. obturata in fimo Equino dies. 40 dein inſola dies 20. f. expreſſio . *Applicetur in declinatione Arthritidis, extrabit valde Frigidos, Craſſos, Flatuoſos Humores in Articulis, & fortificat.*

* *Infuſio Benedicta* . ℞. Rad. Polypod. qu. Turpet. Senæ opt. an. ℥ vi. Sem. Carui ℥ i. Vini alb. ℔ xii. macer. (vaſe clauſo) ſuper Cineres calidos ad Hor. 24. colat. cum expreſſione factæ adde Mann. opt. Syr. Roſ. cum Agar. Sacch. an. ℔ i. clarific. cum album. ovor. ſ a. *Bilem utramque cum Pituita è Capite, ventriculo aliiſque partibus inſigniter educit ſine faſtidio. Doſ.* ℥ iv. *ad* ℥ vi.

* *Infuſio Cachectica*. ℞ Rad. Enul. rec. inciſ. ℥ vi Uv. Corinth inciſ. ℥ viii. Sacch alb. ℥ vi. V. alb. ℔ iii. Macer. in frig Hor. 48 cola. *Doſ.* ℥ iv. *bis in die in Cachexia, Chloroſi, Dyſpnœa, &c.*

* *Infuſio Icterica* . ℞ Sulphur. Anſerin. rec. ℥ vi. Fol. Chelidon. M. ii. Vini alb. Aquæ Chelidon. ſimp. an. ℔ i. Infunde tepidè Hor. vi. cum ſacch. alb. ℥ ii f. colat. ſæpe per Manic. Hippoc. *Doſ.* ℥ iv. *bis in die*

Infuſio Ireata . ℞. Rad. Irid. nr. rec. inciſ. Uv. paſs. exacin. inciſ. Sacch. alb. an ℥ vi. V. alb. Cereviſ. ten. an. ℔ iii. macer. dies 3. & f.

colat.

colat. *Detur Hauſtus mane & veſperi in Scorbuto, Hydrope &c.*

Infuſio Sancta. ℞. Guajac. ℥ ix. Sal. Tartari ℥ iv. Glyc. ℥ iv. Digere tepidè in Aq. Font. ℔ xx. ad dies vi. dein. f. colat. *Alexipharmacum nobile habetur. Sanguinem mundificat, Omnes Obſtructiones & Putrefactiones tollit, & Sanitatem optimè præſervat. In Scorbuto, Hydrope, & Febribus, Lue Venerea, Arthritide, cæteriſque Morbis Tartareis multùm facit. Doſ.* ℥. vi. *quater in die.*

* *Injectio Alba.* ℞. Troch. alb. Rh. ʒ iii. Camph. ℈ i. ſolvantur in Aquæ Sperniolæ ℥ xii. ſ. a. *Inflammationes & Dolores mitigat. efficax admodum ad Ulcera Virgæ, Gonorrh. &c.*

Injectio Auricularis. ℞. Anthos M. ii. coq. in Urinæ Pueri ℔ i ß. ad ℔ i. colat. adde Rhodomel. ℥ iv. M. *In Surditate, & Dolore.*

* *Injectio Benedicta.* ℞. Aquæ Benedict. ℥ viii. Mercurii d. ſubt. pulveriſat. ʒ iii. M. exactiſs. ſ. a. *Vires habet Inject. alb.*

Jovis Amalgama. (i. e. *Crocus Jovis.*

Julap. Antiſcorbuticum. ℞. Vin. Chalyb. ℔ ß. Tinct. Sacræ ℥ iii. Spir. Cochlear ʒ v. Sp. Lavend. comp. ℥ ß. Tartari Vitriolat. ℈ i. Syr. Scelotyrb. ℥ i ß. M. *Dentur coch. ix. omnì manè.*

Julap. Aſthmaticum. ℞. Milleped. vivor. Num. 400. contuſis adde Aquæ Hyſſop. ℥ vi Aquæ Limac. magiſtr. ℥ i ß. f. expreſſ. fort. *Dentur coch. 2. cum Decoct. Pector.* ℥ iii. *quarta quaque hora calidè.*

Julap. Cretaceum. ℞. Cretæ albiſ. pulveriſat. ℥ i. Sacch. opt. ℥ i ß. Ol. ſtil. Nuciſt. gt. iii.

Aqu-

Aqu. font. ℔ ii miſc. optimè ſ. a. *Doſ.* ℥ iii. *Pro vice ſæpe.* Ἐν τῇ καρδιαλγίᾳ ἄριστον.

* *Julap. Fragorum.* ℞. Fruct. Fragor. matur. ℔ i ß. Aqu. Font. ℔ i. Vin. alb. ℔ i Sacch. alb. Syr. Limon. an. ℥ i ß. macer. in frig. hor. ʒ. & cola. *In Æſtu Febrili refrigerat, &c.*

* *Julap. Hyſteric. Camphoratum.* Incende Camphor. ʒ ii. & ſæpe extingue in Aquæ Font. ℔ i. ad totalem Camphoræ conſumptionem. Tum cola. *Dentur cocb. 4. vel 5. ſæpe in Paroxyſmo.*

* *Julap. Hyſt. Farinaceum.* ℞. Farinæ Tritici puriſ. ʒ ii Sacch. alb. ℥ ß Aq. Font. ℥ viii. Agitentur opt. in Phiala, ut f. Julap. albiſ. *Dentur ſæpius cocb. 4. in Paroxyſmo.*

* *Julap. Hyſter. Fœtidum.* Solve Aſæ fœtid. opt. ℥ i ß. in Aquæ Ceraſ. nig. ℥ vi. ſine calore in mortar. frig. ut lacteſcat, ſ. a. *Sumatur cocb. 1. initio Paroxyſmi, & repetatur poſt finitum ejus.*

* *Julap. Hyſt. Mithridaticum.* ℞. Aquæ Bryon. c. ℥ vi. Mithrid. ʒ ii. Tinct. Caſtor. ʒ ii. Syr. Ceraſ. n. Gran. Actes an. ℥ i ß. M. ſ. a. *Doſ. cocb. 1. vel 2. in languoribus.*

* *Julap. Hyſt. Moſchatum.* ℞. Aquæ Naphæ ℥ vi. Moſch. ℈ ß. Sang. Drac. ℈ i. M. *pro 2. doſ. in Parox.*

* *Julap. Idæum.* ℞. Fruct. Rubi Idæi rec. ℔ i. Sacch. alb. ℥. ii. Aq. Font. ℔ i ß. ſerva ſimul in frig. ad hor. ʒ. & cola. *Bibatur ad libitum in AEſtu Febrili ad Sitim extinguendam.*

* *Julap. Perlatum.* ℞. Aquæ Citri, Borrag. Meliſ. Ceraſ. n. an. ℥ iii. Spir. Ceraſ. n. vel Sp. Citri ℥ i. Sacchar. albiſ. ʒ vi. Margarit. præp. ʒ i ß. Agitentur opt. ſ. a. *Dentur cocb. 5. vel 6. in Languore.*

Julap. Purpureum. ℞. Syr. Viol. ℥ iii. Spir.

Vitrio-

Vitrioli gt. 30 Aquæ Hord. vel Aquæ Font. ℔ ii. M. ſ. a. *In Febribus Ardentibus ad Sitim extinguendum utiliſſimum.*

* *Julap. ad Rhachitidem.* ℞. Aquæ Ling. Cervin. cum 2. cohobiis deſtillat. ℥ iv. Conſ. Al-Kerm. ʒ ii. Syr. Caryoph. ℥ i. Sp. Sulphur. gt. vi. Fol. Auri Num. 2. M. ſ. Julap. Elegans. *Doſ. coch. 2. bis in die. Miranda præſtitiſſe narrant Dominæ.*

Julap. ad Sitim v. Decoct. ad Sitim.

* *Julap. Tartariſatum.* ℞. Pulver. ſubt. Tartari alb. ℥ i. Sal. Tartari ℥ ß. V. alb. ℔ iii ß. M. *Doſ.* ℥ iii. *bis in dies per die* 8. *in Icteritia curanda.*

* *Julap. Vitæ.* ℞. Vitell. ovor. rec. Num. 2. Sacch. alb. ℥ ß. Ol. Cinnam. gt. iii. Vini alb. vel Hiſpan. ℥ vi. exactiſs. miſceantur ſ. a. *In Animi Deliquio, Viriumque maxima debilitate, vel in Moribundis Auxilio fuit.*

* *Juniperi Baccæ candefactæ.* F. irrorando Bacc. ſelectiſ. ℔ i. Vino Hiſpan. dein ex cribro Sacch. opt. pulveriſat. ℥ iv. inſpergendo, & lentè ſiccando ſ. a. *Sudorificæ, Hyſtericæ, Nephriticæ, &c.*

Jupiter Diaphoreticus. F. ex Capite mortuo Florum Jovis, in Aqu. cocto, præcipitato, & edulcato ſ. a. *Doſ. à gr. iii. ad x. Potenter Sudorem movet. utilis in Utero Strangulato, Peſte, Lue Venerea. Podagra,* &c.

Jupiter Nitratus. F. Caput mortuum poſt deſtillationem Flor. Jovis coquendo in Aqua, filtrando, exhalandoque ad ſiccit. ſ. a. Dicitur & *Nitrum Joviatum. Vires & Doſis cum priori.*

* *Juſculum Galli.* ℞. Gallum antiquum admodùm

modum fatigatum, donec laſsitudine cadat. Tum trucida, depluma, exentera, farciaturque ingredientibus idoneis: coq. in Aquæ font. q. ſ. (hor. 5. vel 6.) donec caro ab oſsibus ferè decidat, & cola. *Nutritivum eſt & Reſtaurativum in Tabe, Hectica, &c.*

L.

Lac Aluminis. Fit ex Aquæ Album. Ovor. ℥ vi. pulveris Aluminis ℥ i. Spir. Vini ℔ ii. opt. & diu in vaſe vitreo conquaſſatis, ut f. inſtar Lactis. *Arcanum habetur in Gonorrhæa, Profluvio albo, Menſibus Immodicis, &c. Doſ. coch. 2. vel 3. ter in die. Aſſumptum ad ℥ ii. hora ante Paroxyſmum ſæpe curat Tertianam.*

* *Lac Ammoniaci.* ℞. Gum. Ammon. puriſ. ℥ iii. ſolve in Aquæ Hyſſop. frigidæ ℥ vi. in mort. frig. ſ. a. *Detur ſæpe coch. i. pro vice in difficultate Anhelitus.*

Lac Aſæ fœtidæ. v. *Julap. Hyſt. Fœtid.*

* *Lac Benzoini.* ℞. Spirit. Benz. ℥ i. Aquæ Hyſſop. vel Scabioſ. ℥ xii. m. ſ. a. *Aſthmaticum, Pectorale, &c.*

Lac Mercurij. F. ex Mercurii ſublimat. corroſ. ℨ vi. fricatis & agitatis in Diſco Stanneo cum Aquæ Fumar. ℥ xii. ut f. Lactis inſtar. ſ. a. v. *Vires in Aq. Mercurial.*

Lac Saturni v. *Magiſt. Saturni.*

Lac Scammonii. ℞. Pulver. Scammon. ℨ vi. affunde in mort. frig. paulatim Aquæ Cinnam. hordeat. ℥ viii. inter affundendum diu agitando.

Li-

Liquor lactefcens ſeparetur à picea ſubſtantia, & ſervetur ad Uſum. Vocatur & *Liquor Acuens. Doſ. coch.* i. *Suaviter purgat.*

Lac Sulphuris. ℞. Sulphur. p. i. Calc. viv. vel Sal. Tartari p. iii. coq. in Aquæ q. ſ. ad Sulphuris ſolutionem: filtra calidè, præcipita cum Acet. deſtill. vel Spir. Nitri, edulcora & ſicca ſ. a. *Balſamum eſt Pulmonum, Conſumens & Exiccans, valet in Catarrhis, Aſthmate, Tuſſi, Phthiſi, Colica, &c. Doſ.* ℈ ß. *ad* ℈ i.

* *Lapis Contrayerva.* ℞. Magiſt. C. C. Corall. alb. rub. Margarit. Succin. alb. Ocul. Canc. an. ℨ ii. Rad. Contrayerv. ℥ ß. Apic. nigr. Chel. Canc. ℥ ii. omnibus ritè præp. & commiſtis adde Gelatin. Viperar. q. ſ. ut f. Globuli, foliis Auri obducendi, atque cautè ſiccandi ſ. a. Sunt, qui addunt Ambr. Griſ. ℨ i ß. *Cardiacus, Alexiterius & Sudorificus Inſignis eſt. Valet maximè in Peſte, Variolis, Morbillis, Febribuſque Malignis omnibus. Doſ.* ℈ ß. *ad* ℨ ß.

Lapis de Coa. ℞. Lap. Hyacinth. Topaſ. Sapphir. Rubin. Margarit. an. ℥ i. Smarag. ℥ ß. Bezoar Orient. Corall. alb. rub. an. ℥ ii. Moſch. Ambr. Griſ. an. ℨ ß. Fol. Auri Num. 40. F. pulvis ſubtiliſ. qui cum Aqua Roſ. in Paſtam ſubactus efformetur in Pilas oblongas, ovulis non abſimiles, in umbra probè ſiccandas. Poſtea Dentalio, Entalio, ſeu ulla alia hujuſmodi concha accuratiſſimè (ut eleganter niteant) poliantur ſ. a. *Eaſd. obtinet vires cum priori. Præterea ſpecificus eſt contra Spaſmum & Contracturas. Doſ. à* ℈ i. *ad* ℨ ß. *& ultra.*

* *Lapis Medicamentoſus.* ℞. Vitrioli alb. ℥ iv. Sal. Armon. ℥ ß., Aluminis, Ceruſſ. Bol. Armen. an. ℥ i. m. f. pulvis coq. cum Acet. q. ſ. ad Lapidis duri conſiſt. ſ. a. *Virtutes hujus*

varia ſunt. Ulcera & Defluxiones tollit: Vulnera inveterata deſiccat: Eryſipelas, Scabiem, Tineam, &c. curat. Modus utendi ità eſt. Liqueſcat ℥ i. in *Aquæ Pluvialis* ℔ i. *& filtra. Dein utere, tum Lavando, tum Linteolum Imbuendo ac Imponendo.*

Lapis Salutis. ℞. Sal. Armon. ℥ i. Alumin. Bol. Armen. an. ℥ ii. Vitrioli Virid. ℥ vi. Nitri ℥ iii. Ceruſſ. ℥ ii. m. f. pulvis, coq. lento igne cum Acet. q. ſ. donec redigantur omnia in Lapidem durum. *Eaſdem Vires habet cum priori Lapide.*

Laudanum liq. Cydoniat. ℞. Opii correct. ℥ iv. Croc. ℥ ii. Succ. Cydon. ℔ ii ß. Flor. Cereviſ. coch. 4. fermententur ſimul in Digeſtione, donec ſubſident Crocus & Opium, exprime & filtra: adde Liquor. Cinnam. ʒ ii. Caryoph. Xyloal. Sant. citr. an. ʒ i. Digere Dies 14. filtra & exhala ad dimid. *D. Wiliſ. Dolores maximè ſedat, Somnum inducit, omnes Fluxiones ſiſtit, Ardorem mitigat, Naturam confortat, inquietos Spiritus in Phrenitide, Arthritide, Epilepſia, &c. compeſcit. Odontalgiam mirè ſedat (impoſitum.)*

Laudan. liq. Tartariſat. ℞. Opii ℥ ii. Croc. ℥ i. Cinam. Caryoph. Mac. Nuc. M. Xyloal. an. ʒ i. Tincturæ Salis Tartari ℔ ii. Digere dies aliquot, filtra & exhala ad dimid. *Vires & Doſis cum ſuperiori.*

Laudanum ſine Opio. ℞. Myrrh. opt. Mumiæ, Sant. rub. citr. an. ℥ i ß. Macis, Cardamom. Piper. Galang. an. ℥ iv ß. Spir. Vini ℔ iii. extrahe Tincturam ſ. a. cui filtratæ admiſce Sulphuris Vitrioli narcotici ʒ iii. & digere per Menſem: deinde ad Mellagin. exhala, addendo Croc. ℈ ii ß. Sal. perlar. ℥ i ß. ut f. *Maſſa* ſ. a. *Anodynum eſt potentiſſimum. Omnes Fluxiones, Catarrhos, Tuſſes, &c. ſiſtit: Atque eaſdem habet Virtutes cum præcedente.* Lau-

Laudan. Starkii. v. *Pil. Matthæi.*

* *Linctus Benedictus.* ℞. Sapon. Ven. Vini Bened. an. ʒ ii Lohoch. Sani ℥ ii. Syr. Jujubin. Tuſſilag. Cap. Ven. an. ℥ i. m. ſ artem pharmacopoeticam. *Dicitur & Linct. Potentialis. Detur coch.* i. *quarta quaque hora. Potenter Expectorationem promovet.*

* *Linctus Expectorans.* ℞. Smegmat. Caſtil. ʒ ii ß. Ol. Amygd. d. Syr. Viol. an. ℥ ii ß. Sacch. alb. q. ſ. M. ſ. a. Vel ℞. Lohoch. Domeſt. ℥ iii. Smegm. Caſtil. ʒ i. M. *Idem facit cum ſupradicto.*

Linctus Hæmoptoicus. ℞. Lap. Hæmatit. Gum. Arab. Succin. alb. an. ℈ ii. Amyl. ℥ ß. Glyc, ℈ i. Albumin. Ovor. q. ſ. M. f. Linctus; *Subinde Lingendus cum Bacillo Liquirit.*

* *Linctus Synanchicus.* ℞. Pulp. Conſ. Roſ. r. ℥ ii. Rob. Granor. Actes ℥ i. Rhodomel. ℥ i ß. Sterc. Can. pulveriſat. ʒ vi. M. ſ. a. *Detur coch.* i. *ſæpe in Angina, &c.*

* *Linimentum Melluminatum.* ℞. Pulveris Aquileg. Salv. Menth. Nuc. M. an. ℥ ß. Alumin. uſti ℥ i. Mellis ℥ iv. M. *Ad Ulcera Gingivarum, Inflammationes, Laxitatem &c.*

* *Linimentum Simplex.* ℞. Succi Solatri, Ol. Roſ. an. ℥ xx. coq. ad Succi conſumpt. colat. adde Litharg. Ceruſ. an. ℔ i. m. ſ. a. *Valet in Mammarum Cancro, Roſa, Eryſipelate, &c.*

* *Linteum Crocatum.* Fit coquendo Linteum cum Croci ʒ ß. in Aqua Rutæ, & exiccando. *Hoc perpetuò ſub Mento, Variolis durantibus, geſtandum.*

Liquamen Silicum. ℞. Silic. uſt. p. iii. Salis Tartari per Nitrum calcin. ℥ iv. exactè miſce,

& per vices in Crucibulum candens iniice, urgendo ignem ſ. a. Poſtea Maſſam Aeri expone, ut ſolvatur per deliq. ſ. a. *Ad Tartaream Mucilaginem incidendam, Calculum reſolvendum, ac proinde ad Obſtructiones reſerandas multum facit. Doſ gt 20. ad 30. in Liquore conven.*

Liquamen Sulphuris. ℞. Fl. Sulphur. Sacchar. cand. alb. an. ℥ i. m. f. pulvis. Induratis 4. Ovis (exemptis vitellis) include, & probè ligata ſuſpende ſupra prunas, ut Liquamen exudet: quod ſerva ad uſum. *Pectorale eſt egregium in Aſthmate, Tuſſi, Phthiſi, Pleuritide,* &c. *Doſ. gt.* 20. 30. &c.

Liquor Acuens. v. *Lac Scammonii.*

* *Liquor Cephalalgicus.* ℞. Camph. ℥ ii. ſolve in Alc. Vini ℥ ii. qui Rhodoſtagmatis q. ſ. excipiatur in Diſco, calfaciendo ad mediocrem ſiccit. Tum inſperge pulver. Nuc. M. ℈ i. Zedoar. ℥ ß. *Fronti adhibe in Cephalalgia.*

Liquor Limacum. Fit ex Limac. rubr. concis, & Sal. an. in Manic. Hippocr. injectis, & in Cella ſuſpenſis, ut defluant in Liquorem, ſervandum ad uſum. *Dolores Podagricos mitigat illitus, Verrucas curat. Optimè valet in Atrophia membrorum, illinendo cum iſto calefacto, & tegendo ſæpe lana carpia. Mulier quædam cum guttulis hujus aliquot ex Hauſtu Cereviſiæ ſolebat curare Tuſſim Infantum ſingultuoſam.*

* *Lohoch Album.* F. ex Ol. Amygd. d. rec. & Sacch. Penid. an. exactiſ. ità mixtis, ut in Maſſam unam homogeneam conſpirent albiſsimam. *Fieri nequit ſine arte Pharmacopœi.*

* *Lohoch domeſticum.* ℞. Ol. Amygd. d. rec. ℥ iv. Syr. Jujubin. Capill. Veneris an. ℥ ii.

Sacch.

Sacch. alb. ʒ ii. miſc. exactiſs. in mortar. marmor. ſ. a. *Confici etiam poteſt multò elegantiùs ac inſeparabiliùs (ſi Ars non deſit Pharmacopœo) ſine ulla Sacchari additione. Expectorationem promovet.*

Luna Potabilis. ℞. Lunæ præcipitatæ ℥ i. Sal. ℥ ii. Sal. Armon. ʒ ii. M. ac reverbera dies viii. Ablue à ſalſedine, & extrahe Tincturam Cœruleam ope Spir. Vitrioli dulcis, decanta ac abſtrahe. *Uſus eſt maximè in Morbis Capitis, & in primis Epilepſia, Hydropicam Aquam exiccat. Doſ. gr.* 4. 5. 6. &c.

M.

Magiſt. Antim. Diaphoret. F. ex Antimonio Diaphoret. in Aqu. cocto & filtrato, affundendo Aurum ſolutum, præcipitando ac abluendo ſ. a. *Doſ.* ℈ ß. *ad* ℈ i. *Vires obtinet Ceruſſ. Antimonii.*

* *Magiſt. Benzoini*, F. ex Benz. albiſ. in Alc. V. ſoluto, præcipitando Aqua Lactis, & ſiccando ſ. a. *Doſ.* ℈ ß. *ad* ℈ i. *Pectorale eſt nobile.*

Magiſt. Biſmuthi. ℞. Marcaſitæ pulveriſatæ p. i. Solve in Spir. Nitri rectif. p. iii. præcipita Aqua ſalſa, edulca & ſicca ſ. a. *Confert ad Cutis Vitia, Lichenes, Impetigines, Scabritiem Manuum, & ſimul Coſmeticum eſt Inſigne.*

* *Magiſt. Git.* ℞. Gum. Git. puriſ. ℥ iii. Tinct. Roſ. r. ℔ i ß. Succ. Limon. ℔ ß. Sp. Vitrioli ʒ i. macera ac evapora ad conſiſt. Extracti: vel f. Pulvis. Fieri etiam poteſt ex Gum. Git. ℥ ii. Ol. Tartari p. d. ℥ i. Spir. Vini ℥ vi. digeſtis ac evaporatis ſ. a. *Purgat ἄνω καὶ κάτω præcipuè Humores Seroſos. Uſus eſt proficui in Hydrope, Scabie, Pruritu,* &c. *Doſ. gr.* x. *ad* ʒ ß.

* *Magiſt. Jovis*. Fit ex Fl. Jovial. in Aqua ſolut. & filtratis, præcipitando vel Oleo Tartari p. d. vel Alumine ſoluto, edulcando ſæpe Aqua tepida, & exiccando. *Doſ. gr.* 4. 5. 6. &c. V. Salis Jovis Vires.

Magiſt. Lithargyrites, v. *Sal Litharg.*

Magiſt. Lunæ, v. *Vitriolum Lunæ*.

Magiſt. Martis, v. *Extract. Chalybis*.

Magiſt. Saturni. Coq. Saturni rubr. in Acet. deſtill. filtra, præcipita Oleo Vitrioli, & edulca ſ. a. *Uſus eſt in Phthiſi, Hectica, Febribus ardentibus, aliiſque Inflammationibus internis. Item in Quartana, Lienis Affectibus, Colica, & Lue Venerea Secretum eſt. Doſ. gr.* 4. 5. 6. &c. *Externe valet in Putredine Oris, Ulceribus malignis, Cancroſis, Lupo, Fiſtula, Ambuſtis, Puſtulis Faciei rubris, Rubedine Oculorum, &c.*

Magiſt. Sulphuris. v. *Lac. Sulphuris*.

Magiſt. Tartari. ℞. Salis Tartari q. v. Imprægna Acet. opt. donec Tartarum nil amplius aciditatis retinere velit. dein affund. Spirit. Vini eumque abſtrahe, aliquoties cohobando: Tandem repone Tartarum ad liqueſcendum, & habebis Oleum rubrum, per inferiora purgans. *Utile eſt in Omnibus Morbis Deploratis. Doſ.* ℈ß. *ad* ℈i.

Magiſt. Turpethi. ℞. Mercurii ſublim. q. ſ. coq. in Aqu. pluviali ad ſolutionem, filtra, & cum Ol. Tartari p. d. præcipita; Tandem edulcora Aqua deſtillata ſ. a. *Inſigne eſt in Lue Vene-*

Venereæ, *Tinea*, *Scrophulis*, &c. *Doſ.* ℈ ß. *ad gr.* xv. *cum Conf Hamech* ʒ ii. *vel* iii.

Magnes Præp. Fit ex pulveris candefacti in Crucibulo, & Olei Martis an. lento igne exhalando ſ. a. *Cum Cera mixt. in Emplaſtr. Dolores Podagricos mirè mitigat.*

Mars Diaphoreticus. Sublima Sal. Armon. cum an. Chalyb. limat. ſ. a. ſublimatum ſolve in exigua quant. Aquæ font. filtra, & præcipita affundendo guttatim Ol. Tartari p. d. vel Spir. Sal. Armon. præcipitatum exicca ſ. a. *Sudores movet, & Diureticus eſt. Eximii uſus in Melanch. Hypochondriaca, Quartana*, &c. *Doſ.* ℈ ß. *ad* ℈ i.

Mars Fulminans. ℞. Nitri ʒ iv ß. Sal Tartari ʒ i ß. Sulphur. ʒ ii. M. f. pul. ſ. a. *Diureticus, & Menſes movet*, &c.

Mars Potabilis. Solve Chalyb. Tartariſatum in Aqu. Font. filtra, & coagula ſ. a. *Optimè valet in Cachexia, Hydrope, Scorbuto, Chloroſi, Quartana*, &c.

* *Maſticatoria.* ℞. Maſtich. ʒ iii. Pyreth. Staphiſagr. an. ʒ ii. Rad. Angelic. ʒ ß. Cubeb. Nuc. M. an. ʒ i. Euphorb. ℈ ß. Ceræ q. ſ. f. Maſſa: ex qua fiant Maſticatoria ſ. a. *ſc. f. Globuli vel Pil. Majores, ſæpe maſticandæ. Sputationem promovent: Cerebrum purgant. Valent in Auditu Depravato, Paralyſi, & Morbis Capitis Frigidis. Odontalgiam curant.*

Mater Balſami. v. *Balſam. Paralyt.*

Mel Saponis. ℞. Sapon. com. Mellis an. ℥ iv. Sal. Tartari ℥ ß. Aquæ Fumar. ʒ ii. M. ſ. a. *Coſmeticum eſt inſerviens apprimè Manibus & Faciei lavandis ac dealbandis, valet etiam in Ambuſtis, Inflammationibus, Podagra, &c.*

Mercurii Purgatio. Diverſimodè perficitur. Vel trajiciendo per alutam, vel lavando cum Acet. & Sale mixtis; aut cum Aqua Cal. viv. ſæpius agitando. Vel fortiter agitando cum Spir. Vini in Vitro obturato. Vel deſtillando in Arena per Retortam igne forti; idque per ſe, vel addito Sale Tartari, Calc. viv. &c. vel amalgamando cum Sole vel Luna, ac poſtea per Retortam à corpore admixto ſeparando.

* *Merc. præcipitat. Albus*. Solve Mercurium in Aqu. Fort. præcipita Aqua ſalſa, ablue, exicca. *Albus ſubdulcis*. Solve Mercurium in Spir. Nitri, præcipita cum Sp. Vini, ſicca, & ſæpe combure cum Spir. Vini ſ. a. *Doſis eadem cum Mercurio dulci. Uſus in Lue Venerea, Hydrope, Podagra, Ictero, &c.*

Merc. præcip. correctus. ℞. Mercurii per Salem & Acet. purgat. ℥ii. Aquæ Fort. duplic. ℥viii. Abſtrahe Aqu Fortem ex Arena, cohobando. Tum materiæ tritæ affunde Ol. Vitrioli ℥ii. Digere, & Ol. abſtrahe, ſuper Mercurium affunde Sp. Vini. Digere Dies iii. decanta, aliumque Sp. Vini affunde; idque tertia vice repete: tandem ſicca. *Doſ. gr. 3. ad 10. Purgat per Inferiora; in Lue Venerea curanda præſtantiſſimum Remedium*.

Merc. præcipit. fixus. ℞. Mercurii purgat. ℥iii. Sal. Armon. ℥iß. Fl. Sulphur. ℥ii. M. & ſublima: ſublimatum cum fæcibus tritum ſublima iterum: dein auge ignem ut candeſcat: id quod in fundo remanet fixum *Panacea Vocatur. Omnes Humores noxios exiccat, perque Diaphoreſin expellit. Doſ.* ℈ß *ad* ʒß.

Merc præc. Flavus (i.e) *Turpeth miner. Doſ. à gr. 5. ad 10. Eaſdem habet Vires quas Arcan. Corallinum.*

Merc.

Merc. Præc. Griſeus. Turpeth. Mineral. in Aquæ Roſ. lotum & ſiccatum imbibe cum Alc. Vini & (addit. Camph. in Alc. Vini ſolut. an.) lento igne Alc. Vini abſtrahe ſ. a. *Doſ. a gr.* iii. *ad* viii. &c. *Purgat per Inferiora.*

Merc. Præc. Incarnatus. Mercurii ℥i. in Aquæ fort. ℥ii ſolutæ adde Aqu. fervidæ ℥iii. præcipita Urina rec. ablue ac ſicca ſ. a. *Solum per Seceſſum movet. Virtutes obtinet Arcani Corallini. Doſ. gr. vi. ad xii.*

Merc. præc. Laxativus. F. ex Mercurio cum Ol. Vitrioli, vel Sulphuris in Arenæ B. cryſtalliſato, & in Crucibulo indito ut per horam candefiat ope ignis: dein in Aquam calidam projecto, ut f. pulvis flavus. Aquam decanta, lava, exicca, & Spiritum Vini ſupra eum incende ſ. a. *Purgat* ἄνω καὶ κάτω *Doſ. gr.* 3. *ad* 10. *mirè proficuus in Lue Venerea extirpanda, Podagra, Ictero, Hydrope, Scabie, &c.*

Merc. præc. per ſe. Mercurium pone in vitrum infernalem, exactè in Arena colloca, & gradatim auge ignem, donec Mercurius in pulverem rubicundiſ. converſus ſit. Ablue Spiritu Vini. *Opus eſt multorum dierum. Sudores valde movet. Luem Veneream ſexies vel ſepties exhibitus penitus eradicat. Febres omnes tollit. Lumbricos eliminat. Ut plurimum Vomitum quoque movet ſat violentum. Doſ. gr.* 3. *ad* 6. *Præſtantior erit præcipitatus, ſi fiat cum parte octava Solis. v. infra.*

Merc. præcip. Ruber. Solve Mercurii p. i. in Aqu. Fort. p. ii. Abſtrahe Aqu. Fort. a Mercurio per deſtillationem cum tribus cohobiis, donec in pulverem rubrum evadat. *Vires imitatur præcedentis.*

Merc. præc. Solaris per ſe, Fit ex amalgamate

facto

facto ex Mercurii ℥iv. cum Solis per Antimonium fuſi ℥ſs. in vitro infernali poſito ut ſupra, materiam ſæpe eximendo, & conterendo ſ. a.

Merc. præcip. Viridis. ℞. Mercurii ℥iv. Veneris ℥ſs. Solve ſeparatim in Aqu. Fort. & miſc. poſtea, abſtrahe Aquam Fortem, digere præcipitatum cum Acet. deſtill. filtra ac ſicca ſ. a. *Specificum eſt in Gonorrhœa virulenta, quam Nimiam tollit, Inſufficientem promovet: ideoque quotidie continuandus ejus eſt uſus, donec omnis fluxus ſedatus ſit. Doſ. gr.* ii. iii. *ad* viii.

Merc. ſublimat. Ruber. & Flavus. ℞. Mercurii, Nitri, Vitrioli calcin. an. ℥vi. exactè miſta ſublima: cum ſublimato miſce Nitri & Aluminis parum calcin. an. ℥iii. Impaſta Aceto, & ſublima iterum. Rubrum à flavo ſeparatum ſeorſim Aqua ablue, & Spiritum Vini ſupra utrumque incende ſ. a. *Purgat præcipuè per inferiora, magnumque Secretum in Hydrope, Lue Venerea, Podagra, Scabie, Ulceribus, Cancro*, &c. *Doſ. gr.* 5. 6. 7. &c.

Merc. Vitæ correctus. Mercurium Vitæ in Phiala igne Arenæ fove, donec rubere inceperit: poſtmodum Sp. Vini ſæpius ab eo abſtrahe ſ. a. *Purgat ſat benè per Alvum, impuritateſque quaſcunque educit. Doſ. gr.* 4. 5. 6.

Merc. Vitæ purgans. Si Mercurium vitæ cum Sale aliquoties teras, & Salſedinem poſtea per Aquam abluas, vim ſolam purgandi per ſedem obtinebit. *Doſ. a gr.* vi. *ad* xii.

* *Miva Borraginis*. Coq. Rad. Borrag. ad mollitiem contuſ. trajic. per Setac. cujus ℞. ℔i. & Sacch. opt. ℔i coq. ad Mivæ conſiſt. ſ. a.

* *Miva Conſolidæ*. Fit ex Pulp. Radic. & Sacch. an. ut

an. ut ſuprà, addendo ſing. Libris Nuc. M ʒ vi. *Uſus in Hæmoptyſi, Rupturis &c.*

* *Miva Dialthææ.* Fit ex Pulp. Rad. & Sacch. ut ſupra, addendo ſing. Libris Mivæ Nuc. M ℥ i.

* *Miva Satyrii.* Fit omnino ut ſupra cum Nuc. M. addita. *Venerem ſtimulat*, &c.

Mixtura Anticolica. ℞. Mann. opt. ℥ ii. Crem. Tartari, Sperm. Ceti, an. ʒ ii. M. *Detur in Hauſtu Juſculi Pulli. Remed. probatiſs.*

* *Mixtura Simplex.* ℞. Spir. Theriacal. Camphorat. ℥ x. Spir. Vitrioli ℥ ii. Spir. Tartari rectific. ℥ vi. Digere in Phiala Hermeticè obſignata ad 3. ſeptiman. ut uniantur exactiſ. ſ. a. *Ciet Sudorem, reſiſtit Putredini; in Febribus Malignis admodum proficua. Doſ.* ʒ i. *plus minus.*

* *Mixtura Tubularis.* ℞. Cort. extern. Piſtach. ℥ ii. Fol. Tuſſilag. Beton. Roriſm. ſicc. an. ℥ iii. Incidantur, & adde Guajac. præp. ℥ iii. Succin. alb. Olib. craſ. contuſ. an. ℥ i ß. Gum. Lentiſc. ℥ i. Ol. ſtil. Nuc. M. ʒ i. f. Mixtura: *inſtar Nicotianæ haurienda.* Vel ℞. Fol. Beton. Tuſſilag. an. ℥ ii. Roriſm. Cort. Piſtach. extern. an. ℥ i. Sem. Cardamom. min. ℥ i ß. Incide ſ. a. Adde Ol. Aniſ. gt. xvi. Ol. Cinnam. gt. viii. m. Aliqui addunt Nicotian. opt. præp. ℥ i. *Utilis eſt præcipuè in Catarrhis exiccandis, Defluxionibus ſiſtendis, Tuſſi*, &c.

* *Mucilago Nephritica.* ℞. Gum. Tragac. ℥ i ß. Arabic. ʒ iii. Ceraſ. ℥ ß. Aqu. Roſ. rub ℥ xx. Aquæ Plantag. Portulac. an. ℔ i ß. macer. in frig. hor. 48. colat. adde Sacch. cand. alb. ℥ iv. m. *Doſ.* ℥ iv. *bis in die cum Aq. Lactis Hauſtu, præmiſſo Balſ. Peruan.* ℈ i. *in Pil. cum Pulv. Glyc.*

N. Ni-

N

Nitrum Antimoniatum. ℞. Nitri in Crucibulo liquati, p. iii. paulatim injice Vitri Antimonii per ſe facti, p. i. Hiſce unitis, effuſis, pulveriſatiſque, elue Nitrum Aqua: filtra ac cryſtalliſa ſ. a. *Doſ. gr.* 5. 6. 7. &c. *in Febribus Malignis, Hydrope, Lue Venerea*, &c.

Nitrum Cachecticum. ℞. Vitrioli Martis p. 4. Arcan. duplic. p. 5. Nitri p. 7. m. ac in Aren. ad rubed. calcina ſ. a. *Summe confert in Appetitu proſtrato, Cachexia, Febribus, Scorbuto, Nephritide, Catarrhis, Lue Venerea, contractura, Paralyſi*, &c. *Somnum inducit, Sudorem movet; aliis leniter Alvum ciet. Doſ. gr.* vi. *ad* xx.

Nitrum Catharticum. Candefac Nitrum in Crucibulo, & per vices carbonem vivum injice, ut Nitrum inardeſcat: continua, donec flagrare deſinat: quod reſtat ſolve in Acet. deſtill. filtra, coagula, idque ter cum novo Acet. deſtill. repete. Tandem ſolve in Spiritu Vini & evapora ad ſiccitatem. *Dicitur & Terra foliata Nitri. Obſtructum Meſenterium & Lienem liberat, ſuaviterque purgat. Doſ.* ℈i. *ad* ʒß.

Nitrum Corallatum. ℞. Nitri p. iii. Salis Corall. p. i. ſolve ſeparatim in Aqu. Roſ. ac filtra: dein miſceantur & coagulentur ſ. a. *Utile in Febribus & Virium reſtauratione. Doſ. ad* ℈i.

Nitrum Fixatum. Solve Salem Prunellæ in Aqu. Font. filtra ac coagula ſ. a. V. *Cryſt. mineral.*

* *Nitrum Hermaphroditicum*. ℞. Nitri, & Salis Tartari puris. an. ſolve in Aq. Roſar rub.

filtra

filtrá & cryſtalliſa ſ. a. *Præſtantiſſimum ad Humores Craſſos & Tartareos incidendos & detergendos; nec non Meatus Obſtructos aperiendos: ad Calculum Renum expellendum, Urinamque movendam*, &c. *Inſuper, in Febribus Putridis ac Malignis optimè conducit. Doſ. gr.* 20. *ad* 30.

Nitrum Joviatum. v. *Jupiter Nitratus*.

Nitrum Nitratum. ℞. Sp. Nitri rect. p. 4. Nitri purificat. p. 6. m. ac deſtilla ad ſiccit. cum terno cohobio, urgendo ignem poſtea ſ. a. *Doſ.* ʒ ß.

Nitrum Perlatum. Fit *ut Corollatum*, ex Sale. Perlar. & Nitro. *Egregium eſt Cordiale, & mitigat Æſtum Febrilem. Doſ ad* ℈ i.

Nitrum Saturniſatum. ℞. Salis Saturni, Nitri, an. ſolve in Acet. deſtill. & cryſtalliſa ſ. a. *Prodeſt Aſthmaticis. Doſ. gr.* 5. 6. 7.

Nitrum Sulphuratum. ℞. Spir. Sulphur. ℥ iv. Nitri purific. ℥ iv. m. ac deſtilla cohobando ad ſiccit. ter, & urgendo ignem poſtea ad vaſis excandeſcentiam. *Vires habet Salis Prunellæ*.

Nitrum Vitriolatum. v. *Arcan. Duplex*. Vel, parari poteſt ex Nitri p. ii. Ol. Vitrioli p. i. deſtillatis, ut in Nitro Sulphurato.

Nodulus Facialis. ℞. Hordei toſti q. v. redige in pollinem, fiatque cum ſindone Nodulus, *quo circa diem undecimum Faciem conſperge. In Variolis optimè Faciem defendit a foveis*.

* *Nodulus Hyſtericus*. ℞. Caſtor. pulveriſat. ʒ ß. Aſæ fœtid. ℈ i. Ol. Succin. ℈ ß. m. & in Serico involve, ut ſ. Nodulus, naribus ſæpe admovendus in Parox. Hyſterico.

O. *Oleum*

O

Oleum Aloeticum. ℞. Alo. epat. ℔ i. Myrrh. ℥ ii. Thuris ℥ ß. m. ac deſtilla in Arena lento igne. *Illitum Umbilico purgat, & Vermes necat.*

Ol. Antim. Saccharatum. Fit ex Pulveris Antimonii crud., & Sacch. an. ex Retorta igne fortiſſ. deſtillatis ſ. a. *Utile eſt tum ad externos, tum Internos Morbos. Doſ. a gut.* iii. *ad* vi. *in Quartanis ante paroxyſmum.*

Ol. Balſami. v. Balſam. Paralyticum.

Ol. Balſamicum. ℞. Anchuſ. ℥ ii. Ol. olivar. ℔ ii. coq. ad colorem rubicundum, colat. adde Tereb. Cypr. in Aqua Viol. lot. ℔ ß. Ol. Bacc. Lauri, Ol. Hyper. an. ℥ i. Ol. Junip. & Petræ, an. ℥ ß. Ol. Rhod. & Spicæ, an. ʒ ii. Ol. ſtil. è Sem. Angel. & Aniſ. an. ʒ i. m. ſ. a. *Omnibus Affectibus Frigidis ſubvenit, Flatuſque diſſipat. In Paralyſi, in ſurditate, Otalgia, &c. Multum facit in Spaſmo, Colica, Hydrope, &c. Internè & Externè uſurpatum præſtans eſt Remedium. Doſ.* ℈ i. *ad* ʒ i. *in vehiculis appropriatis.*

Ol. Bufonum. Coq. Bufones 4. vivos in Ol. oliv. ℔ ii. per horam vel ad crepaturam, colatumque ſerva. *Confert in Puſtulis labiorum, Cancroque Mammarum. In Hydrope valet ad Urinam ciendam inungendo Renes.*

Ol Camphoræ. ℞. Camph. ℥ ii. Argillæ ℥ vi. deſtilla in Arena ex Retorta vitrea ſ. a. Vel, fieri poteſt ſolvendo Camph. ℥ ii. in Spiritus

Nitri ℥iv. in loco tepido. *Diaphoreticum*, & *Hyſtericum*. *Doſ. ad gut.* x. &c.

* *Ol. Chartæ*. Accende Chartam ac impone laminæ Jovis, ut comburatur. Sic adhæreſcet Jovi oleum colligendum. *In Alopecia, Herpete, Impetigine*, &c. *mira præſtat*. *Anodynum eſt*, & *Odontalgiam ſedat*.

* *Ol. Coſmeticum*. ℞. Ol. Amygd. amar. ℥iv. Ol. Tartari p. d. ℥ii. Ol. Rhod. gt. 4. M. ſ. a. *Ad Cutem detergendum & erugandum*.

* *Ol. Cremoris*. ℞. Cort. intern. virid. rec. Sambuci M iii. Crem. Lactis opt. ℔ ii. coq. benè, donec in Oleum effluat Cremor. f. expreſſ. adde cort. rec. alior. Sambuc. M. iv. coq. iterum ad Cortic. ſiccitatem f. expreſſio. *In Hemorrhoidibus, Combuſtionibus, Eryſipelate*, &c. *optatiſſ. Remedium*.

Ol. Heraclejum. Fit ex ligno Coryli Septemb. aut Martio collecto, in taleolas ſecto, & gradatim per Retortam in Arena deſtillato, Ol. ab Aqua ſeparetur ſ. a. *Calefacit, Incidit. Anodynum, Epilepticum, ac præcipuè Odontalgicum eſt. Guttæ* 2. 3. 4. &c. *aſſumptæ cum Mica Panis Lumbricos in Inſtanti necant, & per Seceſſum educunt*.

* *Ol. Linteorum*. F. ex Linteis accenſis & ſuffocatis in lamina Jovis ſ. a. *Optimè valet ad Ophthalmiam curandam cum Gutta una Salivæ mixtum*.

Ol. Iudi. Materiam Tartaream matulæ inhæreſcentem calcina, & ſolve p. d. ſ. a. *Ad Tartarum in omnibus Corporis partibus, imo ad Calculos etiam grandiores reſolvendos, & expellendos, adeoque ad Obſtructiones inde ortas reſerandas mirificè conducit*.

Ol. Lumbricorum. Deſtillatur in Arena ex Lum-

Lumbric. terr. V. Hiſpan. lotis ſ. a. *Ad Paralyſin curandam mira præſtat*.

Ol. Martis. Fit ex Rubigine Martis per Aquam Stygiam irrigatam contracta, abluendo Aqua, filtrando, & exhalando ad oleaginoſitatem ſ. a. *Summum eſt Obſtructivum*. *Doſ. gr*. 4. 5. &c.

* *Ol. Milvinum*. ℞. Milvum è nido, vel antiquiorem, exenteretur deplumatus, cum Picis Num. 4. coq. in Aq. Ceraſ. n. q. ſ (adjectis Rad. Pæon. ℥iii. Caſtor. ℥i. Rutæ M. iii. Flor. Roriſm. Lavend. an. M. ii. Hyperic. ℥i. Rad. Valerian. ℥ii.) ad putrilaginem cum Ol. Olivar. ℔ii. ſ. expreſſio. Ol. innatans auferatur pro Uſu. *Inſtante Paroxyſmo Epileptico inungantur Plantæ Pedum, Nares, & Nucha cum ſeq*. ℞. *Ol. Milvin. dict*. ℥i. *Ol. ſtil. Rutæ, & Succini*, an. ℈i. m.

* *Ol. Paralyticum*. ℞. Sem. Sinap. ℔iii. Caſtor. ℥ß. Caryoph. ℥ii. Nuc. M. ℥iii. Spir. Vini ℥iv. contuſa opt. macer. in Baln. Mariæ hor. 24. Deinde valenter prelo exprime Oleum. *Spina, Nucha, cum partibus Affectis ſæpe inungantur*.

Ol. Polypodii. Fit ex Radic. ſiccis per Retortam ex Arena deſtillatis ſ. a. *Inſervit Piſcibus capiendis*.

* *Ol. Pomoſum*. ℞. Fol. Strammon. Pomoſi rec. ℔i. contuſ. adde Ol. Olivar. ℔iiß. coq. ad Succi conſumpt. expreſſ. adde Fol. rec. ℔ß. Inſolentur Dies 14. poſtea coq. ad Succi conſumpt. & exprime. *Ad miraculum omnes Inflammationes, omneſque Combuſtiones, ſive ab Igne, ſive ab Aqua Fervida, Plumbo Fuſo, Pulvere Bombardico, vel à Fulgetris contractas, ubitò ſanat*.

Ol. Ra-

Ol. Ranarum. Coq. Ranas vivas Num. 12 in Ol. Oliv. ℔ i ß. per horam, & exprime *Faciei Ruborem & Impetigines curat. Eryſipelati & Gangrænis ſubvenit. In Cancro eſt ſpecificum.*

Ol. Sacchari ſimp. Fit ex Sacch. cand. & Spir. Vini an. adurendo Spiritum ad Syr. conſiſt. f. a.

* *Ol. Sacchari comp.* ℞. Dactyl. inciſ. ℥ii. Ficuum ℥iii. Hyſſop. M. i. Glyc. Sem. Aniſ. Bombac. an. ʒvi. Rad. Irid. Flor. ℥ i. Spir. Vini ℔ ii. coq. adurendo ad conſumpt. dimid. f. colat. per Manic. Hipprocr. adde Sacch. cand. q. ſ. *Ad Aſthma, Tuſſim, &c. confert.*

* *Ol. Saponis*. Fit ex Sapon. Venet. raſpat. & Spir. Vini an. per Retortam deſtillatis, primò lento igne, dein fortiori gradatim urgendo. Ol. innatans Aquæ viridi ſeparetur. *Ad convulſiones, Cephalalgiam, &c. illinantur cum iſto Tempora, Nucha, & Nares. Ad Tineas, Contuſiones, Podagram, &c. ungantur loci affecti, tegendo poſtea braſſicæ folio.*

Ol. Saturni. v. *Balſ. Saturninum.*

* *Ol. Scorbuticum*. ℞. Rad. Raphan. ruſtic. ℥vi. Fol. Cochlear. M. iv. Fl. Lavend. M. ii. Ol. ex Pedibus Bovinis ℔ i. coq. lento igne ad Succi conſumpt. expreſſ. adde Spir. Salis ℥iii. Spir. Cochlear. ʒi. Ol. Cinnam. & Caryoph. an. ʒß. Ol. Origan. ℈iv. M. *Cum iſto inungantur partes Affectæ per horam ſemis ſemel in die calidiſſimè.*

Ol. Silicum. v. *Liquamen Silicum.*

Ol. Tabaci. Fit ex Fol. ſiccis per Retortam, Vel ex Sem. contuſis & expreſſis. *Uſus in doloribus Podagræ, Arthritidis vagæ, Odontalgia, Vermibus, &c.*

Ol. Talci p. Deliq. ℞. Pulver. Talc. Tartari per Nitrum calcinat. an. f. Strat. Sup. Strat. ac cementa in Crucibulo clauſo hor. vi. ut Crucibulum candeat, exime & edulca: extrahe cum Acet. deſtill. filtra ac coagula: edulcora ac repone poſtea in Cella ad liqueſcendum. *Coſmeticum cenſetur præſtantiſſimum. Lentigines, maculaſque Faciei aufert.*

Ol. Tartari purg. v. *Mag. Tartari.*

Oleum Τριχοφυὲς. ℞. Abrotani rec. contuſ. ℔ ß. Ol. veteris ℔ i ß. Vini rub. ℔ ß. coq. ad ſiccit. Herbæ, f. Expreſſio. Repet. hoc opus ter cum novo Abrotano. Colat. adde Axung. Urſi ℥ ii. M. exactiſſ. *Ad Alopeciam curandam maximè commendatur.*

* *Ol. Tritici.* Fit valenter exprimendo Triticum contuſum inter laminas candentes, ut oleum effluat. *In Rimis Manuum, Ulceribus Pedum, Fiſſuris Labiorum, Herpete, Cutis ſcabritie, &c. mirificè proficuum.*

Ol. Viperarum. ℞. Viperas viventes largas & pingues Num. 3. Vin. Hiſpan. ℥ ii. Ol. Hyperic. ℥ viii. coq. in Baln. Mariæ vaſe anguſti orificii ad conſumpt. humiditatis, fiatque expreſſio. *Cutem exterget, Impetigines, &c. ſanat. Podagræ Tophos tollit, Lepram curat.*

Ol. Viridis æris. ℞. Viridis Æris ℥ ii. Nitri ℥ iii.

℥iii. ponantur in Catillo, & incend. carbone, donec deflagrarint. Tum ſolve p. deliq. in Cella: *Cauſticum eſt: Ad Puſtulas Venereas, & Verrucas abſumendas conducit.*

* *Ol. Vitrioli Dulce.* ℞. Ol. Vitrioli rectif. p. i. Alcoh. Vini ℔iv. Digere Dies 30 vel 40. & poſtea ex Retorta cum 3. vel 4. cohobiis deſtilla ad uniendum ſ. a. *Proficuum in Calculo, Morbis Tartareis, Catarrhis, &c. Doſ.* ℈ii. *in liquore idoneo.*

Orvietanum. ℞. Rad. Fraxinel. Biſtort. Tormentil. Imperator. Gentian. Carlinæ, Ariſtoloch. utriuſque, Pentaphyl. Zedoar. Valerian. major. Contrayerv. Angelic. Enulæ, Serpentar. Virgin. Fol. Cardui ben. Succiſ. Ulmar. Rutæ, Sabin. Puleg. Scord. Hyperic. Cort. Citri, Aurant. Cinam. Bacc. Lauri, Junip. Carnis Bufonum, an. ℥ii. Carn. Viperar. ℥iv. Croc. opt. ℥ß. f. omnium pulvis cui adde Extract. Bacc. Junip. Vino albo facti, ad mellaginem evaporati, q. ſ. ut f. Confectio. Huic adde Elæo-ſaccharorum Rutæ, Succini, Carioph. Junip. an. ℈ii. M. ſ. a. dein adde unicuique libræ hujus Confect. Theriac. Androm. & Mithridat. an. ℥ii. M. *Hoc mihi communicavit Rob. Talbor, Eq. Aurat. In Peſte, & omnibus Febribus Malignis Præſtantiſſimum Remedium. Doſ.* ʒß. *ad* ℥ii.

Oxyſaccharum Emeticum. ℞. Vitri Antimonii pulveriſat. ℥i. Acet. opt. ℔i. macer. in Baln. Mariæ (ſæpe agitando) ad hor. 24 colat. filtratæ adde Sacch. opt. ℥viii. coq. ad Syr. conſiſt. *Doſ. ad* ℥i. *vel ultra.*

P

Panacea Aurea. ℞. Croc. Metall. & Calomelan. an. M. f. pulvis. Valet optimè in Lue Venerea. *Ptyaliſmum movet, purgatque ἄνω καὶ κάτω.*

Panacea Cathartica. ℞. Mercurii vitæ (ex Mercurii ſublimat. p. ii. Antimonii p. i. facti) ℥iv. Mercurii vivi in deſtillatione Butyri Antimonii provenientis ℥iii. M. & ſublima, ut in Mercurio dulci. *Doſ. gr.* 5. *ad* 8. &c. *Efficacior habetur, quam Mercurius dulcis, in Lue Venerea, &c.*

Panacea Hartmanni. ℞. Sulphuris Antimonii combuſtibilis ℥i. Ol. Vitrioli vel Sulph. rectif. ℥iii. Regul. Antimonii ℥i. Digere calide ad Dies 10. dein deſtilla per Retortam vitream ex Arena, ter ad minimum cohobando Ignem urge ſub finem materiam in fundo per Hor. 5. reverbera. Tandem exime: lava cum Aqua Roſ. & ſicca. ℞. Hujus pulveris ℥i. Sal. Coral. ʒii. M. exactè ſ. a. *Remedii eſt inſtar univerſalis: Habet nimirum in ſe Vim Diaphoreticam ac Sanguinem mundificandi, ideoque quibuſlibet Morbis per Sudorem ſanabilibus inſervire poteſt, præcipue Lui Venereæ, Cutiſque fœditatibus. Doſ. à gr.* x. *ad* xx.

Pana-

Panacea Holſatica . v. *Arcan. Duplic.*

Panacea Schroderi . v. *Merc. præcip. fixus*.

* *Panis Diaſarſæ* ℞. Pulveris Sarſapar. ℥iii. Chin. ℥i. Sem. Carui integr. ʒi. Flor. Tritici puriſ. ℥xvi. Vitell. Ovor. Num. 2. Barmii aliquantulum, cum lactis q. ſ. f. Paſta, ex qua fiant Panes in clibano coquendi; *pro Pane ordinario, in Lue Venerea, &c.*

* *Panis de Vipera*. ℞. Carn. Viperar. pulveriſat. ℥i. Sarſaparill. ℥iii. Farin. Tritici opt. ℔i. Vitell. Ovi unius, cum Flor. Cereviſ. & Lact. q. ſ. f. Panes Num. 4. coq. in clibano ſ. a. *Pro Pane com. In Lue Venerea; Scorbuto, Lepra, Cachexia*, &c.

* *Paſſulæ Laxativæ*. ℞. Sennæ opt. ℥i. ZZ. Cinnam. an. ℈i. Spir. Vini ℔ß. macer. tepidè Hor. vi. f. colat. cui adde Sacch. alb. ℥i. Paſſul. minor. vel major. mundat. ℥iv. coq. lentiſ. igne ad Uvar. mollitiem, & ſimul conſerventur: Vel lento igne (demptis Uvis è Syrupo) exiccentur, aſpergendo Sacch. alb. q. ſ. Eodem modo parari poſſunt. *Pruna Laxativa*.

Paſta Halieutica. ℞. Sem. Hyoſcyam. ℥ß. Cocculor. Oriental. Caſei Vet. fortiſs. an. ℥iß. Farinæ coch. 2ß. Aquæ vitæ coch. 4. Mell. q. ſ. redigantur in Paſtam ſ. a. *Per minuta Fruſtula in Locos Aquæ diverſos injecta, piſces allicit*.

Paſta Hippiatri. ℞. Pulverum Fœnugr. Aniſ. Cymin. Cartham. Enul. Fol. Tuſſilag. Fl. Sulphuris, an. ℥ii. Succi Glyc. (in V. alb. ℔ß. ſolut.) Ol. Oliv. Mell. an. ℥viii. Theriac. Januenſ. ℥iii. Ol. Aniſ. ʒi. M. omnia ſimul, &

cum Farin. Tritic. ℔ i ß. vel q. ſ. f. Paſta ſ. a. *Exinde fiant pilæ magnitudinis pugni virilis: diſſolvatur una in Aq. frig. q. ſ quam bibat Equus omni manè & veſperi ad Dies 15. quo tempore pro certo curabit Equos Aſthmaticos, Tuſſientes, variiſque Morbis Internis laborantes: Macilentos impinguabit, & Infirmos reddit eſſe ſanos.*

* *Paſta Hypoglottida*. ℞. Sacch. cand. alb. ſubt. pulveriſat. ℥ iv. Ol. Amygd. d. rec. ℥ i. vel q. ſ. contunde opt. in Paſtam ſ. a. *Teneat ſæpe parum in Ore.*

Paſta Regalis pro Emulſionibus. ℞. Sem. Papav. alb. ℥ i. Amygd. d. excort. ℥ iv. Rad. Ering. condit. ℥ ii. Sem. 4. frig. major. an. ℥ ß. Sacch. Cryſtallin. ℥ ii. contund. in Paſtam ſ. a. *Uſus tempore* ℞. *hujus paſtæ* ℥ i. & *cum Aq. Hord.* ℔ i. *f. Emulſio ſ. a.*

* *Pediluvium Emmenagogum*. ℞. Artemiſ. Puleg. Calaminth. Chamæmel. an. M. iv. coq. in Aq. q. ſ. ad ℔ viii. *Pro Pedibus lavandis.*

* *Pediluv. Hypnoticum*. ℞. Capit Papav. alb. Num. 20. Sem. Papav. alb. ℥ i. Fol. Lactucæ M. iv. Fl. Nymph. M. vi. Violar. M i ß. Bulliant. in Aq. q. ſ. *Ad Somnum conciliandum.*

Pediluv. Podragricum. ℞. Roriſm. Hyper. Puleg. Laur. Artemiſ. an. M. iii. Sal. nig. ℥ xii. Sal. Armon. ℥ ii. Furfur. macri ℥ vi. coq. in Aquæ cong. ii. adde Sapon. Caſtil. ℥ ii. Spirit. Vini ℔ ii.

* *Pediluv. Scorbuticum*. ℞. Roriſm. Puleg. Laur. Hyperic. Naſturt. aquat. an. M. iii. Sal. marin. ℔ i. coq. in Aqu. ſ. a.

Phoſphorus. Fit ex Reſiduo poſt deſtillationem Spir. Urinæ, cum Sal. Armoniaci tantillo, deſtillando per gradus ex Retorta vitrea in Recipiens

cipiens Aqua ſemiplenum. *Diureticus ac Diaphoreticus. Doſ. ad* ℈ ß.

Pil. Odoratæ. ℞. Sapon. Venet. ℥vi. Styrac. Cal. Benz. an. ℥ß. Fol. Majoran. ℈iv. Caryoph. Num. xii. Moſch. gr. 2. Aq. Roſ. Dam. q. ſ. ut f. Globuli ſ. a. *Vim habent Abſtergendi & Conciliandi gratum Odorem, ſimulque Confortandi Nervos. Manibus, &c. lavandis inſerviunt.*

* *Pil. Æthiopicæ.* ℞. Æthiop. miner. ℥ii. Ceruſſ. Antim. ℥i. gum. Guajac. ℥ß. Extract. Sarſæ comp. q. ſ. ut f. Maſſa. *Doſ. ad* ℈ii. *bis in die, per dies* 40. *vel* 50. *continuos. In Hydrope, Scorbuto, Lue Venerea, &c.*

* *Pil. de Ammoniaco magiſtrales,* ℞. Gum. Ammon. Acet. ſcillit. præp. ℥ii. Aloes opt. ℥i ß. Myrrh. Maſtich. Benz. an. ℥ß. Croc. Salis abſ. an. ʒ ii. Syr. de Abſ. q. ſ. f. Maſſa. *Inſigniter purgant Tartarum, omnemque Fæculentam Corporis Materiam. Magnopere conferunt adverſus omnes defluxiones, Cachexias, Oppilationes Lienis, ejuſdemque Duritiem & Scirrhum, Febres quartanas inveteratas, &c. Doſ.* ℈*i.* ʒ ß. &c.

* *Pil. Angelicæ.* ℞. Senæ mund. ℥vi. Rhab. Myrrh. Agar. an. ʒ iii. Benz. ʒ i ß. Croc. ʒ ii. Fl. Viol. Borrag. an. M. i. Succ. depurat. Cichor. ℔ i ß. Fumar. Borrag. an. ℔ ii. ß. macer. in Baln. Mariæ ad hor. 48. f. expreſſ. adde Aloes opt. ℥xii. exhal. ad Pil. conſiſt. addendo Balſ. Peruvian. ℈ ii. Ol. ſtil. Nuc. M. gut. 20. Salis Abſ. ʒ. ii. M. *Blandiſſimam Evacuationem promovent. Eximii uſus ſunt ad omnium Viſcerum nobiliorum corroborationem, & Pravorum Humorum correctionem. Doſ.* ʒ ß *& ultra.*

* *Pil. Anticolicæ.* ℞. Pulveris Rutæ Sal. Gemm. an. Mel. q. ſ. ut f. Maſſa. *Doſ.* ʒ ß. *hora Somni & ma-*

& manè per dies 4. in ſingulo Menſe. Probatiſſimæ in Colica curanda.

* *Pil. Antimoniales.* ℞. Vitri Antimonii (cum Spir. Vitrioli præp. & albificati) ſubt. pulveriſat. ℥ß. Sacch. cand. ℥iii. Farinæ ℥iv. Croc. ℈i. coq. in Aqua font. ad ſpiſſitud. (cavend. tamen nè aduratur) inſtar Paſtæ, ex qua f. Pil. *Verùm hoc cenſetur Febrium curativum. Doſ.* ℈ß. *ad* ʒi. *in ipſo Paroxyſmi frigidi initio.*

* *Pil. Antipodagricæ.* ℞. Pulver. Caſtor. opt. ℥ß. Succin. alb. Chamædr. Chamæpit. an. ʒvi. Salis Succini, Ceruſſ. Antimonii, Balſ. Tolutan. Opopanac. an. ℥i. Rad. Petaſitid. ʒiii. Tereb. Chienſ. ℥ii. Balſ. Sulphuris Terebinthinat. q. ſ. ut f. Maſſa Pilularis. *Doſ.* ʒß. *bis indies per Menſes* ii. *vel* iii. *bibendo interim pro Potu com. Decoct. Rad. Petaſitid. Sarſæ, Chinæ, cum Uuis paſſis,* &c.

* *Pil. Balſamicæ.* ℞. Extract. Euſtachii ʒv. Troch. Alhand. ʒii. Croc. ℈i. Mercurii crud. per alutam tranſcolati ℥i. Tereb. Ven. q. ſ. ut f. Maſſa ſ. a. *In Lue Venerea, Lepra, Podagra,* &c.

Pil. Caſtitatis. ℞. Pulver. Rad. Nymph. ℥ß. Salis Saturni ʒii. Oſſ. Sepiæ, ʒvi. Camph. ʒix. Syr. de Nymph. q. ſ. ut f. Maſſa. *Doſ.* ʒß. *bis in die per dies aliquot. Optimè valent in Gonorrhœa, Priapiſmo,* &c. *curandis, præmiſſis præmittendis.*

* *Pil. Catarrhales.* ℞. Extr. Glyc. ℥i. Rhodaloes ℥ß. Pil. de Cynogloſ. ʒiii. m. *Doſ.* ℈i. *ad* ℈ii. *in Catarrhis, Tuſſi,* &c. *hora Somni per Dies* 4. *vel* 5.

* *Pil. Crapulariæ.* ℞. Diagryd. Spec. Hier. ſimp. an. ʒvi. Aloes opt. ℥iß. Ol. ſtil. Caryoph.

ʒß.

℥ß. Spir. Vini q. ſ. ut f. Maſſa ſ. a. *Doſ.* ℈ i. *hora Somni poſt Crapulas.*

* *Pil. Cretaceæ.* ℞. Cretæ albiſ. Santal. alb. Nuc. M. an. p. æ. cum Tereb. Chienſ. q. ſ. f. Maſſa. *Proficua in Profluvio Albo, &c. Doſ. ad* ʒ i. *bis in die, ſuperbibendo Serum Cerevisiale Foliis Conſolidæ alteratum.*

Pil. de Creta Palmarii. ℞. Aloes opt. ℥ i. Cretæ albiſ. Succin. alb. Gentian. Myrrh. Rad. Fraxinel. an. ʒ i. Mithridat. ℈ iv. Tereb. lotæ ʒ ii. Syr. de Alth. q. ſ. ut f. Maſſa. *Sunt, qui addunt Calomelan. Dentur ad* ℈ ii. *vel* ʒ i. *hora Somni omni Nocte per dies* 15. *Ad Gonorrhœam curandam nil æquale. Idem præſtant in Profluvio Albo.*

* *Pil. Hydropicæ.* ℞. Reſin. Jalap. Scammon. Rhab. Guttæ Camb. Calomel. an. ℥ ß. Ammoniac. in Succo Irid. nr. præp. ʒ iii. Tartari Vitriolat. ʒ ii. Gum. Lentiſc. ℥ i. Croc. ℈ i. Spir. Tereb. gt. 40. cum Syr. de Spin. Cerv. q. ſ. f. Maſſa. *Doſ. ad* ℈ ii. *vel ultra in fortioribus.*

* *Pil. Hyſtericæ.* ℞. Pulver. Sem. Viticis ℥ i. Rutæ, Aſæ fœtid. Camph. an. ʒ ii. Caſtor. ℥ ß. Ol. Succin. gt. 40. Syr. de Artemiſ. q. ſ. ut f. Maſſa. *Doſ.* ℈ ß. *ad gr.* 15. *ſecunda vel tertia quaque hora in Paroxyſmo Hyſterico; & præterea hora Somni ſingulis Noctibus extra Paroxyſmum.*

Pil. Lithontripticæ. ℞. Sem. Geniſt. Bardan. Lap. Judaic. an. ʒ i. Tereb. è Chio ℥ iii. m. f. Maſſa. *Doſ. ad* ʒ i. *per dies* 20. 30. &c.

Pil. Lunares, v. Vitriol. Lunæ.

* *Pil. Marocoſtinæ.* ℞. Gum. Ammoniac. (in Acet.

Acet. Scillit. ℥ iv. ſolut.) ℥ i ß. Myrrh. opt. (in Acet. Rutac. ℥ ii. præp.) ʒ vi. Aloes opt. (in Succ. Roſ. Dam. ℔ ii. Succ. Limon. ℔ i. ſolut.) ℔ i. Agaric. (cum Aqu. Cinnam ʒ ii. Succor. Apii, Fœnic. Abſ. an. ℥ iii. contuſ.) ʒ vi. Rhab. opt. (cum Aq. Cinnam. ʒ vi. Succ. Cichor. Pimpinel Fumar an. ℥ viii. contuſ.) ℥ iii. Croc. opt. ℥ ß. Coſti ʒ vi. Xyloal. ʒ i. Mari veri ℥ ß. (cum Succ. Citri ℥ iv. Aq. Roſ. Dam. q. ſ. præp.) miſc. omnia diligentiſſ. ultimò adde Aquarum Pæon. Paralyſ. Borrag. Beton. Cardui, Agrimon. Ivæ, Centaur. min. Roriſm. Ceraſ. nigr. an. ℔ i. vel q. ſ. macer. in Baln. Mariæ per triduum: colat. exhala in Baln. Mariæ ad conſiſt. debitam. *Mucilaginem Tartaream in Ventriculo, Meſenterio, Liene, Hepate collectam incidunt ac paulatim educunt: Viſcera eadem, ut & Caput ſimul roborant, adeoque Morbis quàm plurimis inde ortum trahentibus ſuccurrunt. Doſ.* ℈ i. *ad* ʒ i.

Pil. Maſticatoriæ. ℞. Sem. Sinap. Staphiſagr. Pyrethr. an ℥ ß. Maſtich. ʒ vi. m. f. pulvis: adde Mell. & Ceræ an. q. ſ. ut f. Maſſa. v. *Maſticatoria.*

* *Pil. Matthæi, alias Starkii.* ℞. Opii Thebaic. opt. à ſordibus purgat. ℥ ii. pulveris ſubt. Glyc. Helleb. alb. & nig. an. ℥ ii. Sapon. Tartarei (v. ſuo loco.) ℥ vi. m. exactiſ. addendo Ol. Terebinth. q. ſ. ut f. Maſſa pilularis, quæ toties humectetur Oleo Tereb. quoties ſicceſcit. *Aliqui nolunt Helleb. nigrum. Diureticæ, Diaphoreticæ, Nephriticæ, Lithontripticæ, Hydropicæ, Becchicæ, Anodynæ & Paregoricæ habentur inſignes. Felici cum ſucceſſu dantur in Febribus omnibus, præcipuè Tertiana, & Quartana. Catarrhis omnibus, Doloribus Ventriculi, Cephalal-*

giæ,

gia, Odontalgiæ, Tuſſi, Crapulis, Arthritidi, Diarrhœis, Dyſenteriis, Ulceribus & Apoſtematis internis, &c. mirificè ſubveniunt. Doſ. ℈ ß. ad ℈ i. *ſuperbibendo hauſtum alicujus convenientis.*

* *Pil. Melanagogæ.* ℞. Fibrar. Helleb. nigr. veri ℥ ii. Pulp. Colocynth. ℥ iii. coq. in Phleg. Vitrioli ℔ v. ad conſumpt. dimid. f. expreſsio, quæ coaguletur ad mellagin. lento igne. Dum adde Reſin. Scammon. ℥ i. ut f. Maſſa Pilularis. *Doſ.* ℈ ß. *ad* ℈ i. &c.

* *Pil. Pacificæ.* ℞. Opii opt. ſupra laminam ferri exiccat & pulveriſat ℥ ii. Benz. albiſs. ʒ ii. Croc. Nuc. M. an. ʒ iii. Ol. ſtill. Aneth. & Nuc. M. an. ℈ i. Sapon. Tartarei q. ſ. ut f. Maſsa ſ. a. *Virtutes æmulantur Pil. Matthæi.*

* *Pil. Pavii.* ℞. Spec. Hier. ſimp. ℥ ß. Galban. in Tinct. Caſtor. præp. ʒ ii. Martis præp. ʒ iii. Diacurcum. (Quidam Diacinnam.) ℈ iv Syr. de Stæch. q. ſ. f. Pil. Num 21. ex ſing. ʒ i. D. Num. 10. *aut* 20. *manè & ſerò per dies* 40. *Ad Melanch. Hyp.*

* *Pil. de Pice.* ℞. Pulver. Glyc. ℥ i. Rad. Irid. Flor. ʒ iii. Pic. liquidæ, & Balſ. Peruan. an. ℥ ß. vel q. ſ. ut f. Maſsa Pil. *Efficaciſſimæ habentur in Phthiſi, Tuſſi, purulenta Excreatione, Suſpiriis & Pectoris humoribus, qui difficilè extuſſiuntur. Doſ.* ʒ ß. *bis in die, ſuperbibendo Hauſtum Decoct. Pector.*

* *Pil. Reſtringentes.* ℞. Bol. Armen. Corall. r. Gum. Lentiſc. an. ʒ ii ß. Oſs. Sepiæ ʒ i ß. Gum. Guajac. ℥ ß. Croc. Martis reſtringent. ʒ iii ß. Tereb. Cypr. ℥ i ß. Syr. de Nymph. q. ſ. ut f. Maſſa Pil. *Dentur* ℈ ß. *vel* ℈ ii. *bis indies, ad Gonorrhœam*, &c.

* *Pil. de Sagapeno.* ℞. Sagapen. pellucid. ℥ ß. Troch. Alhand. Agaric. an. ʒ ii ß. Diagryd. ʒ

ii.

ii. Sal. Gemmæ ʒ ß. Ol. Chym. Fœnic. ℈ i. Syr. de Eupator. q. ſ. f. Maſſa. *Proficuæ in Iliaca, Colica, &c. ad ʒ ß. Admirandæ in Febribus Quartanis. Doſ. ℈ ß. initio Paroxyſmi, continuando aliquot dies.*

* *Pil. Sinapinæ*. ℞. Sem. Sinap. pulveriſat. ℥ iii. Glyc. ℥ ii. Syr. Cap. Veneris q. ſ. ut f. Pil. hypogloſſidæ, *frequenter in ore tenendæ. Magnopere valent in Tuſſi, Aſthmate*; &c.

Pil. Styracinæ. ℞. Styrac. cal. colat ℥ ii. Fl. Sulphur. ʒ i. Benz. alb. ʒ ii. M. f. Maſſa. *Efficaciter ſuccurrunt Aſthmati, Dyſpnœæ, Catarrho ſuffocativo*, &c. *Doſ.* ℈ i. *ad* ʒ i. *ſemel aut bis in die. Prujean.*

Pil. Tartareæ Bontii. ℞. Aloes opt. ʒ iii. Gum. ammoniac. (cum Acet. ſquillit. depurat.) ʒ i ß. Tartari Vitriolat ʒ ß. M *Tantæ ſunt apud Hollandos æſtimationis*, ut piaculum *habeant, communes eas reddere. Doſ.* ℈ i. ʒ ß. &c.

Pil. Vaticanæ. ℞. Calam. Arom. Aniſ. ZZ. Maſtic. Cinnam. Cardamom. min. Zedoar. Mac. Nuc. M. Caryoph. Croc. Cubeb. Lign. Al. Turpet. Mann. Senæ, Caſ. lign. Myrobal. omn. an. ℈ i. Fol. Cardui ben. Scord. an ʒ ß. Rhab. opt. ℥ i. ℈ ii. Aloes opt. ℥ ii. ℈ iv. Syr. Roſ. ſol. & Viol. an. q. ſ. ut f. Maſſa ſ. a. *Cephalicæ ſunt ac Stomachicæ, omnia Viſcera farctu liberant, Purgant, Roborant, & Humores quosvis noxios & obvios educunt: omniumque partium Nutritiarum Oeconomiam juvant. Doſ.* ℈ i. ʒ ß. &c.

Pil. Vermifugæ. ℞. Pil. Ruffi ʒ ß. Ol. chym. Sabinæ, vel Tanaceti gt. 24. M. *Doſ. ad* ℈ ß. *vel gr.* xii. *in Pil.* x. *format. ſumend. per* 3. *Noct. contin. in Plenilunio, vel Novilunio in Syr. Limon.*

* *Pil.*

* *Pil. Vomitoriæ.* ℞. Gillæ Theophraſti pulveriſatę ℥ i. Medullæ lactis inſuiſæ ℨ i. vel q. ſ. contund. opt. in Maſſam Pil. *Doſ.* ℈ iv, *vel* v.

* *Piſa Lutea.* ℞. Ochræ flav. ℥ ß. Rad. irid. Fl. ℨ ii. Ceræ ℥ i. Terebinth. q. ſ. ut formentur Piſa diverſæ magnitudinis. *Pro Fontanellis apertis ſervandis.*

* *Piſa Rubra.* ℞. Vermilii ℥ ß. Hermodact. ℨ ii. Ceræ ℨ vi. Tereb. q. ſ. ut f. Piſa.

* *Piſa Viridia.* ℞. Virid. Æris, Helleb. alb. an ℨ ii. Cantharid. ℨ i. Rad. irid. Fl. ℨ i ß. Ceræ ℨ vi. Tereb. q. ſ. Vel fieri poſſunt ex Cantharid. Virid. Æris an ℨ ii. Auripigmenti ℈ ß. Ceræ ℨ vi. Tereb. q. ſ. *Pro Fonticulis.*

Pleres-Archonticon. ℞. Cinnam. Caryoph. Xyloal. Galang. Nuc. M. ZZ. Roſ. rub. Spicæ Indic. Schœnanth. (Spicam & Schœnanth. omittunt Quidam) Spodii, Cyper. Viol. an. ℨ i. Mac. Glyc. Maſtich. Styrac. Cal. Ocim. Majoran. Balſamit. Piper. long. alb. Cardamom. Bacc. Myrti, Cort. Citri, an. gr. 36. Margarit. Been utriuſque, Corall. r. Seric. toſt. an. gr. 18. Camph. gr. 4. M. f. pulvis ſubt. ex hujus ℥ ß. & Sacch. alb. in Aq. Menth. ad Tabulat. coct. ℥ viii. fieri ſolent *Tabulæ Stomachicæ. Mickletbvv.*

Plumbum album, & Ceruſſa. Fit Lamellas Saturni ſuſpendendo ſupra Crucibulum, ut vapores ab Crucibulo elevati circumeant. Sic adhæreſcet paulatim Ceruſſa.

Pomum Ambræ. ℞. Styrac. Cal ℨ vi. Benz. ℥ i. Ladan. ℨ ii Sant. alb. Caryoph. an. ℨ i ß. Fol. Majoran. Roſ. Dam. an. ℈ iv. Moſch. Ambr. griſ. an. ℈ ß. Mucilag. Gum. Trag. in Aqua Roſ. extract. q. ſ. ut f. Pila ſeu Pomum ſ. a.

ſ. a. *Adbibitum Naribus odore ſuo grato ſanguinem movet, & Cor ſupra modum reiocillat: in Apoplexia, Epilepſia, Peſtilentiali aura; &c.*

* *Potio Alba*. ℞. Terebinth ℥ ß. Ol. ſtil. Nuc. M. gt. i. Vini alb. ℥ iv. Vitell. ovi unius, Syr. de Alth. ℥ i. M. ſ. a. f. Hauſtus: *Purgat ſat bene ἄνω καὶ κάτω. Ad Gonorbœam.*

* *Potio Febrifuga*. ℞ Salis Abſ. ℈ ii Spir. Sulphur. ℈ i. Aquæ Cichor. ℥ iv. M. *bibatur ante Parox. ſuperſudando.*

Potio Hydropica. ℞. Vini alb. generoſ. ℥ iv. Syr. de Spin. Cerv. ℥ ii. Sal. Prunel. ʒ i. M. f. Potio. *Mayborn.*

* *Potio Pleuritica*. ℞. Succ. è Sulphure animali expreſ. V. alb. an. ℥ ii. Syr. Rhœoad. ℥ i. Pulv. Oliban. ʒ ß. Ol. ſtil. Nuc. M. gt. iii. M. f. Potio, *ſumenda ter vel quater in die poſt Phleb.*

Pruna Laxativa. v. *Paſſul. Laxat.*

Ptiſana Catbartica. ℞. Fol. Senæ à ſtipit. liberat. Glyc. Coriand. an. ℈ i. Aquæ Font. calentis ℥ vi. vel viii. macer. hor. 3 f. colat. clara. *Mirum eſt quàm delicatulè operabitur. Quinquies aut ſexies movere rarò fallit.*

* *Pulvis Æthiopicus*. ℞. Bufones viventes Num. 30. vel 40. comburantur in olla nova ad Cineres nigros, f. pulvis ſubt. *Doſ.* ʒ ß. *vel ultra in Variolis; &c. Vel in Moribundis auxilio certè fuit. Sunt qui mirè bunc commendant in Hydrope curanda.*

* *Pulvis Albus*. ℞. Bezoar. Animal. Succin. alb. Corall. r. Margarit. an. ʒ i. Ocul. & Chel. Canc. an. ʒ ii. m. f. pulvis ſubt. *Vires æmulatur Pulv. è Cbelis comp.*

* *Pulv.*

* *Pulv. Anticardialgicus*. ℞. Cretæ albiſ. ℥ vi. Ocul. & Chel. Canc. an. ℥ i ß. Sacch. albiſ. ℥ ß. Ol. chym. Nuc. M. gt. vi. m. f. pulvis: addi poteſt Bol. Armen. ʒ vi. *Doſ.* ʒ i. *in hauſtu frigidæ largo.*

Pulv. Anticolicus. ℞. Cretæ albiſ. ſubt. pulveriſat. ℔ i. humecta cum ſucco Fol. rutæ & Chamæmel. ut f. inſtar pulmenti, exicca lento calore & f. pulvis Repet. hoc opus cùm ſuccis rec. ad quartam vicem. Ultimò f. pulvis ſubt. *Doſ* ℈ i. *ad* ʒ i. *quarta quaque hora.*

Pulv. Antipyreticus. ℞. Lap Manat. ℥ ii. Sangu. Dracon. ʒ i. M. f. pulvis ſubt. *Tertianam Vernalem curare rariſſimè fallit. Doſ.* ʒ i. *hora ante Paroxyſmum, ſuperbibendo Aq. Roſ. rub* ℥ iii. *Succ. aurant.* ʒ vi. *cum Sacch. alb.* ʒ ß. *ad* 3. *vices.*

Pulv. Arthriticus Turneri. ℞. Turpet. Hermod. Senæ, Scammon. Sem. Ebul. an. p. æ. M. f. pulvis *Doſ.* ℈ i. *ad* ʒ i &c.

* *Pulv. Aſthmaticus*. ℞. Cartham. Rad. Ari, Fol. Card. ben. Senæ, an. ʒ ii. Aniſ. ʒ ß. Piper. long. ʒ i. Diagryd. ℈ ß. M. f. pulvis. *Doſ.* ʒ i. *bis in die, per dies vi contin.*

* *Pulv. Baſilicus*. ℞. Diagryd. Ceruſ. Antimonij, Crem. Tartari, Mercurii d. an. M. f. Pulvis. *Eaſdem vires obtinet quas Pulv. Cornachini, Doſ.* ℈ i. *ad* ʒ i.

Pulv. ad Calculum. ℞. Fl. Cardui ſtellati ℥ i. Rad. & Sem. Petroſel. an. ℥ iii. ſeparatim ſiccentur ac pulveriſentur: dein m. *Doſ.* ℈ ii. *in Vino alb. aut Juſculo. Maybern.*

* *Pulv. Cantianus*. ℞. Apic. nigr. Chelar. Canc. Junio captor. in pollinem redact. Rad. Contrayerv. an. ℥ ii. Margarit. Corall. rub. alb. Ocul. Canc. (cum ſucco Limon. ſupra marmor ſimul

lævi-

lævigator. & ſiccator.) an. ℥i. Succin. alb. & Cryſtall. cum Aqu. Roſ. ſubt. tritorum & ſiccat. an. ℥.i C. C. ad ſummam albed. calcinat. & lævigati cum Succo Citri Spiritu Vitrioli probè acuato, & ſiccati, ℥i. Bezoar. Occid. Terræ Lemn. an. ℥ß. Ceruſſ. Antimoni fixii ℥ii. Ambr. griſ. ʒiß. Moſch. ℈ß. miſceantur omnia exactiſ. & cum Gelatinæ è ſpoliis Viperar. & C. C. in Aqua Cardui factæ, & Croco leviter tinctæ q. ſ. f. Globuli diverſæ magnitudinis, cautè ſiccandi. Si prædictis addas Coccinell. è Mexico ℥ß. dicitur *Pulv. Cantian. Ruber.* ſi verò Cinerum Bufon ℥ii. vocatur *Niger*. *Uſus eſt egregii in omnibus Morbis contagioſis Peſte, Variolis*; &c. *Doſ.* ℈ß. *ad* ʒß.

* *Pulv. Cardiac. Corallatus*. ℞. Coral. rub. præp. Sacch. opt. an. ℥iii. Ol. Cinnam. gt. vi. M.

* *Pulv. Cardiac. Eboratus*. ℞. Magiſt. Ebor. Cinnam. an. ℥ii. Sacch. opt. ℥iii. M. f. Pulvis ſ. a.

* *Pulv. Cardiac. Perlatus*. ℞. Pulv. Rad. Chinæ ℥iii. Margarit. præp. ℥ii. Farinæ puriſ. ℥viii. Sacch. opt. ℥vi. coq. in clibano vaſe terreo; dein de novo f. Pulv. *Inſpergendus omnibus cibis, Juſculis, Panatellis*, &c. *Magnum reſtaurativum habetur in Tabe*.

* *Pulv. Cardiacus rubeus*. ℞. Cretæ albiſ. ʒviii. Ocul. Canc. ℥ii. Bol. Armen. ℥i. Nuc. M. ℥ß. M. f. pulvis. *Doſ.* ʒii. *pro vice in Cardialgia, &c.*

* *Pulvis ad Caſum*. ℞. Terræ Sigil. Sang. Dracon. Mumiæ, an. ℥i. Sperm. Ceti ℥ß. Rhabarb. ℥iii. M. f. pulvis. *Doſ.* ʒi. *pro vice poſt Phleb.*

* *Pulv. Cibarius*. ℞. Summit. Euphrag. ℥iii. Sem. Fœnic. Cinnam. Maç. an. ʒi. f. pulvis

adde

adde Sal. alb. ℥ viii. *Sumatur cum omni Cibo. Ad Viſum acuendum ac præſervandum apprime utilis. Oculorum Suffuſiones, Caliginem, Memoriam debilitatam, &c. juvat.*

* *Pulv. Cinnabaris comp.* ℞. Cinnabaris nativ. ℥ ii. Succin. alb. ℥ i. Rad. Pæon. mar. Corall. r. an. ʒ x. m. f. Pulv. ſ. a. *Doſ.* ʒ ß. *quotidiè mane. Ad Epilepſiam.*

* *Pulv. Cornachini.* ℞. Diagryd. ſulphurat. ʒ x. Antimonii diaphor. ʒ v. Crem. Tartari ℥ ii ß. M. f. Pulv. *Ad omnes ferè Morbos (qui purgatione opus habent) curandos commendatur. Doſ.* ʒ ß ℈ ii. &c.

* *Pulv. Coronatus.* ℞. Epithym. ℥ ß. Agar. Lap. Lazul. præp. an. ʒ ii. Scammon ʒ i. Caryoph. Num. 20. m. f. Pulv. *Doſ. ad* ℈ iv. *Mirè laudatur in Melancholia ad dementiam uſque curanda.*

* *Pulv. Crinalis.* ℞. Rad. Cyper. long. Calam arom. Roſ. rub. an. ℥ i ß. Benz. ℥ i. Xyloal. ʒ vi. Coral. r. Succin. an. ℥ ß. Farin fabar. ℥ iv. Rad. Irid. Fl. ℥ viii. M. f. Pulv. ſubt. adde Moſch. Zibet. an. gr. v. *Uſus præcipuè ad Pilos renaſcendos, & radices eorum confirmandas (Capiti inſperſus.) Cerebrum inſuper, & Memoriam recreat, confortatque.*

* *Pulv. Cucuphalis.* ℞. Macropiper. Majoran. Succin. an. ʒ iii. Nuc. M. Mac. an. ʒ i m. f. Pulv. pro Cucupha. *Qui goſſypio ſuſceptus inſtatur Pileolo ſerico, interpaſſando. Inſignis ad dolores Capitis frigidos diuturnos, Catarrhos abſumendos,* &c.

Pulv. Epidemic aureus. ℞. Sacch. cand. alb. ℥ iv. Balſam. Sulphuris ʒ i ß. Croc. gr. vi. M. f. Pulv. *Doſ.* ʒ i. *manè, & hora Somni in Hauſtu Poſſeti vinoſi. Gliſſon.*

* *Pulv. Epilepticus*. ℞. Rad. Fraxinel. Viſc. querc. Contrayerv. Serpentar. Virgin. Pæon. mar. (debito tempore collect) Sem. Pæon. mar. Magiſt. C. C. Magiſt. Ungul. Alcis, an. ʒii. Rad. Valerian. Sylv. ℥i. Corall. rub. Cran. Human. an. ʒiii. Lap. Hyacinth. ʒi. Bez. Occid. ʒ i ß. Orient. ℈ i. m. f. Pulv. ſubt. ſ. a. adde Moſch. gr. v. Fol. Auri Num. 30. m.

* *Pulv Febrifugus Certus*. ℞. Rad. Serpent. Virg ʒii. Contrayerv. Gentian. Zed. Sem. Citri, Card. bened. Bez. Occid. an. ʒ i. Specific. vegetabil. ℥iv. M. f. Pulv. *Doſ.* ʒ i. *quarta quaque hora ſpatiis intermediis Paroxyſmi cum Vino, &c.*

* *Pulv. Griſeus*. ℞. Ocul. Cancr. Salv. an. ℥ii. Cretæ alb. ℥i. Nuc. M. ʒi. f. Pulv. *Inſignis in Diarrhœa, Palpitatione Cordis, Aciditate Sanguinis, Calculo*, &c. *Doſ.* ℈i. *ad* ʒi.

* *Pulv. Hæmoptoicus*. ℞. Bol. Armen. ℥ i ß. Amyl. ʒ iii. Rhodoſacch. ℥ß. Ol, Aniſ. gt. ii. M. f. Pulvis. *Doſ.* ʒ i ß. *ter in die vel ſæpius: In Hemoptyſi nil æquale*.

Pulv. Hermodactyl. comp. ℞. Oſſ. Human. calcinat. Hermodact. Scammon. Turpeth. Senæ, Sacch. alb. an. p. æ. m. f. pulvis. *Lentam pituitam, ac alios Humores viſcidos, etiam ab arti culis, efficaciter trahit. Podagræ Chiragræ, ac omnibus juncturarum doloribus ab iiſdem humoribus; natis conducit. Doſ.* ʒ i.

* *Pulv. Hyſtericus*. ℞. Pellic. interior. ventric. Capon. ℥iv. Flaved. Cort. Aurant. ʒ i. M. f. Pulv. *Doſ.* ʒi. *in Paroxyſmo, & quarta quaque hora, Opt. Remed.*

* *Pulv. Ictericus*. ℞. Sterc. Anſer. Verno tempore collect. in Sole ſiccit. & pulveriſat. ℥ ii. Croc. opt. ʒ i. Sacch. cand. alb. ℥ ii. M. f. pulvis. *Doſ.* ʒ ii. *bis indies in V. Rhen. per dies* vi.

vi. *Aliter*. ℞. Rad. Curcum. Tartari alb. Martis præp. an. ℥ ß. Lumbric. terr. Rhei elect. an. ʒ ii. m. f. Pulvis *Doſ.* ʒ i. *in Hauſtulo vini albi.*

* *Pulv. Lateralis*. ℞. Gland quercin. decort. ℥ vi. Nuc. M. ℥ i. Sacch. alb. ℥ ii M. f. pulvis. Vocatur & *Pulv. Illiacus, & Colicus*. *Doſ.* ʒ i. *pro vice bis vel ter in die, in Iliaca, Colica, Lateris dolore, Flatu, & Podagra, &c.*

* *Pulv. Liliaceus*. ℞. Rad. Lilior. alb. ſicc. ℥ ii ß. Ceruſ. Antimonii ʒ iii. Nuc. M. Tereb. Ven. ad friabilitatem coctæ, an. ʒ ii. Rhodoſacch. ℥ i. f. pulvis ſ. a. *Doſ. ad* ʒ i ß. *bis in die cum Syr. de Nymph. ad Urinæ acredinem in Lue Venerea, &c.*

Pulv. Martialis comp. ℞. Martis præp. ʒ vi. Xylocaſ. Nuc. M. an. ℥ ß. Garyoph. Mac. an. ʒ ii. Sach. alb. ℥ ii. M. f. Pulvis. *Ad Cachexias tam Virginum, Mulierum, quàm Virorum, Juvenum, ac Senum, Remedium præſtantiſſimum*. *Doſ.* ʒ i. *ad* ʒ ii.

Pulv. Odoratus. ℞. Rad. Irid. Fl. ℥ xiv. Lign. Rhodii ℥ ii. Fol. Majoran. ʒ iii. Caryoph. Arom. ℥ i. Cort. Limon. ʒ v. Rad. Cyperi ℥ i. Calam. Arom. ʒ vi. Fl. Roſ. Dam. ʒ iv. Roſ. rub. ℥ ii. Benz. Styrac. cal. an. ℥ i. Ladan. ℥ ß. M. f. Pulvis craſſus, *Veſtimentis inſpergendus, ut à Tineis præſerventur*. Si prædicta omnia cum Cereviſ. fortiſs. in organis Roſaceis, deſtillaveris (ſuſpendendo in Recipiens Moſch. gr. vi. in ſindone ligata) habebis Aquam Odoratiſſimam Funeralibus apprimè inſervientem.

* *Pulv. Ophthalmicus*. ℞. Summit Euphrag. ℥ iii. Sem. Fœnic. com. ℥ ii. Sem. Rutæ ℥ ß. Mac. ʒ ii. Sacch. opt. ℥ vi. f. Pulvis ſ. a. *Doſ. coch.* i. *ter in die*. v. *Vires Pulveris Cibarii*.

* *Pulv. Oxytocius.* ℞ Croc. Caſ. lign. Myrrh. Succin. alb. an. ʒ ii. Chryſocoll. ℥ i. M. f. Pulv. ſubt. *Doſ ad* ℈ iv. *cum Aq. Artemiſ. vel Sabin. Præſtantiſſimus eſt Pulv. ad Partum accelerandum, Menſes provocandos, &c.*

* *Pulv. Pannonicus rubeus.* ℞. Bol. Armen. cum Aqua Roſ. & Acet. præp. ℥ iii. Terræ Lemn. ℥ ii. Lapid. Smaragd. Rubin. Sapphir. Hyacinth. Oſſ. de Corde Cerv. Corall r. an. ℥ ß. Corall. alb. ʒ vi. Spodii, Margarit. an. ʒ v. Cinnam. Sant. rub. Sem. Acetoſ. an. ʒ ii. Caryoph. Croci an. ʒ i. Cort. Citri, Santal. alb. an. ʒ iß. Ebor. ʒ iii. M. f. Pul. ſubt. ſ. a. cui adde Fol. Auri Num. 50. M. *Febribus peſtilentialibus, contagioſis, ac venenatis optimè conducit. Doſ.* ℈ i. *ad* ʒ i.

* *Pulv. Pectoralis.* ℞. Partium albar. Benz. ℥ i ß. Sulphur. viv. ℥ iii. Sem. Aniſ. ℥ i. Rhodoſacch. ℥ ii. m. f. Pulvis. *Doſ. ad* ʒ i ß. *bis in die cum Ovo tremulo.*

* *Pulv. Pepticus.* ℞. Flaved. Cort. extern. aurant. candefact. & minutiſ. inciſ. ℥ iv. Confectionum Sem. Coriand. ℥ iv. Aniſ. Carui, Fœnic. an. ℥ ii. Aromat. Roſat. ℥ ß. Salis Abſ. ʒ i. Menth. pulveriſat. ℈ ii. Sacch. cand. ad pond. omnium: f. Pulvis groſſus. *Doſ.* ʒ i. *poſt ſingulos Paſtus.*

* *Pulv. Pleuriticus.* ℞. Fl. Sulphur. ℥ ii. Dent. Apri, Mandib. Lucii piſc. an. ℥ i. Flor. Papav. rhœad. ℥ ß. M f. Pulv. *Doſ.* ʒ i. *Stupendum habetur Antipleuriticum cum Rhodoſacchare.*

* *Pulv. Purpureus.* ℞. C. C Succin. alb. Coral. r. Perl. præp. an. ℥ i. Ocul. & Chel. Canc. an. ℥ ii. Croc. ℈ ß. Coccinel. ℈ ii M. f. Pulvis: adde Gelatin. ex C. C. & Raſ. Ebor. in Aqua Aniſ. factæ q. ſ. f. Globuli ſ. a. *Doſ.* ℈ i. *ad* ℈ ii. *in Variolis, Morbillis, &c.*

* *Pulv.*

* *Pul. ad Rhachitidem*. ℞. Pulver. Rad. Oſmund. Regal. ℥iv. Sacch. ℥ii. m. *Inſperge hujus aliquantum Pulti, Cibiſque omnibus liquidis, ut ad minimum* ʒii. *vel* iii. *indies abſumantur*.

Pulv. ſine Pari. ℞. Auripigmenti, Viridis Æris an. ʒii. Alumin. uſt. ℥i. Colcothar. ℥ß. m. f. Pulv. *Inſperge hujus parum ſuper loca ulcerata, applica deſuper Ung. de Minio ſuper linteum, & ibi circumcirca maneat, donec ſponte eſchara decidat, vel ſeparari poteſt. Bibatur interim Decoct. Guajac. cum Glyc. & Uvis paſſis, pro Potu communi*.

* *Pulv. Solearis*. ℞. Cumin. ℥iii. Caryoph. ℥i. Salis decrepit. ℥iv. m. f. pulvis. *Pro ſoccis interpaſtandis Podagricorum ſemper ad plantas geſtandis*.

Pulv. Sternutatorius. ℞. Maioran. Roriſm. Beton. Fl. Lilii conval. an. ʒ iii. Nuc. M. ʒ ii. Sal. Armon. volat. ℈i. m. f. pulvis ſubt. *Valet in omnibus Capitis doloribus; in Lethargo, Podagra, &c.*

* *Pulv. Stomachicus*. ℞. Pellic. interior, ventricul. Capon. ℥iv. Nuc. M. Mac. Sem. Coriand. Aniſ. Fœnic. an. ʒiii. Menth. ʒi. Glyc. ʒii. Rhodoſacch. ℥ ii. m. pulvis, *ad Tormina Ventriculi*, &c. *Doſ. à* ʒi *ad* ʒii.

* *Pulv. ad Strumas* ℞. Lap. Spong. ʒiii. Sal. Gemmæ ʒii. Tartari Vitriolati ʒi. m. f. pulvis. *Doſ.* ℈ii. *bis in die per dies* xii.

Pulv Sympatheticus. Fit calcinando Vitriolum Roman. Radiis Solaribus per Vitrum cauterizans, & pulveriſando: v. *Vires Ung. Sympathet.*

Pul. Tertianarius. v. *Pulv. Antipyr.*

* *Pulv. Vermifugus.* ℞. C. C. Rhab. Corallin. Sem. Santon. an. p. æ. m. f. pulvis. *Doſ.* ℈i. *ad* ʒſs. *per dies* 3. *continuos circa novilunium, & plenilunium.*

* *Pulv. Vvularis.* ℞. Balauſt. Rad. Biſtort. Tormentil. an. ℥ſs. Alumin. ʒii. m. f. pulvis. *Quo Uvula cum Palato tangatur digito, vel linteo excepto, ſæpe in die.*

R.

* *Ranar. Hepata.* Præparantur exiccando ſupra folia caulium in vaſe clauſo, & pulveriſando ſ. a. *Doſ.* ʒ ſs. *in Epileſia, Quartana,* &c.

Regulus Jovialis. F. ex Regul. Antimonii fuſi ℥ iv. adiiciendo Limat. Jovis eandem quant. ſ. a. *Omnes Obſtructiones reſerat. In Utero ſtrangulato nobile remedium.*

Regulus Lunaris. F. addendo Reg. Antimonii fuſi ℥ viii. Lunæ ℥ i. ſ. a. *Epilepticus, & Cerebralis.*

Regulus Martis. Ex Martis limat. ℥ii. Nitri, Tartari, Antimonii, an. ℥iv ſs. detonando ſ. a. *Curat Luem Veneream ſine ptyaliſmo.*

Regulus Solaris. Ex Reg. Antimonii fuſi ℥iv. Solis ℥ ſs. ſ. a. *Hyſtericus & deoppilativus.*

Regulus Veneris. Ex Veneris, Tartari, Nitri, an. ℥ iv. Antimonii ℥ viii. detonatis ſ. a. *Aperit Obſtructiones in Rachitide.*

Ros Vitrioli Elicitur ex Vitriolo albo crudo, calore Baln. Mariæ ferventis ſ. a. *Valet ad ardentes Capitis dolores, Sanguinem aduſtum mitigat,*

&

& Viſcera corroborat. Doſ. ℥ ii. &c. *continuatim ad aliquot dies.*

Roſa Solis. ℞. Roris Solis rec. M. iii. Nuc. M. Aniſ. Coriandr. Roſ. r. ſicc. an. ℥ ß. Galang. ZZ. Caryoph. an. ʒ ii. Glyc. ℥ i. Cardamom. Zed. Gran. Paradiſ Calam. arom. an. ʒ ß. Sant. citr. ʒ i. Sant. rub. Cinnam. an. ʒ vi. Aquæ vitæ opt. ℔ vi. Infund. Dies aliquot : f. colat. per manic. Hipp. addendo Sacch. opt. ℥ xii. *Confert ad Phthiſim, Tabem, &c. confortat Cor, Hepar, & Ventriculum. Capitis dolorem ſedat, & Peſtem præcavet, &c. Doſ.* ʒ ii. iii. *&c.*

Rotula, v. *Tabula*, vel *Tabella*.

S.

Sacchar. Aluminis. v. *Alumen Dulce.*

* *Sacchar. Ambratum.* ℞. Sacch. opt. pulveriſat. ℔ i. vel q. v. repone in vaſe ſtanneo, indendo, medio Sacchari Ambræ griſ. Fruſtulum ad ℈ i. vel q. v. ſtent ſimul perpetuò (vaſe clauſo) in loco tepidiuſculo Camini juxta angulum. Sic Ambræ fragrantia ſimul cum viribus toti Saccharo communicabitur, ſine ullo Ambræ detrimento aut perditione.

* *Sacch. Caryophyllatum.* ℞. Fl. Caryoph. hort. pulveriſat ʒ vi. Caryoph. aromat. ℈ i. Sacch. albiſs. in Aqua Roſ. Dam. ſolut. ℥ xii. coq. & effunde in marmor. ſ. a. *Cardiacum, Cephalicum, & Stomachicum inſigne eſt, cruditati Ventriculi, Vertigini, &c. confert.*

* *Sacch. Eboratum.* ℞. Pulveris Ebor. ℥ i ß. Ocul. Canc. Perl. præp. an. ʒ i. Ol. Cinnam. gt. vi. Sacch. opt. in Aqua Roſ. rub. ſolut. ℥ xvi. coq. ſ. a.

* *Sacch. Perſicorum*. Fit ex Flor. pulveriſat. ℥ii. Sacch. in Aqua Roſ. coct. ℔ i. ſ. a. *Conducibile ad Lumbricos Infantum enecandos, & Alvum laxandam.*

* *Sacch. Sambucinum*. Fit ex Fl. ℥ ii. Sacch. opt. in Aqua Fl. Sambuc. ſolut. ℔ i. ſ. a. *Ad flatus Ventriculi, Colicam, Calculum, &c. conducit. Alvum laxat.*

* *Sacch. Tormentillæ*. ℞. Rad. Torment. pulveriſat. ℥ i ß. Cinnam. ℥ i ß. Sacch. in Aqua Cinnam. ſolut. ℔ i. coq. & effunde ſ. a. *Eximii uſus in Abortu præcavendo, Fœtu roborando, &c.*

Sacculus Embryon. &c. v. *Cereviſ. &c.*

Sal Abſinthii cryſtallinum. Fit ſolvendo Sal. Abſ. in Aqua, filtrando, cryſtalliſando, ſiccandoque, ſ. a.

Sal Aceti eſſentiale. Coq. Caput mortuum Acet. deſtillati in Aqua: filtra ac cryſtalliſa ſ. a. *Sudorificum eſt, & putredini reſiſtit. Doſ. gr. 5. ad* 10. *in vehiculo aliquo idoneo.*

Sal Aceti fixum. Calcina Caput mortuum Aceti deſtillati ſolve Aqua, filtra & coagula ſ. a. *Idem facit ut ſupra.*

Sal Alkali. ℞. Calc. viv. ℔ i. Cineris Iſatid. ℔ ß. Tartari, Nitri, an. ℥ i. coq. in Aqua, filtra & coagula ad ſiccit.

Sal Aluminis. Coq. Alumen. uſtum in Aqu. filtra & coagula ſ. a. *Sudorificum, & Febrifugum. Doſ. gr. 5. ad* 10.

Sal Armoniacum fixatum. Miſce Sal Armoniac. cum Calc. viv. dimid. quant. & igne fortiſ. ſubito adhibito, additoque folle funde, ac poſtea Aqua elue ſ. a. *Inſervit præcipuè liquori indè conficiendo. Sudo-*

Sudorificum eſt, & Putredini reſiſtit, aperit Obſtructiones. Doſ. gr. v. *ad* x. *&c.*

Sal Armon. Volatile Fit ex Sal. Armon. & Salis Tartari an. ſublimatis ſ. a. & poſſunt & ſublimari (jubente Medico) cum tertia parte Caſtor. vel Succini. *Tollit Ventriculi cruditates Doſ. gr.* iii. *ad* x. *Specificum eſt in Arthritide & Sudorificum.*

Sal. Arm. Volat. Oleoſum. ℞. Caryoph. ℥ ii. Spir. Vini ℥ viii. Spit. Sal. Ammoniaci ℥ iv. Digere ſimul ad uniendum ſ. a. *Doſ.* gr. x. *ad* 15. &c. *in Morbis Capitis, Ventriculi, Lienis, Uteri, &c. in Colica & Tremore Cordis Præſtantiſ. Remed.*

Sal Chalybis. ℞. Croc. Martis per Aquam Reg. fact. q. v. extrahe Sal cum Aqua, filtra & cryſtalliſa ſ. a. *Vim habet incidendi, ac aperiendi Obſtructiones, tum Viſcerum, tum Uteri. Doſ. a gr. i. ad v. & ultra.*

Sal Cibarius, v. *Pulv. Cibar.*

Sal Coralliorum. Elicitur ex Cineribus more com. Vel, ſolve Corallia in Acet. deſtill. filtra ac exhala ſ. a. Sic fieri poſſunt *Sal. Ocul. Cancror. Margaritar. &c. Doſ.* ℈ ß. *ad* ℈ i. &c.

Sal. C. C. Succinatum. Fit ſublimando C. C. cum dimid. quant. Succini ſ. a. *Doſ. gr.* x. *ad* ℈ i. &c.

Sal Decrepitatum. Fit calcinando (Crucibulo tecto) donec non amplius crepet Sal.

Sal Diureticum. Solve Caput mortuum Salis Armoniaci volatilis in Aqua calida; filtra & coagula ſ. a. *Proficuum in Febribus intermittentibus. Doſ.* ℈ ß. *ad* ʒ ß. *In Ictero, Scorbuto, Hy-*

Hydrope , & omnibus Obſtructionibus valde conducit .

Sal Duplex . v. Arcan. Duplic.

* *Sal Febrifugum* . Elicitur ex Teſtis Oſtreor: opt. mundatis , & ad ſummam albed. calcinatis, ſolvendo in Aqua , filtrando ac coagulando ſ. a. *Doſ. ad* ʒ i. *ante parox.*

Sal Jovis. Fit Solvendo Magiſt. Jovis per digeſt. in Acet. deſtill. filtrando & coagulando . *Præſentaneum remedium in Uteri Suffocationibus quas ad miraculum compeſcit , tam intrinſecus , quam extrinſecus adbibitum . Doſ. gr. 2. 3. 4. &c. repetitis vicibus .*

Sal Litbargyrites . Elicitur cum Acet. deſtill. non ſecus ac Sacch. Saturni . Decantetur ſolutio , filtra & coagula ſ. a. *S* i. ſolutio præcipitetur cum Ol. Tartari , vocatur *Magiſterium . Internè datur in Diarrbœis , Dyſenteriis , reliquiſque Morbis reſolutis . Inteſtina læſa ac ulcerata ſanat & conſolidat : Sanguinem æſtuantem refrigerat . Doſ.* ʒ ß. *cum Tberiaca aliqua ſudorifica , ſive anodyna .*

Sal Martis . (i. e.) Sal *Cbalibis* .

Sal Martis Catbarticum . Solve Caput mortuum Florum Salis Armoniaci Martiatorum in Aqua calida , filtra & coagula . *Doſ. ad gr.* xii. *Leniter purgat , & Diureticum eſt .*

Sal Perlarum, fit omninò ut Coralliorum.

Sal Philoſophorum. ℞. Sal. decrepit. Sal. Gemmæ, an. ℥ i ß. Galang. Mac. Cubeb. an. ℥ ß. M. f. pulvis ſ. a. *Concoctionem juvat Ventriculi, Cruditateſque conſumit. Doſ. gr.* iv. *ad* xii. *manè, jejuno Ventriculo.*

Sal Polychreſtum. Fit ex 2. fl. | ſulph. & Nitro an. exactè mixtis detonatiſque, ſolvendo Aqua, filtrando ac coagulando ſ. a. *Humores purgat ſeroſos per ſedem, & nonnunquam per urinas. Doſ.* ʒ i. *ad* ʒ iii. *in Aquæ Font.* ℔ ii. *ſolut. ut fiat inſtar Acidularum.*

Sal Saturni. (i. e.) *Sacch. Saturni.*

Sal Spongiæ Volatile. Fit deſtillando per Retortam, & Sal rectificando ſ. a. ex Capite mortuo in Aqua calida ſoluto elixiviatur. *Sal fixum. Utile ad Calculos Renum Veſicæque frangendos. Valet etiam ad Strumas diſcutiendas. Doſ. gr.* 5. *ad* 12. *vel ultra.*

Sal Sulphuris. Solve Caput mortuum Spiritus ſulphuris Aqua, filtra & coagula ſ. a. *Efficax remed. adverſus Verminationem. Doſ. a gr.* 5. *ad* 10.

Sal Tartari. Fit ex Tartaro calcinato non ſecus ac ex aliis Cineribus Sal extrahi ſolet. poteſt & elixiviari ex Capite mortuo poſt deſtillationem Spiritus Tartari relicto, ſi ulterius comburatur. Vel, fieri poteſt ex Tartar. crud. & Nitr. an. pulveriſat. & calcinatis in Crucibulo ſ. a. *Optimum eſt remed. in Ulceribus, Serpiginibus,*

bus, Tinea, Scabie, &c. *tam internè, quam externè adminiſtratum.*

Sal Tartari Volatilis ℞ Salis Tartari purific. ℥iv. Alcoh. Vini ℥viii. deſtilla ex Arena, ter cohobando; & adhæreſcet Sal lateribus Alembici. *Diureticum & Aperitivum inſigniſſimum eſt. Sanguinem purificat, & Malignitati reſiſtit. Doſ. gr.* 10. *ad* 20. *& ultra.*

Sal. Viper. Volatilis. Fit ex Viper. ſiccis per Retortam, ut Cornu Cervi, ex Capite mortuo elicitur more com. *Sal fixum. Medicamentum ſummè penetrans, Putredinem arcens, Obſtructiones reſerat, Febres omnes reſolvit. In Melancholia, Podagra, Renum calculo & Veſicæ, mira præſtat. Doſ.* gr. 6. *ad* ℈ß.

Sal Veneris. (i. e.) *Flor. Viridis æris.*

Sal Urinæ Volatilis. F. ex Urina fermentata per Retortam deſtillata ſ. a. *Fixum elicitur ex Capite mortuo more com. Inſigne anodynum eſt in Doloribus ſedandis, mixtum cum liquore conveniente, & ſupra loca affricatum: Internè datum reſerat Tartareas Obſtructiones Viſcerum ac Meſenterii, unde inſignis ejus uſus eſſe poterit in Scorbuto, Cachexia, Icteritia flava ac nigra,* &c. *atterit calculum Renum ac Veſicæ, doloreſque indè ortos ſopit. Doſ. gr.* 15. *ad* 30.

Sapo Tartareus. ℞ Salis Tartari (ex Tartaro & Nitro an. fact. ſ. a.) ℥iv. Ol. Tereb. ℥viii. ſtent ſimul (vaſe amplo) in loco frig. & humido ad menſes aliquot. tandiu ſcilicet (ſæpe interim quotidie agitando, & plus Ol. quoties opus fuerit, adjiciendo (uſquedum Sal planè triplum Ol. abſorbuerit: atque in

unam Maſſam (Saponis inſtar) ſpiſſam conſpiraverint homogeneam, nullatenus ſeparandam. *Pro parandis Pil. pacificis & Pil. Matthæi.*

* *Savaneta Coſmetica*. ℞. Sapon. Venet. ℥ii. ſolve in Succ. Limon. ℥ii. adde Ol. Amygd. amar. Ol. Tartari p. d. an. ℥i. M. & tamdiu inſolentur donec in Unguenti ſpiſſitudinem pervenerint, ſing. diebus probè agitando. Tum adde Ol. ſtil. Rhodii gt. vi. vel q. ſ. f. Ung.

Scammon. Aurantiatum. v. *Extr. Draſtic.*

* *Scammon. Cydoniatum*. ℞. Pulver. Scam. ℥ii. Succ. depurat. Cydon ℔i. Digere hor. 24 adde Aquæ vitæ q. ſ. Digere iterum, & evapora ad Extracti formam ſ. a. *Doſ.* ℈i. *ad gr.* 25. *&c.*

* *Scammon. Limoniatum*. ℞. Scam. pulveriſat. ℥i. Succ. Limon. ℔i. Digere, cola, & deſtilla ad conſiſt. Extracti ſ. a. *Doſ. eadem cum priori.*

* *Scammon. Roſatum*. ℞. Succ. Roſ. Dam. depurat. ℔ iii. Spir. Sulphuris ʒ iii. pulveris Scam. ℥ iii. Digere ac evapora ad Pil. conſiſt. adde Ol. ſtil. Majoran. ℈i. *Doſ. eadem cum priori.*

* *Secundinæ præparatæ*. Abluantur Secundinæ Fœminæ, aut Suis Primiparæ cum Vino albo, exiccentur cito, & pulveriſentur ſ. a. *Doſ. ad* ʒi. *in Epilepſia, utero ſtrangulato, Partu difficili, &c.*

Sedativum Archæi. Tinctura ex Flor. Sal. Armoniaci Martiatis eliciatur cum Spir. Vini,

quæ

quæ abſtrahatur ad conſiſt. debitam ſ. a. v. *Vires Flor. Sal. Armoniaci Martiatorum.*

* *Serum Aluminatum.* ℞. Alumin. ʒiii. Lact. ℔iv. coq. parum, ut f. Serum, adde Sacch. ℥iv. clarific. cum Album. ovorum, ſ. a. Si velis Emeticum, coq. Alumin. ʒiii. in Lactis ℥viii. ut f. Serum, *ante Parox. febrilem ſumendum.*

* *Serum Hepaticum.* ℞. Fol. Fumar. Chicor. Endiv. an. M. iii. Hepatic. M. ii. Agrimon. Acetoſ. Ling. Cerv. Borrag. Bugloſ. an. M. i. Sem. Carui ʒi. contuſis affunde Seri Lactis ℔iii. f. expreſ. adde Sacch. alb. ℥iii. clarific. ſ. a. *Doſ.* ℔i. *bis indies.*

* *Serum Scorbuticum.* ℞. Fol. Cichor. Acetoſ. an. M. xii. Abiet. M. vi. Cochlear. Naſturt. aquat. an. M. iv. Sem. Coriandr. ℥i. contuſis adde Succ. Aurant. ℥iv. Seri Lactis ℔iv. Sacch. alb. ℥ii. clarific. ſ. a. *Doſ.* ℔i. *bis indies.*

* *Serum de Sedo.* ℞ Succi Sedi major ℔i. Lactis ℔ii. coq. ut f. Serum ſ. a. *Doſ.* ℔i. *vel* ℔ii. *indies. Uſus præcip. in Febribus Bilioſis, ſedat Sitim, compeſcit Ardorem,* &c.

Serum Sinapinum. ℞. Lactis ℔ii. calefact. adde Muſtard. rec fact. coch. iii. ut f Serum clarum; quod coletur pro una vice. *Remed. ſingulare in Tuſſi, Aſthmate,* &c. *Bibatur hora ſomni, & manè in lecto calidè per dies* 3. *vel* 4.

Silices præparati. ℞. Silices albicantes & pellucid. ex fiuviis collect. igniantur in Crucibulo, & exting. in Aqua font. (qua Sal Armon. ſolut. fuerit) donec in pulverem fieri poterunt, f. pulvis exquiſitus ſupra marmor, & in Troch. cogatur cum Aqu. Roſ. probè exiccandos ſ. a. *Diuretici ſunt. Uſus in Hydrope,*

Cal-

Calculo, *Urinæ ſuppreſſa*, &c. *Doſ. gr.* 10. *ad* 20. *&c.*

* *Spiritus Alkermes*. ℞. Spir. Cinnam. Citri, Ceraſ. nigr. Anthos, an. ℥iv. Succi Chermeſin. ℥ii. M. peroptimè, dein agantur per Chart. emporet. adde tum Sacch. opt. ℥ii. Fol. Auri Num. x. M. ſ. a. *Sunt, qui addunt Sp. Ambræ* ℥ii. *pro ditioribus. Vapores tetros diſcutit. Spiritus Naturales, Vitales, Animales recreat. Parturientibus ſubvenit, &c.*

Spir. Aluminis. Deſtillatur ex Alumine uſto per Retortam omninò ut Ol. Vitrioli. *Doſ. gut.* 4. 5. 6. *&c.*

Spir. Alum. Dulcis. Fit Spiritum Aluminis aliquoties rectificando cum Spiritu Vini ut dulcis evadat. *Diureticum eſt, Calculum pellit, Obſtructiones aperit. Æſtus in Febribus compeſcit. Doſ. gut.* 4. 5. *&c. pro vice.*

* *Spir. Ambræ*. ℞. Ambræ griſ. ʒß. Moſch. gr. xv. Sacch. Cand. ʒi. M. f. pulvis: cui affunde Alcoh. Vin. ℥iv. Digere (vaſe Hermeticè obturato) in fimo Equino ad Dies 20. aut 30 Dein filtra ad uſum. *Doſ. gt.* vi. *in Animi deliquio*, &c.

* *Spir. Benzoini*. ℞. Partium albar. Benz. opt. ℥ii. Alcoh. Vin. ℥xvi. maneant ſimul in frig. ſæpe agitando ad ſolutionem Benz. filtra ac ſerva. Si Aqua lactis præcipites, & ſicces, erit *Magiſter. Benzoini*. *Doſ. Spiritus, a* ʒi. *ad* ʒiii. *Magiſterii a gr.* 10. *ad* 20. *Vires obtinet Benzoini.*

* *Spir. Camphoræ*. Fit Solvendo Camph. ℥i. in Alcoh. Vin. ℥viii. ſ. a. *Doſ.* ℥ß. *ante Parox. Tertianæ. Diaphoreticum inſigne in Febribus Malignis. Anodynum eſt egregium, Odontalgiam ſedat*, &c.

* *Spir.*

* *Spir. Ceraſorum*. Fit ex ceraſis nig. cum nucleis opt. cuntuſ. & fermentatis ſ. a. deſtillando per Alembic. & rectificando in Baln. Mariæ. *Cephalicus, & Diureticus, Hyſtericis & Epilepticis prodeſt. Flatibus & Convulſionibus ſubvenit. Doſ.* ℈ ii. *ad* ℥ i. *&c.*

* *Spir. Cochleariæ*. Fit ex Cochlear. hort. floreſc. fermentata, vel non ferm. deſtillando per Alembic. cum ſuo refrigeratorio. Quod primò prodit. ſerva per ſe pro Spiritu, *Fieri etiam poteſt ad hunc modum*. ℞. Spir. Vini legitime probat. ℔ xxiv. Cochlear. Hort. rec. & floreſc. qu. infarciri poteſt. Infunde per hor. xii. ac deſtilla ad medietatem. In hoc Spiritu deſtillato macera de novo Cochlear. rec. ut ſupra, iterumque deſtilla ad medias. Ex hoc Spiritu, & Reſin. Scammon. vel Jalap. (extrahendo Tincturam ac filtrando) parari poteſt. *Spir. Cochlear. purgans. Spleneticus ac Diaphoreticus; Fixos ac Crudos Humores, volatiles reddit, Putredinique reſiſtit. Hinc proficuus in Hypochondriacis & Tartareis morbis, ac præcipuè Scorbuto. Doſ. gut.* 20. 30. *vel ultra in Liquore idoneo*.

Spir. Coralliorum. Fit Salem Corall. opt. purificat. deſtillando per Arenam, & rectificando. *Scorbuticus eſt & Lithontripticus. Doſ. gt.* 5. *ad* 20. *&c.*

* *Spir. Corn. Cerv. ſuccinatus*. Deſtillatur ex C. C. cum dimid. quant. Succini. *Doſ. gut.* 5. *ad* 15. *&c. Sudorificus eſt, Diureticus, Hydropicus, Epilepticus, &c.*

Spir.

Spir. Diatricon. v. Mixtura Simplex.

Spir. Dracunculi; ℞. Spir. Vini cong. 1. Fol. Dracunculi recent. quant. infarciri poteſt. Digere per Dies iii. & deſtilla ſ. a. Aquæ deſtillatæ adde Sacch. opt. q. ſ. *Doſ.* ℥ iv. *pro vice: miranda præſtat in ignotis Affectibus, Sudorem provocando.*

* *Spir. Embryonum.* ℞. Capones Num. 3. exempta pinguedine contunde & incide: adde Dactyl. ℔ i. Uv. paſſar. ℔ i. ß. Meliſ. M iv. Angelic. Majoran. Chærefol. an. M. iii. Sem. Ocimi ℥ ß. Fœnic. Angel. Cort. Limon. an. ℥ iii. Cort. Citri, Rad. Pæon. Borrag. an. ℥ iv. Angel. ℥ i ß Croc. ℥ v. Conſ. flo. Borrag. Caryoph. Majoran. an. ℥ iv. Vini Hiſpan. ℔ xxxii. deſtilla ad ſiccitatem, cum hac Aqua, & Spir. Hormin. ℔ i. Aquæ Ceraſ. nigr. Meliſ. an. ℔ iii. Borrag. ℔ iv. & Amygd. decort. ℔ i. ß. f. Emulſio: cui adde Conſ. flo. Pæon. ℥ vi. Borrag. & Caryoph. an. ℥ iv. Florum Violar. Paralyſ. Tunicæ, Roſ. r. Roriſm. Calend. an. M. iv. Xyloal. ℥ iii. Sant. citr. ℥ ii. ß. Cinnam. ℥ viii. Aromat. Roſat. ℥ i. deſtilla ſ. a. *Fœminis datur quæ ſæpius Abortum paſſæ ſunt magno emolumento, itemque Gravidis ubi à ſubito Terrore, aut aliqua occaſione extrinſeca langueſcant, Lipothymias & Animi defectiones, Ventriſque inflationes in his perſanat: infirmum Fœtum roborat. Uteri ligamenta firmat, Epilepſiam arcet, Sanguificationi proficit, &c. Doſ. cochl. 2. 3. &c. pro re nata.*

Spir. Hormini comp. v. *Aq. Horm. comp.*

* *Spir. Hyſſopi Verus*. ℞. Hyſſop. rec. floreſc: q. v. contunde opt. & in vaſe quern. include, addendo Aqu. Font tepidiuſculæ q. ſ. relinque ſic ad fermentandum (Flor. cereviſiæ tantillo addito) Dies 10. vel 12. Deinde adde plus Aquæ; ac deſtilla per Alembic. Poſtea rectifica ſæpe in Baln. Mariæ ſ. a. Eodem modo deſtillari poſſunt *Sp. Herb. aliar. Flor.* &c. *Pectoralis eſt inſignis.*

* *Spir. Juniperi Verus*. Deſtillatur ex Baccis fermentat. ut ſupra. *Carminativus, Diureticus, & Stomachicus inſignis eſt, Flatibus, Renumque arenulis pellendis, Menſibus movendis, & Sterilitati auferendâ egregiè proficuus.*

Spir. Mannæ. Si Mannam deſtilles lento igne ex Cucurbita, habebis Spiritum inſipidum ſudorificum: *Sudorificum inſigne habetur in Febribus tum peſtilentibus, tum communibus, ſudorem propellens, admodum fœtidum. Doſ. ad coch.* i.

Spir. Millepedum. Deſtillatur omninò ut C. C. ſervando Salem. *Urinam potenter ciet. Omnes Obſtructiones reſerat. Confert Oculorum morbis; nec non Rhachitidi. Specificus in ſurditate Auribus inditus.*

* *Spir. Nitri*. ℞. Arenæ p. ii. Nitri p. i. m. ac deſtilla per Retortam donec ceſſant fumi apparere. *Diureticum præſtantius vix invenies. Sudorem inſuper movet, unde uſus ejus inſignis in Colica, Pleuriſi, Febribus omnibus, præcipuè Malignis. Doſ.* ℈i. *ad* ℈ii. &c.

Spir Nitri Bezoarticus. Deſtillatur ex Sp. Nitri rectif. & Butyr. Antimonii an. ex Retorta

ſ. a.

ſ. a. Inſervire poteſt Caput mortuum *Bezoartico Minerali* parando.

* *Spir. Nitri dulcis*. ℞. Spir. Nitri rectif. p. i. Alcoh. Vini p. ii. Digere ad unionem, ac deſtilla in Arena, bis cohobando ſ. a. *Doſ. ad* ʒi. *in Liquore, conven. Sudorem ciet, tollit Obſtructiones Colicæ, Renum, Pectoris, &c.*

Spir. Reginæ Hungariæ. v. *Aq. Hungarica.*

* *Spir. Rhœados Crapularius*. ℞. Flor. Papav. rhœad. rec. ℔i. Sem. carui ℥ii. Nuc. M. ℥i. Ambr. griſ. gr. 4. Sp. Vini ℔iv. macer. ſ. a f. colat. *Doſ.* ℥iv. *hora Somni, vel manè poſt Crapulam. Specificè Pleuritidi ſubvenit.*

Spir. Salis Armoniaci. ℞. Sal. Armoniac. p. i. Calc. viv. p. ii. Aquæ p. iii. deſtilla in Arena ſ. a. *Diureticus, Diaphoreticus, Inciſivus. Reſiſtit Putredini, optimè valet in Febribus. Doſ. a gut. vi. ad xii. &c.*

Spir. Sal. Arm. Tartariſatus. ℞. Salis Tartari, Sal. Armon. an., cum triplo Aquæ deſtilla ſ. a. *Vires obtinet omnes cum priori.*

Spir. Sal. Armon. Succinatus. Fit rectificando Spir. Sal. Armoniaci ſupra Pulverem Succini ſ. a.

Spir. Sal. Arm. Chalybeatus. Fit ex Capite mortuo Florum Sal. Armoniaci Martiatorum aeri expoſito deſtillando per Retortam ſ. a. *Doſ. gut.* 5. *ad* 15. *&c. Omnes Obſtructiones tollit; Menſes & Urinam provocat: Sudorificus etiam cenſetur.*

* *Spir. Salis coagulatus*. Miſce Salis Abſinth. depuratiſ. ℥i. cum Sp. Salis rectif. ʒ i ß. & coagula ſ. a. *Diureticum eſt Medicamentum, & ſpecificum Hydropicum, omnes Aquoſas Humiditates &*

Flatus, omnemque Tartaream & Viſcoſam materiam, unde Calculus procreatur, per urinam potenter expellens. In Iliaca, Colica, Febribus, Icteritia, Dyſenteria, Apoplexia, Podagra, &c. Præſentaneum eſt auxilium. Doſ. gut. vi. *ad* xv. *&c. v. Mynſicht.*

Spir. Salis Martialis. Deſtillatur per Retortam ex Salis Gemmæ p. i. Martis Limat. p. ii. ſ. a. *Doſ. gut.* 5. *ad* 15. *Diureticus & valde Aperitivus.*

Spir. Sambuci. Deſtillatur è Baccis ferment. uſi *Hyſſopi &c. Alexipharmacus, Cardiacus, Sudorificus, & Uterinus. Doſ. Coch.* 1. 2. *&c.*

Spir. Sanguinis. Deſtilla Sang. Juvenis ſani putrefactum in Arena, & rectifica ſ. a. *Maximè commendatur ad Epilepſiam radicitus tollendam. Ad Paralyſin, Apoplexiam, Pulmonem ulceratum, &c. Doſ. à gut.*x. *ad* xx. *& ultra per menſem integrum.*

Spir. Saturni. Deſtillatur per Retortam è ſacch. Saturni opt. purificato, rectificando ſ. a. *Sudorificus eſt, in Peſte, Melancholia Hypoch. Febribus Ardentibus, Lue Venerea, & ſimil. Doſ. gut.* 2. 3.

Spir. Spongiarum. Deſtilla è Spongiis per Retortam, & rectifica ſ. a. *Lithontripticus eſt inſignis.*

Spir. Tabaci. Deſtillatur ut *Succini*, ex Foliis ſiccis. *Doſ.* ʒ i. *ad* ʒ. iii. *&c. pro Vomitorio.*

Spir. Theriacalis Camphoratus. ℞. Theriac. Androm. ℥ v. Myrrh. opt. ʒ x. Croc. Anglic. ℥ ß. Camphor. ʒ ii. Alcoh. Vini ℥ x. Digere, ac deſtilla in Baln. Mariæ, ter cohobando ſ. a. *Egregii uſus in Morbis Malignis: ciet Sudorem, reſiſtitque Veneno. Doſ.* ℈ i. *ad* ʒ i. &c.

* *Spir. Veneris.* Deſtillatur per Retortam ex Vitriolo Veneris ſ. a. *Summum eſt Arcanum ad Epilepſiam, corroborat Ventriculum, Cruditates emen-*

emendat, Uterum frigidum calfacit, ejuſque Suffocationem ſanat, Menſes movet, Renum morbis ſuccurrit. Doſ. gut. 5. ad 10.

Spir. Vini Succinatus. ℞. Pulveris Succini ℥ iv. Alcoh. Vini ℥ xii. deſtilla in Baln. Mariæ ſ. a. *Cephalicus*, &c.

Spir. Vini Tartariſatus. ℞. Sal. Tartari ℥ iv. deſtilla cum Alc. Vini ℔ ii. in Baln. Mariæ. *Scorbuticus*, &c.

Spir Viperarum. Deſtilla ex Viperis ſiccis, uti C. C. ſervando Salem. *Summè eſt penetrans, Putredinem arcens in toto Corpore, Obſtructiones reſerat, Febres omnes reſolvit, etiam Quartanas. Doſ. gut. iv. ad x.*

Spir. Vitæ Aureus. v. *Tinct. Aurea.*

Spir. Vitrioli. Deſtilla Vitriolum calcinatum ex Arena, & ſepara Spir. à Phlegmate ſ. a.

* *Spir. Vitrioli coagulatus.* ℞. Salis Acetoſæ ℥ i. Spir. Vitrioli ℥ i. ß. m. & coagula ſ. a. *In roborando Ventriculo, Febribus, Siti, Inflammationibus, &c. Secretum eſt. Doſ. quantum ferri poteſt, ut Dentes ſtupidi non reddantur, in Liquor. conven.* v. *Mynſicht.*

Spir. Vitrioli Diaphoreticus. ℞. Salis Tartari, C. C. C. an. ℥ ii. Sp. Vitrioli ℥ vi. Deſtilla per Retortam ad ſiccitatem: Liquori deſtillato adde Spir. Vini an. & ſerva ad uſum. *Purificat Sanguinem, abigitque Scabiem ac Pruritum, aperit Obſtructiones, Sudorem provocat in Peſte, Venenis, Hydrope, Icteritia, Contracturis, &c. Efficax quoque eſt in mundificandis Pulmonibus. Doſ. à* ℈ i. *ad* ʒ ß.

Spir. Vitrioli Eſſentificatus. v. *Clyſſus Vitrioli.*

Spir. Vitrioli Martis. Deſtillatur in Arena ex Vitriolo Martis calcinato. *In Obſtructionibus, Chloroſi, Rhachitide, &c. Doſ. gut.* 5. *ad* 15.

Spir. Vitrioli Philoſophicus. Fit ex Aqua in quam Butyr. Antimonii projectum fuit, exhalando ad tertias, & rectificando ſ. a. *Cephalicus eſt, Febrifugus & Ecphracticus. Doſ. gut.* 5. *ad* 15.

Spir. Vitrioli Tartariſatus. ℞. Vitrioli ad albed. calcinat. p. ii. Tartari ad nigred. calcinat. p. i. m. & conſperſa Spiritu Vini deſtilla ex Retorta, & rectifica ſ. a. *Egregias Vires exhibet ad Sudandum in omnibus internis Obſtructionibus, in Sanguine grumoſo, contra Scabiem, ad mundificandam & lævigandam Cutim. Doſ. à* ʒ i. *ad* ʒ ß. *cum brodio, aut vino, per tres auroras continuas, ſi libet.*

Stypticum Regis. Vitriolo ſoluto, filtrato, cum Acet. deſtill. præcipitato, edulcato & ſiccato, affunde Ol. Vitrioli, & deſtilla ex Retorta ad ſiccitatem. Caput mortuum digere cum Spir. Vini, filtra calide ac abſtrahe. Solve Salem in fundo remanentem cum quadruplo Aquæ per digeſt. & fiet Stypticum. *Uſus eſt internus & externus. Doſ. gut.* 10. *ad* 20. *&c. in omnibus Hæmorrhagiis.*

Succi Scorbutici. ℞. Succor. Cochlear. utriuſque, Beccabung. Naſturt. aquat. an. ℥xvi. Aurant. ℥xx. Sacch. alb. ℥xii. m. trajiciantur ſæpe per manicam Hippoc. ad claritatem rubicundam, Vini inſtar *Rubelli. Diu ſervari poſſunt in Lagenis vitreis ſi reponantur, & gratiſſi-*

miſa-

mi ſaporis ſunt . Doſ. coch. i. in omni Hauſtu Cereviſ. com. vel ℥iv. bis in die .

Suffimentum Hyſtericum . ℞. Aſæ fœtid. ℥i. Fol. rutæ M. i. Acet. opt. ℔i. coq. in Lagena ſtricti orificii ſ. a. *Calidus vapor (biante Ore , & Naribus) excipiatur ſæpius in die .*

Sulphur. Antimonii . ℞. Salis Tartari, vel abſinth. ℥iv. in Crucibulo fuſis inijice cochleatim Antimonii crud. pulveriſat. ℥i. fluere ſinatur ad horæ quadrantem , & effunde in vas æneum . Maſſa crocei coloris edulcetur crebris ablutionibus ſ. a. *Ciet vomitum . Doſ. a gr.* 5. *ad* 10. *cum Crem. Tartari purgat per ſeceſſum .*

Sulph. Antim. combuſtibile . Antimonium ſolutum menſtruo idoneo in Aquam projice : collige ſulphur , & Aqua calida ablue : vel (ſi videtur) per ſe ſublima ſ. a. *Doſ. cum viribus eadem , ut ſupra .*

* *Sulphur. Auratum .* Fit è ſcoriis à Regulo Antimonii liberatis , in Aq coctis & filtratis , præcipitando ſulphur cum Aceto, & abluendo. *Doſ. gr.* 5 *ad* 15 *In aliis Vomitum ante Sudorem , in aliis Sedem poſt Sudorem , movet . Mirè conducit Febribus tertianis & quartanis hora una ante Paroxyſmum . Peſti , Variolis , &c. modò ſtatim à concepto contagio , bis terve repetendo , ſæpe prævenit , vel felicius erumpere facit . Lui Venereæ proficuum eſt .*

Sulphur Vitrioli . Fit Solvendo Vitriolum in Aqua calida, guttatimque affundendo Ol. Tartari, ut præcipitetur ſulphur Vitrioli, quod edulcoratum exicca . *Confert Affectibus Pulmonum . Mundificat Plagas putridas . Cicatriceſque inducit . In Epilepſia , Vertigine , & Morbis Chronicis valde utile . Doſ. ad gr.* 15.

Sulphur Vitrioli Martiale . Ablue Fl. Sal. Armoniaci Martiatos ab omni ſalſedine, & calcina

ſ. a. *Idem facit cum ſuperiori; & prœterea Obſtru-ctiones reſerat. Doſ. etiam eadem eſt.*

Sulphur Vitrioli Narcoticum. ℞. Vitrioli p. ii. Martis Limat. p. i. Digere in Acet. deſtilla in Arenam ad ſiccitatem. Ex Maſſa rubra extrahe Tincturam ope Aceti deſtillati, filtra & præcipita Ol. Tartari. Tandem ſulphur in fundo edulca & ſicca. *Ex hoc fiunt Anodyna, Laudani nomine inſignita. Catarrhos ſiſtit, Dolores aufert*, &c. *Doſ. gr.* ii. *ad* vi. &c. *hora Somni.*

Suppoſitoria Aluminoſa. ℞. Alumin. Pulv. q. v. Albumin. Ovor. agitat. q. ſ. ut fiat Paſta, & exinde Suppoſitoria diverſæ magnitudinis & longitudinis, ſiccanda ad uſum. *Quorum unum Oleo illitum indatur pro re nata ad Alvum ſollicitandam in variis caſibus. Inſignis uſus in Colica.*

* *Suppoſitorium Hæmorrhoidale*. Fit ex Creta & ung. Populeo, ut f. Maſſa dura ſ. a. *Refrigerat, ſanguinemque ſiſtit Hæmorrhoidum.*

Syr. Alleluja. ℞. Succ. Lujul. ℔ ii ß. Aquæ Roſ. rub. ℔ ß. Sacch. opt. ℔ i ß. Digere in Baln. Mariæ dum fæces ſubſiderint; toties quoties.

Syrup. Ambroſianus. v. Decoct. Ambroſ.

Syr. Antiſcorbuticus. ℞. Fol. Pini rec. Cochlear. marin. Naſturt. aquat. Beccabung. an. p. æ. contuſa exprime ſuccos. ℞. Horum ℔ iii. Succ. Aurant. ℥ vi. clarifica exactiſ. cum album Ovor. adde Sacch. opt. ℔ ii. coq. ad conſiſt. Syr. ſ. a. *Cui refrigerato addi poſſunt Sp. Chochlear.* ℥ ii.

* *Syr. Balſamicus*. ℞ Balſam. de Tolu ℥ ii.

Aquæ

Aquæ Flor. Tuſſilag. ℥xii. coq. in vitro circulatorio exactiſ. lutato in Arena poſito per hor. 3. colat. frigidæ admiſce Sacch. albiſ. ℥ xx. ut f. Syr. ſine ope caloris. Eodem modo parari poteſt *Syr. Benzoini, de Styrace*, &c.

* *Syr. Benedictus*. ℞. Infuſ. Bened. ℥xii. Sacch. alb. ℥iv. exhala in Baln. Mariæ ad Syrupi conſiſt. ſ. a. *Doſ. coch.* 1. 2. *&c. pro Infantibus*.

* *Syr. Cardiacus auratus*. ℞. Aq. Chelidon. comp. ℔i. Sacch. opt. ℔ii. diſſolve ad lentum Balnei calorem, & adde Succ. Chermes, Syr. de Corall. comp. an. ℥ii. Fol. Auri Num. 20. M. ſ. a.

* *Syr. Chalybeatus*. ℞. Salis Martis ʒii. ſolve in Aquæ Gentian comp. ℥i. adde Syr. de Pomis alter. ℥ix. M. ſ. a. *Doſ.* ʒß. *ad* ʒiß. &c.

* *Syr. Chalybeatus alius*. ℞. Vin. Chalybeat. nr. comp. opt. filtrat. ℔ii. Sacch. opt. ℔i. exhala lento igne ad Syr. conſiſt. *Doſ. ut ſupra*.

* *Syr. Chalyb. Corallatus*. ℞. Raſ. Santal. r. ʒ iv. Sant. alb. Cinam. Corall. rub. an. ʒ i. macer. (obſignato vaſe) in Vini rubell. opt. ℔iß. ad Ciner. hor. 24. f. colat. clara, cui adde Sacch. opt. ℔ i. f. Syr. ſ. a. Tum adde Sal. Martis ad rubed. calcinat. (in Aqua Cydon. ſolut.) ʒß. M. *Valde Adſtringit & Roborat. In Fluxibus omnibus (præſertim Hepaticis) uſus eſt inſignis. Doſ.* ʒß. *ad* ʒi. &c.

* *Syr. de Croco*. ℞. Croc. Anglic. opt. ʒ ii. Lachrymar. ſtillantium ex capitibus Papaveris exotici ſupra laminam ferri ſiccat. & pul. ʒß. Sp. Vitrioli gt. 30. Aquæ Citri totius ℥viii. Digere in Baln. Mariæ ut extrahatur Tinctura, quæ filtretur exactiſ. Tum. ℞. Sacch. opt. ℥xviii. Aquæ Citri totius ℥vi coq. deſpumando ad Syr.

craſ-

craſsioris conſiſt. cui adde Tincturam prædictam, ut f. Syr. conſiſt. debitæ ſine coct ione. *Doſ.* ʒ i. *ad* ʒ iii. *&* *ultra*.

Syr. ad Fiſſuras. ℞ Gum. Arabic. ʒ ii. Sacch. Cryſtallin. ℥ ß. Aquæ Roſ. r. ℥ ii. coq. in Syrup. liquidiorem. *Remed. optatiſſ. in Fiſſuris Mammarum*.

Syr. Hæmoptoicus. ℞. Succor. Heder. terr. Plantag. Agrimon. Sedi major. Portulac. depuratorum, ad ℔ ß. Sacch. Roſat. duplum f. Syr. ſ. a. *Doſ.* ℥ ii. *cum Aquæ Lactis* ℥ vi. *ſingulis Auroris, & eadem quantitas hora Somni cum Aqua Rhœad.* ℥ iv.

* *Syr. Jovialis*. ℞. Limat. Jovis ℥ vi. Martis ℥ ii. infund. in Aquæ Font. ℔ vi. hor. 48. Tum adde Tamariſc. M. ii. Cort. Rad. Cappar. ℥ i ß Uv. paſſar. ℥ iv. Aniſ. ℥ i. coq. donec libræ 4. conſumptæ fuerint: f. colat. adde Sacch. alb. ℔ i. clarifica & coque ad Syr. conſiſt. *Doſ.* ℥ i. *quotidie manè cum Aquæ Lumbric. magiſtr.* ℥ ii. *Optimè valet ad Melancholiam Hypochond. Cachexiam, Chloroſin, Icterum, &c.*

* *Syr. Limacum*. ℞. Limac. hort. ante ortum Solis collect. è Teſtis ſuis exempt. & conciſ. ℔ i. Sacch. Cand. ſubt. pulveriſat. ℔ ß. M. & conjiciantur in manic. Hippoc. ut in cella defluant in Syrupum. Fieri & poteſt ex Limac. perforatis cum Teſtis, & Sacch. Cando. *Doſ. coch.* i. *ſing. horis, in Phthiſi, Tabe, &c.*

Syr. Lumbricorum. ℞. Lumbric. terr. rec. opt. mundat. ℔ i. Inde vitro orificii anguſtioris (benè operculo munito) & obvolvatur vitrum totum paſta ex Fl. tritici & Aqua facta, coq. in clibano cum panibus Piſtoris. Poſtea coletur Liquor, cui adde Sacch. opt. q. ſ. ut f. Syr. *Doſ.* ℥ i. *cum Chalybeatis, &c.*

* *Syr. de Myrrha*. ℞. Myrrh opt. ℥ v. Croc. ℈ iv. Hyſſop. Tuſsilag. an. M. iii. Cap. Veneris M. i. Sem. Bombac. ℥ i. Uv. paſſ. exacin. ℥ iii. coq. in Vini alb. ℔ i ß. ad med. colat. adde Sacch. opt. ℥ viii. coq. in Syr. conſiſt. ſ. a. *Pectoralis eſt*, *Aſthmaticus*, *Aperitivus*, *Emmenagogus*, *&c. Doſ.* ℥ i. *ad* ℥ ii. &c.

Syr. Peponicus. ℞. Carn. Pepon. matur. & rec. ℔ ii ß. inciſ. minutiſſ. adde Sacch. opt. pulveriſat. ℔ i. f. Strat. Supra Strat. in olla vitreata: ſtet deſuper Peponis carnem pondus 1. vel 2. librarum (hor. aliquot) ut f. Syr. in loco frigido ſ. a. *Doſ. coch.* 3. *bis in die cum Pulv. Haly* ℥ i. in *Phthiſi*, *Tabe*, *&c.*

* *Syr. de Peto*. ℞. Succ. Peti Anglic. ℔ iv. Oxym. ſimp. ℥ iv. Hydromel. ℔ i. M. & digere Dies iv. ut opt. defæcetur. Hinc decanta, iterumque digere ut ſupra, donec materia ab omni fæculentia depurata fuerit; adde poſtea Sacch. ℔ ii. & coq. in Syr. ſ. a. *Doſ. coch.* ß. *ad* ii. *per plures dies*. *Mira præſtat in Epilepſia*, *Tuſſi*, *Aſthmate*, *Catarrho Suffocativo*, *Phthiſi*, *Ventriculi Dolore*, *Viſu recuperando*, &c.

* *Syr. de Rapis*. ℞. Rapar. excort. in laminas ten. inciſ. ℔ iii. Sacchar. opt. pulveriſat. ℔ i. f. Strat. Sup. Strat. in vaſe fictili, ſtent in frigido ſimul cum pondere ſuperpoſito per hor. 12. f. colat. *Lenit acrimoniam Bilis ac aſperitatem Bronchiorum*, *Aſperæque Arteriæ*.

* *Syr. Sambucinus comp.* ℞. Bacc. Sambuc. matur. à ſtipit. liberat. ℔ i. Uvar. Corinthiac. mundat. inciſ. ℔ i. Fl. ſicc. Borrag. Bugloſ. Viol. Roſ. r. an. ℥ ß. Vini Rubelli ℔ i. coq. in clibano: colat. claræ adde Sacch. opt. an. & coq. in Syr. ſ. a. *Mieklethvv. Alexipharmacus*, *Cardiacus*, *&* *Uterinus eſt*, *Sudorem movet*, *&c.*

* *Syr. de Scammonio*. ℞. Diagryd. ʒ vi. Uv. paſſar. exacin. Sacch. alb. an. ℥ viii. Spir. Vini ℔ ii. coq. lento igne, aduſtulando ad conſumpt. dimid. f. colat. pro Syr. Cathartico. *Doſ.* ℥ß. *ad* ℥ i ß.

Syr. Sidereus. ℞. Tincturæ Ferri (quam vide ſuo loco) exactiſ. filtrat. ℔ ii. Sacch. opt. ℔ i. exhala in Baln. Mariæ ad conſiſt. Syr. ſ. a. *Longè efficacior eſt quàm Syr. Chalybeat. in Obſtructionibus*, &c. *Doſ.* ʒ ii. *ad* ʒ vi. &c.

Syr. de Sulphure. ℞. Hepat. Sulphuris ℥ ii. Vini Hiſpan. ℔ i. Digere Dies 3. & Vinum tinctum filtra. Tum ℞. Sacch. opt. ℔ iii. Aquæ Tuſſilag. ℔ i. coq. deſpumando ad conſiſt. craſſiorem. Poſtea (Tinctura prædicta addita) f. Syr. debitæ conſiſt. ſ. a. *Inſigniter confert ad Aſthma, Tuſſim, Phthiſin, Peſtem, &c. Doſ.* ʒß. *ad* ʒ i. &c.

Syr. Tolutanus magiſtralis. ℞. Balſ. de Tolu, de Meccha, vel ejus defectu Copaiva, Styrac. calamit. Benz. opt. Oliban. Maſtich. Myrrh. Ammoniaci granulati, Tacamahac. Gum. Elemi, Tereb. è Chio, Rad. irid. Florent. an. ℥ ß. Aq. Becchicæ ℔ i ß. coq. in vaſe circulatorio, (opt. clauſo) in Arena calida poſito hor. aliquot, colat. adde Sacch. albiſ. q. ſ. ut f. Syr. albiſſimus ſ. a. *Pectoralis eſt, Aſthmaticus, Phthiſicus*, &c. *Doſ.* ℥ ß. *ad* ℥ i. &c.

Syr. Vermifugus. ℞. Fol. Helleboraſtri rec. ℥ ii. Hagioſpermi ℥ i ß. Rad. Bryon. rec. ℥ ß. Abſinth. Roman. M. ii coq. in Aquæ Font. q. ſ. ad ℔ i. colat. adde Sacch. opt. ℔ i. & coq. ſ. a. *Doſ. coch.* i. *bis indies.*

† Ta-

T

* *Tabulæ Abſinthiacæ*. ℞. Sacch. albiſ. ℔ i. Aq. Abſ. q. ſ. coq. ſ. a. inſtillando Ol. ſtil. Abſ. gt. 60. & effunde in marmor. *Stomachicæ, Hepaticæ, Spleneticæ, &c.*

* *Tab. Amygdaloides*. ℞. Partium albar. Benz. opt. ℥i. Fl. Sulphur. ℥ii. Rad. irid. Flor. ℥i ß. Sang. Dracon. ʒi. Sacch. alb. ℥xii. Mucilag. Gum. Trag. in Aqu. Roſ. extract. q. ſ. f. Tabul. ſ. a. *In Aſthmate, Tuſſi, Phthiſi, &c. præſtantiſſimæ.*

* *Tab. de Angelicæ*. ℞. Rad. Angelic. rec. ad mollitiem coct. & per Setaceum traject. ℥i ß. Sacch. opt. ℥xii. Mucilag. Gum. Tragac. q. ſ. f. Tab. albiſſimæ. *Bezoardicæ, Cardiacæ, Traumaticæ, Emmenagogæ. &c.*

* *Tab. Antimoniales*. ℞. Ceruſ. Antimonii ex Regulo fact. ℥vi. Sacch. alb. ℥xii. cum Mucilag. Gum. Tragac. f. Tabellæ Scrupulares ſ. a. v. *Vires Electuar. Albi*.

* *Tab. Antiſynanchicæ*. ℞. Fl. Sulphur. ℥i. Sterc. Can. ſubt. pulveriſat. ℥iii. Sang. Dracon. ʒii. Ol. Aniſi gt. vi. Sacch. albiſ. ℥viii. cum Mucilag. Tragac. q. ſ. f. Tabellæ. *In Ulceribus Oris, Aphthis, &c.*

* *Tab. de Aurantiis*. ℞. Cort. exter. Aurant. Citri, Limon. Candefactor. an. ℥i. Confect. Aniſ. & ZZ. an. ʒiii. Galang. ℈ß. Caryoph. Num. 12. Nuc. M. condit. Num. 2. Aromat. Roſat. ℈iv. Amygd. decort. Rad. Eryng. candefact. an. ℥i. Pinear. Piſtach. an. Num. x. Moſch. Zibet. an. gr. 4. Ambr. griſ. ℈ i. Sacchar. alb. ℔ i ß. Mucil. Tragac. in Aqua Roſ. fact. q. ſ. ut f. Paſta, & ex-

& exinde Tabulæ ſ. a. *Antiſcorbuticæ*, *Cardiacæ*, *Carminativæ*, *&c.*

* *Tab. Burgeſianæ*. ℞. Glyc. rec. ℔ i. Decoct. Paſſular. Scabioſ. & Violar ℔ vi. Infund. per dies. 3. & coq. ad dimid. f. expreſsio, quæ exhaletur ad mellaginem: cui adde Sacch. cand. alb. pulveriſat. ℥xii. Gum. Tragac. pulveriſat. ℥ ii. Ol. Aniſ. gt. xx. Ambræ griſ. iii. contunde opt. ut f. Maſſa, ex qua formentur Tab. vel Rotulæ, ſ. a. *Becchicæ*, *Cardiacæ*, *&c.*

* *Tab. Cardialgicæ*. ℞. Cret. candid. ℥ii. Oc. Canc. ℥i. Nuc. M. ʒi. Sacch albiſ. ℥xii. Mucilag. Sem. Cydon. q. ſ. ut f. Tabulæ. *Titulus demonſtrat Vires*.

* *Tab. Carminativæ*. ℞. Sem. Dauci com. pulveriſat. ℥ i. Sacch. opt. in Decoct. Sem. Dauci com. ſolut. ℥ xii. coq. & effunde ſ. a. Aliter. ℞. Sem. Cardamom. craſ. pul. ℥i. Flaved. Cortic. Aurant. minutiſs. inciſ. ℥ ii ß. Sacch. opt. in Aqu. Roſ. cum tertia parte Aqu. Thymi ſolut. ℥ xvi. coq. & effund. ſ. a. *In Flatu optimum Remedium*.

Tab. Catharticæ. ℞. Diagryd. ʒ i ß. Crem. Tartari ʒvi. Ol. ſtil. Caryoph. gt. vi. Sacch. albiſs. ℥ iv. Mucilag. Gum. Tragac. in Aqu. Roſ. fact. q. ſ. f. Tabellæ ſ. a.

* *Tab. Dialthææ*. ℞. Pulveris Rad. Alth. ℥ii. Glyc. ℥i. Fl. Sulphur. ʒ vi. Gum. Tragac. ʒ ii. Sacch. opt. ℥ xii. Aq. Pectoralis q. ſ. f. Tab. ſ. a.

* *Tab. Diambræ*. ℞. Spec. Diambr. ℥ ß. Sacch. alb. ℥ viii. Aq. Cinnam. q. ſ. coq. ſ. a. *Cardiacæ*, *Cephalicæ*, *Stomachicæ*, *&c.*

* *Tab. Diatragacanthi*. ℞. Spec. Diatragac. frig. rec. fact. ℥ ß. Moſch. Ambr. griſ. an. gr. i. Zibeth. gr. 2. Sacch. opt. ℥ xii. Aq. Roſ.

Dam.

Dam. q. ſ. contund. in Maſſam; & f. Tab. albiſsimæ.

* *Tab. Divinæ*. ℞. Lact. Sulphur. viv. ℥ ii. Sacch. alb. ℥ vi. Mucilag. Cydon. q. ſ. f. Tab. drachmales. *In Hæmorrhoidibus curandis Arcanum eſt. Valent præterea in Scabie, Aſthmate, &c. Doſ.* Num. 3. *vel* 4. *bis vel ter in die.*

* *Tab. Embryonum*. ℞. Pulverum Rad. Biſtort. Ebor. Coral. r. Coriandr. præpar. an. ℥ ß. Succin. alb. Cryſtall. Bacc. Cherm. an. ʒ ii. Sacch. alb. ℥ xvi. Aq. Cydon. q. ſ. coque ſ. a. addendo Ol. Cinnam. gt. vi. & effunde. *Virium ſunt magnarum in Abortu præcavendo, Fœtu roborando, &c.*

Tab. Emeticæ. ℞. Stibii ſubtiliſs. pulverat. ʒ ß. Sacch. opt ℥ iv. Ol. Aniſ. gut. v. Mucilag. Gum. Tragacanth. q. ſ. f. Tabellæ. *Doſ. gr.* 16. *ad* 40.

Tab. Farfareæ. ℞. Fol. Tuſſilag. ſereno cœlo collect. & (abſterſa mucoſitate arida cum linteo madido, irrigando demum Vino Hiſpan. & exſiccando) pulveriſat. ℥ ß. Glyc. pulveriſat. ʒ ß. Sacch. cand. alb. ſubt. pulveriſat. ℥ xii. Gum. Tragac. in Decoct. Pector. ſolut. q. ſ. f. Tab. vel Troch. ſ. a. *Pectorales ſunt, efficaces in Tuſſi, &c.*

* *Tab. Fœniculinæ*. ℞. Sacch. opt. ℔ i. Aquæ Fœnicul. q. ſ. coq. ſ. a. inſtillando Ol. ſtil. Fœnicul. gt. 50. effunde ſ. a. *Ad Flatum, Colicam, &c.*

* *Tab. Griſeæ*. ℞. Ambr. griſ. ʒ i. Moſch. gr. vi. Alum. gr. ii. Sacch. cand. alb. pulveriſat. ℥ xii. Mucil. Gum. Tragac. in Aqua Menth. extract. q. ſ. f. Tabellæ. *Cerebrum & Cor confortant, Spiritus Naturales, Vitales, ac Animales mirificè reficiunt. Doſ.* ʒ i. ii. &c. *ter vel quater in die.*

* *Tab.*

* *Tab. Hæmoptoica*. ℞. Terræ Lemn. ℥ iii. Bol. Armen. ʒ ii. Lap. Hæmatit. Magiſt. Eboris, an. ℈ iv. Rad. Biſtort. Sem. Hyoſcyam. Cort. Limon. rec. minutiſ. inciſ. an. ʒ i. Sem. Papav. alb. ℥ ß. Rhodoſacchar. ℥ viii. Mucilag. Gum Tragac. q. ſ. f. Tabellæ. *Titulus virtutes indicat. Sumantur ſæpe in die.*

* *Tab. Helenii*. ℞. Pulp. Enul. rec. coct. ℥ i ß. Sacch. opt. ℔ i. Mucilag. gum. Tragac. in Aq. Hyſſop. exact. q. ſ. f. Tab. *Ad Tuſſes, Aſthmata, &c. valde conducibiles.*

* *Tab. Infantum*. ℞. Reſin. Chelop. ʒ i. Mercurii dulc. ſubt. pulveriſat. ʒ vi. Sacch. opt. ℥ iii. Mucil. Gum Trag. q. ſ. f. Tab. pondere ʒ ß. *Commendatur manè 2. 3. vel 4. ad Vermes.*

* *Tab. Lenthales*. ℞. Glyc. rec. ℥ viii. Aniſ. ℥ iv. Carui ʒ i. Aquarum Tuſſilag. Hyſſop. Praſſii, an. ℔ i. Infund. in Baln. Mariæ Dies 3. f. expreſſ. fortis, quæ ad mellaginem exhaletur; addendo Gum. Ceraſ. Arabic. an. ʒ ii. Tragac. ℥ ß. per dies 2. infuſ. in Aquæ Roſ. Dam. ℔ ß. Tum adde Sacch. opt. ℔ ii. Moſch. Ambr. griſ. an. gr. vi. Pulveris Glyc. ℥ ß. contunde opt. in Maſſ. & exinde f. Tab. vel Rotulæ, ſ. a. *Pectorales ſunt jucundæ.*

* *Tab. de Pipere*. ℞. Cinnam. ℥ ß. ZZ. ʒ ii. Piper. N. ℈ ii. Calam. arom. Mac. Nuc. M. an. ℈ ii. gr. v. Cubeb. Cardamom. min. an. gr. xv. Caryoph. Galang. Flaved. Cort. Aurant. crud. rec. an. ℥ ß Flaved. Cort. Citri crud. rec. ʒ i. Incide omnia craſſo modo, & adde Amygd. dulc excort. ℥ v. Cort. Citri condit. ℥ i. Sacch. alb. in Aqua Menth. ſolut. ℔ i. coq. & effunde ſ. a. *Cephalicæ, Stomachicæ, Carminativæ, &c.*

* *Tab.*

* *Tab. Prunellæ*. ℞. Lap. Prunell. ℥ß. Sacch. opt. ℥vi. Mucil. Tragac. q. ſ. f. Tab. *In Ore ſæpe tenendæ ad Sitim in Febribus*.

* *Tab. Roſaceæ*. ℞. Roſ. rub. exungul. ʒ vi. Gum. Arab. Tragac. an. ℥ß. Sacch. opt. ℥xvi. Aquæ Roſ. q. ſ. ut f. Paſta. Inde fiant Tab. vel Rotulæ, ſ. a. Addi poſſunt. Ol. Nuc. M. gt. aliquot. *In Catarrhis, Tuſſibus inveteratis, &c. proficuæ*.

* *Tab. Saponaceæ*. ℞. Sapon. Ven. opt. ℥iß. Glyc. ℥ii. Rad. irid. Fl. ʒvi. Fl. Sulphur. ℥ß. Rad. Angelic. ʒii. Ol. Aniſ. ℈ß. Sacch. opt. ℥ viii. Mucil. Tragac. in Aq. Hyſſop. fact. q. ſ. f. Tab. vel Troch. ſ. a. *In Empyemate, Phthiſi, &c. optimè valent. Expectorationem efficaciter promovent*.

Tab. Stomachicæ. v. *Pleres Archonticon*.

* *Tab. de Styrace*. ℞. Styrac. cal. colat. Pulp. Paſſul. min. an. ℥i. pulveris Glyc. ʒvi. Xyloal. Cinnam. an. ʒii. Nuc. M. ʒii. ℈ii Bol. Arm. ʒx. Nuc. Moſch. condit. ſiccat. ℥iß. Sacch. opt ℥ xx. Muccag. trag. q. ſ. f. Fabellæ. *Catarrhales, Pectorales, Cordiales, & Tabidis mirè conducibiles*.

* *Tab. Tartareæ*. ℞. Cryſtal. Tartari ſubtiliſ. pulveriſat. ℥i. Sacch. opt. ℥ viii. Mucil. Trag. q. ſ. f. Tabellæ, *frequenter in Ore tenendæ urgente ſiti*.

* *Tab. Vermifugæ*. R. Pulveris C. C. crud. Ebor. an. ℥iß. Corallin. ℥ß. Sacch. alb. ℥viii. Mucil. Tragac. q. ſ. f. Tab. ponderantes ſingulæ ʒß. D. num. 3. *bis in die*.

Tartarum Aceti. v. *Sal Aceti eſſentiale.*

Tartarum Antimoniatum. ℞. Crem. Tartari p. vi. Fl. Antimonii p. i. coq. in Aqu. filtra & exhala ad ſiccitatem. *Ecphracticum eſt, Diureticum, Diaphoreticum, & Febrifugum. Alvum laxat, cietque Vomitum. Doſ.* ℈i. ʒſs. *&c.*

* *Tartar. Chalybeatum.* ℞ Tartari loti ℔ i. Limat. Martis ℥ ii. coq in Aqu. ℔ viii. per momentum 1. vel 2. Traijce citò per manica Hip. agitando Liquorem; donec refrigeratus ſit: dein reſideat pulvis in fundo viridiuſculus, & ſiccetur. Vel, ℞. Crem. Tartari ℥ iv. Vitrioli Martis ʒ ii. coq. in Aqu. aliquantum, filtra & ad ſiccit. evapora ſ. a. *Utiliſſimum in Morbis Chronicis, ſc. Obſtructione Lienis, Quartanâ, Ictero, Cechexia, Hypochondriaca Paſſione, &c. Doſ.* ℈i. *ad* ʒi.

Tartar. Emeticum. ℞. Hepat. Antimonii, Crem. Tartari. an. p. æ. m. f. Pulvis. Digere in Aqua Manthæ, filtra ac evapora ad ſiccitatem. *Multò leniùs ac tutiùs operatur quàm Crocus Metallorum. Doſ. gr. 3. ad xii.*

Tartar. Laxativum. ℞. Crem. Tartari ℥ viii. Sal. Tartari ℥ iv. Aquæ Font. ℔ iii. coq. lento igne per hor. ſs. poſt frigefact. filtra & exhala ad ſiccit, ut fiat Sal album. *Doſ.* ℈ſs. *ad* ℈i. &c.

Tart. Vitriolat. Antimoniale. Fit addendo paulatim Tartaro Antimoniato Ol. Vitrioli q. ſ. ſiccando, in Aq. ſolvendo, filtrando & exhalando ad ſiccit. *Febrifugum eſt, Ictericum, Cachacticum, & Digeſtivum. Doſ. gr.* 15. ʒſs. &c.

Tart. Vitriolat. Emetico-purgans. ℞. Sal. Tartari fuſi ℥ viii. Vitr. Antimonii. ℥ i. probè miſce

in

in Crucibulo, effunde, Aqua ſolve, filtra & in Arenæ calore exicca, paulatim inſtillando Ol. Vitrioli q. ſ. & ſiccando : *Vires eaſdem obtinet cum priori. Purgat.* ἄνω καὶ κάτω. *Doſ. gr.* 3. *ad* 8. *&c.*

Terra Vitrioli dulcis. Fit ex Capite mortuo Olei Vitrioli ad Rubed. calcinato, aliquoties Aqua edulcando, donec terra rubra ab omni ſalſedine libera ſit : poſtea exicca. *Magnæ eſt efficaciæ in Dyſenteriis, Hæmorrhagiis, &c. Doſ.* ℈ß. *ad* ʒß. &c.

* *Teſtes Equi præparati.* E vivo Equo eximantur, incidantur, Vin. alb. abluantur; exiccentur citò & pulverentur. Eodem modo præparantur *Teſtes Apri Doſ.* ʒi. pro vice bis in die *In Epilepſia, Calculo, Penis dolore; Sterilitate. Mictione purulenta, &c.* Teſtes Equi *exhibentur in Colica, Utero ſtrangulato, Fœtu mortuo, Lochiis ſupreſſis, Partu difficili, &c. Doſ. ad* ʒi.

* *Tinctura Abſinthii.* ℞. Summit. Abſ. vulg. ſiccat. à ſtipit. liberat. ℥v. contuſis adde Alcoh. Vin. ℥xx. Digere in Baln. Mar. ad Dies aliquot, exprime fortiter : in Liquore infunde iterum alias Summit. Abſ. & exprime. Repet. opus ad tertiam Vicem. Dein filtra colaturam ſ.a. *Doſ. gt.* vi. (*Plus minus*) *in Hauſtu Vini, vel Cereviſiæ.*

Tinctura Ambræ. v. *Sp. Ambræ.*

* *Tinctura Amygdaloides* : ℞. Partium albar. Benz Styrac Calam. an. ℥i. Alcoh. Vin. ℔i. Digere ad ſolutionem, filtra & exhala ad dimid. *Pectoralis eſt, Catarrhalis, Aſthmatica, Nervalis, Sudorifica, &c. Doſ.* ʒ ii. *ad* vi. *&c.*

* *Tinctura Antim. Emetica* Extrahitur ex Vitro Antimonii cum Acet. deſtill. filtrando & ex-

halando ad ſiccitatem. Materiam in Aqua ſolutam, filtratam, iterumque ad ſiccitatem abſtractam digere cum Spir. Vini ad colorem rubicundum, ac filtra. Elici etiam poteſt Tinctura è ſcoriis Reguli Antimonij cum Spir. Vini digeſtis & filtratis. Vel, extrahe Tincturam ex vitro Antimonii cum Spir. Veneris rectificato; effunde ac abſtrahe in Alembico, non autem ad ſiccit totalem: Tum extrahe Tincturam cum Spir. Vini, quam filtra & exhala ad conven. ſpiſſitudinem. *Doſ. ad gt.* x.

Tinctura Antim. purgans. ℞. Vitr. Antimonij pulveriſat. ℥i. Spir. Vitrioli non rectificat. ℥ viii. Digere in Baln. Mariæ. Sic fit Tinctura nigropunicea. *Panchymagogum cenſetur in omnibus Morbis curandis, fortificat Ventriculum, Obſtructiones aperit, convenit Chloroſi, Cachexiæ* &c. *Doſ. à gt.* 6. *ad* 10.

Tinctura Armoniaci. ℞. Sal. Armoniaci ℔ ii. Limat. Martis ℔ i. M. opt. ſimul terendo, & deſtilla per Retortam per gradus. Serva per ſe Spir. Sal. Armoniaci. Martem in fundo hærentem pulveriſa, & frequenter Aqua affuſa edulcora. Poſtea adjectis Spir. Vini ℔ ii. digere tepidè Dies 8. effunde Spiritum, & novum affunde & digere per Dies 8. Dein abſtrahe in Baln. Mariæ Spir. Vini ℔ iii. ut una libra Tincturæ ſuperſit. *Egregiè præſtat in omnibus Obſtructionibus Hepatis & Lienis. Item in Melancholia Hypochond. Quartana, Cachexia, Hydrope, Morbo Virgineo, Scorbuto, Menſibus ſuperfluis, & retentis. Doſ. gut.* vi. *ad* xii. *in Liquore conven.*

Tinctura Aſæ fœtidæ. ℞. Aſ. fœtid. ℥ii. Alcoh. Vini ℔ i. extrahe Tincturam & filtra. *Uterina eſt, & Traumatica, & Splenetica. Doſ.* ℨ i. *ad* ℨ ii. &c. *in Liquore conveniente*.

* *Tinctura Aſthmatica*. ℞. Rad. Helen. irid. Florent. Sem. Aniſ. Carui, Glyc. an. ℥ ii. Fol. Cardui ben. M. ii. Uv. paſſ. exacin. ℔ i. Fol. Senæ mundat. ℥ vi. Aquæ Aniſ. ℔ vi. Digere Dies 4. & f. colat. *Doſ. coch.* 2. *h. ſomni*, 3. *vel* 4. *manè ſeq.*

* *Tinctura Aurea*. ℞. Pulp. Colocynth. à Semin. liberat. conciſ. & craſ. pulveriſat. ℥ i ß. Caryoph. Num. vi. Aniſ. ʒ i. Croc. ℈ ß. Spir. Vini ℥ xx. Digere ad menſem, & filtra. *Doſ.* ʒ ii. *ad* ℥ i ß.

Tinctura Bezoartica. ℞. Rad. Enul. Angel. Zed. Serpentar. Virg. an. ℥ i ß. Croc. opt. ℥ i. Myrrh. Cinam. Cort. Citri ſicc. an. ʒ vi. Fol. Scord. Rutæ, an. M. ß. Theriac. Androm. ℥ iii. Opii Thebaic. ʒ ii. Spir. Tartari rectif. ℥ xv. Spir. Vitrioli ℥ iii. Sp. Bacc. Sambuc. & Spir. Bacc. Junip. rectif. an. ℥ xviii. Digere ſ. a. ac filtra. Tum adde Sal. Succini ℥ i. Camphor. ʒ ii. Digere iterum ad uſum. *Doſ.* ʒ iii. *ad* ℥ i. &c. *in Peſte, Morbiſque omnibus Malignis. Spiritus inſigniter recreat*, &c.

* *Tinctura Cardamomi*. ℞. Sem. Cardamom. min. excort. & contuſ. ℥ iv. Alcoh. Vini ℥ xvi. Digere, exprime, ac filtra f. a. *Flatus potenter diſcutit, & Cerebrum confortat*. *Doſ.* ʒ i. *ad* ʒ iii. &c. *in vehiculo idoneo*.

* *Tinctura Carui*. Fit è Sem. & Alcoh Vini, omninò ut *Cardamomi*, *Idem facit cum priori*.

* *Tinctura Cathartica Ridglei*. ℞. Senæ opt. ℥ i. Caryoph. ʒ i ß. Croc. ʒ i. Vini Hiſpan. Chalybeat. ℔ i ß. Infunde Dies aliquot, exprime ac filtra. *Doſ cocb.* 2. 3. 4. *quotidie ad longum tempus, in Febribus obſtinatis, &c.*

* *Tinctura Ceruſſæ*. ℞. Ceruſſ. Ven. pulveriſat. ℥ iv. Camphor. ʒ ß. Ol. Tartari p. d. ℥ iii.

Acet. deſtill. ℥xvi. macer. in frig. filtra. *In Cutis fœditatibus, Inſtammationibus, Ambuſtis, &c uſus eſt.*

* *Tinctura Chamameli.* Extrah. ex Flor. ſiccis, & Alcoh Vini, uti *Abſinthii. Idem præſtat cum Tinct. carui.*

* *Tinctura Cochleariæ comp.* ℞. Martis Limat. mund. ℥iv. Salv. rubræ, Agrimon. an M. iii. Cochlear. marin. Fol. ſelectiſ. ℔ ii. Cochlear. hort. M. iii Abſ. com. Roriſm. an M. ii. Rad. Raphan. Ruſtic. ℥ iv. Incide minutiſ. & adde Vini alb. & V. Cherienſ. an. ℔ iv. Infund. per dies 3. & f. colat. *Doſ. ad* ℥ 4 *bis indies per dies* 20. 30. 40. *Ex deplorata Hydrope cum Scorbuto curati fuerunt multi præter ſpem; aliis plurimis fruſtra tentatis.*

Tinctura Corallii. Solve Corall. r. in Spir. Panis, filtra & evapora: exinde Tincturam extrahe cum Spir. Vini, filtra & exhala ad debitam conſiſt. f. a. *Cardiaca, Diuretica, Vermifuga, &c. Doſ. gut.* 30 40 *&c. in Liquore appropriato.*

* *Tinctura Ferri.* ℞. Baturæ Ferri mundat. ℥vi. Abſinth. Rom. M. i. Raſ. Eboris, Santal. alb. an. ʒiſs. Vini, Rubelli ℔ ii. macer. hor. 48. f. colat. quæ filtretur. *Longè efficacior habetur, quàm Vinum Chalybeatum, in omnibus Obſtructionibus, &c. Doſ. coch.* 2. *ad* 5. *&c. omni manè per longum tempus.*

* *Tinctura Guajaci.* ℞. Cort. Guajac. pulveriſat. ℔i. Ambr. griſ. gr. xv. Sem. Aniſ. Glyc. an. ℥ i. Spir. Vini ℔ iv. Digere & cola ad uſum. *Sudorem provocat. Optimè conducit in Lue Venerea curanda. Odontalgica eſt, Pulmonica, & Catarrhalis. Doſ.* ʒvi. *ad* ℥iſs. *&c.*

Tinctura Galbaneti. Extrah. ex Galbaneto *Senn.* cum duplo Tincturæ de Sale Tartari, circu-

circulando, ac poſtea ſeparando Oleum à Tinctura ſ. a. *Hyſterica eſt*, *Paralytica*, *Scorbutica*, *Emmenagoga*, *&c.* *Doſ. gut.* 10. 20. 30. &c.

Tinctura Hæmatites. Elicitur ope Spiritus Vini ex Lap. Hæmatit. cum Sal. Armoniaco ſublimato. *Uſus in Hæmorrhagiis omnibus ſiſtendis*. *Doſ.* ʒi. ii. &c.

* *Tinctura Hieræ*. ℞. Spec. Hier. ſimp. ℥ i. Coccinel. ℈ i. Vini Cherienſ. ℔ ii ß. M. & digere ſæpe agitando ad Dies aliquot, deinde filtra ad uſum. *Datur in Ventriculi dolore*, *Cachexia*, *Ructu*, *Vermibus necandis*, &c. *Ante Paroxyſmum Tertianæ*, *nec non Quartanæ exhibita*, *ſæpe curat poſt tertiam vicem*. *Doſ.* ℥ ii. *ad* iv.

* *Tinctura Juniperi*. Fit ex Rob. de Baccis ℥ i. Spir. de Baccis fermentatis ℔ i. digeſtis & filtratis ſ. a. *Doſ. coch.* 2. *ter in die*. *In Hydrope*, *Calculo*, *Colica*, *&c. ſingulare remedium*.

Tinctura Lunæ. v. *Luna potabilis*.

Tinctura Martis. Extrah. ex Flor. Sal. Armoniaci Martiati ope Alcoh. Vini ſ. a. *Eaſdem Vires obtinet*, *quas Tinctura Armoniaci*.

Tinctura Martis Aurea. ℞. Croc. Martis ℥ i. Spir. Salis ℥ iv. Infund. Dies 2 ſæpe agitando: dein adde Alcoh. Vin. ℥ iv. Digere tepidè Dies 3. vel 4 filtra, & erit Tinct. coloris aurei. *Doſ. ad gut.* 20.

Tinctura Martis Tartariſata. ℞. Tartari alb. pulveriſat. ℔ ii. Limat. Martis rubiginat. ℔ i. M. & coq. in vaſe ferreo in Aqu. Font. cong. ii. per hor. 12. agitando ſubinde ſpatula ferrea, & addendo pro re nata plus Aquæ bullientis. Poſt

reſident. debitam filtra liquorem ; & exhala ad ſpiſſitudinem convenientem ſ. a. *Doſ.* ʒ i. *ad* ʒ iii. &c.

* *Tinctura Melampodii*. ℞. Rad. Melampod. ℥ i ß. Calam. arom. ℥ ii. Galang. ℥ ß. Croc. ʒ i ß. Cardamom. min. ʒ iii. Vini Hiſpan. ℔ iv. macer. (vaſe clauſo) hor. 20. in loco tepido: poſtea in frigido Dies 4 5. 6. f. expreſ. & filtra. *Doſ cocb. 2. b. Somni, & 3. manè, ad dies aliquot. Uſus eſt inſignis in Capitis intemperie, Cephalalgia, Melancholia, Aſthmate*, &c.

* *Tinctura Meliſſæ*. ℞. Vini Rubelli cong. ii. Meliſſ. rec. M viii. deſtilla in Baln. Mariæ ad ſiccit. Aquæ deſtillatæ adde Fol. Melliſſ. parum ſiccat M viii. deſtilla per Alembicum ℔ iv: in Recipientem Lagenam Foliis Meliiſs. recentiſ. & ſelectiſ. integris repletam. Poſtea colat: admiſce Sacch. opt. ℥ ix. ſuſpendendo in nodulo Ambr. griſ. gr. v. Moſch. gr. 1. *Inſigniter Cardiaca eſt*.

* *Tinctura Mellis*. ℞. Mell. opt. ℔ ii. Arenæ mund. ſiccat. ℔ iii. Sp. Vini ℔ ii. Digere tepidè, filtra, & in Baln. Mariæ evapora ad Syr. conſiſt. *Exhibetur Phthiſicis pro Nutrimento. Doſ. coch. 2. vel 3. pro vice*.

* *Tinctura Myrrhæ*. ℞. Aloes opt. Myrrh. an. ℥ i. Alc. Vini ℔ i. Digere & filtra. *Vulneraria eſt inſignis, Aſtringit, Conſolidat, Exterget, Putredinem arcet, & Gangrænam præcavet*.

Tinctura Oculor. Cancrorum. ℞. Oc. Cancr. pulveriſat. ℥ iv. Acet. opt. ℥ xvi. extrah. Tinct. & filtra. *Doſ. coch. 2. ter in die, ad Ulcera, &c. curanda*. K. D. E. A.

Tinctura Odontalgica. ℞. Guajac. ℥ ii. Pyrethr. ℥ i. Malicor. Gallar. Sem. Hyoſcyam. Staphidiſagr. an. ℥ ß. Caryoph. ZZ. Piper. long.

Oli-

Oliban. an. ʒii. Opii . Camphor. an. ʒi. Peti Indici, Salv. Mentaſtr. an ℈ii. Spir. Vini ℔iii. Macer. & ſ. colat. *Tantillum de hac calidè in Ore teneatur, poſtea iterum expuatur, & reiteretur. v. Mynſicht.*

* *Tinctura Paralytica*. ℞. Pulveris Cantharid. ℥ii. Ammeos ʒvi. Alc. Vin. ℔ i ſs. extrahe Tincturam, quam cola. *Pro Membris Paralyticis fricandis.*

Tinctura Perlarum, ſit omnino ut Corallii.

* *Tinctura Piperis*. Fit ex Pipere n. & Alc. Vini, uti *Cardamomi*. *Vires habet piperis.*

Tinctura Potentialis . v. *Tinct. Paralytica.*

Tinctura Proprietatis. ℞. Aloes opt. Myrrh. elect. an. ʒvi. Croc. opt. ℥ ſs. in pulverem redactis adde Ol. Tartari p. d. ℥ii. Digere (vaſe clauſo) Hor. 24. dein adde Alcohol. Vini ℥xvi. Digere ac filtra ſ. a. *Eaſdem vires obtinet quas Elix. Propriet. dulce.*

Tinctura Regalis. (i.e.) *Spir. Ambræ.*

* *Tinctura Rhabarbari*. ℞. Rhab. opt. Glyc. an. ℥ii. Uv. paſſ. enucleat. Num 60. Aniſ. ℥i. Sacch. cand. ℥vi. Spir. Vini ℔ii. Digere ſ. a. f. colat. *Doſ. coch.* 2. 3. 4. *manè. In Ventriculi cruciatibus, &c. mira præſtat.*

Tin-

Tinctura Rhœados. v. *Spir. Rhœad. crap.*

* *Tinctura Roſarum* . ℞. Fl. Roſ. r. exungul. ℥ ß. Ol. Vitrioli gt. 30. Aqu. Font. calentis ℔ ii. ß. macer. ad Hor. 3. colat. claræ adde Sacch. cand. alb. ℥ iii. *In febribus refrigerativa* , *Hepatique confortativa* . *Coctionem juvat* . *Diarrhœis*, *Menſium fluxibus*, *&c. ſuccurrit*. *Doſ.* ℥ ii. *ad* iv.

Tinctura Sacra. v. *Tinct. Hiera*.

Tinctura Salutis. v. *Elix. Salutis*.

* *Tinctura Saſſafras* . ℞. Cort. Saſſafr. ℥ iv. Salv. ſicc. ℥ ii. Nuc. M. ℥ i. Cinam. ℥ ß. Ambr. griſ. ℈ ß. extrahe Tincturam cum Spir. Vini ℔ ii. ſ. a. *Doſ. coch.* ii. *Lenit Arthritidem Vagam*.

* *Tinctura Saturni* . ℞ Saturni laminat. q. v. extrahe Tincturam cum Spir. Saturni eſſentificato. Filtra ac abſtrahe ſ. a. *Apprimè conducit Maniæ* , *Melancholiæ* , *Quartanæ* , *Phthiſi* , *&c. gut.* i. *ad* 5. *&c.*

* *Tinctura Scorbutica* . ℞. Fol. Cochlear. Naſturt. aquat. an. M. i. Rad. Raphan. ruſtic. ℥ ii. Rhab. ℥ ß. Polypod. qu. ℥ i ß. Senæ ℥ i. Spir. Vin. ℔ ii. Infund. Dies 2. & ſ. colat. *Doſ.* ℥ i. *vel* ii. *omni manè cum Aqua Cochleariæ* . *Mirum eſt quantum lavaminis affert Hydropicis ac Scorbuticis*.

* *Tinctura Serpylli* Fit ex herba floreſc. ſicc. & Alcoh. Vin. eodem modo quo *Abſinthii* . *Diuretica*, *Hyſterica*, *Stomachica*, &c. *Doſ. gut.* 5. *ad* 15. *&c.*

* *Tin-*

* *Tinctura Stomachica* . ℞. Spec. Hier. ſimp. ℥i. Coccinel. ℥i. Spir. Vini ℔ii. Digere ac filtra ſ. a. *Doſ. Coch.* 1. 2 3. *ante Paſtum, in Stomachi cruditatibus aut dolore . Si exhibetur ad* ℥iii. *hora dimid. ante Parox. per* 3. *vel* 4. *vices, efficaciſſimè curat Tertianam : interdum & Quartanam*.

* *Tinctura Succini* . ℞ Succin. alb. ſubt. pulverat. ℥iv. Alc. Vini ℔i. Digere ad ſolutionem Succini. Decanta, filtra, & tertiam partem abſtrahe in Baln. Mariæ *Cephalica eſt, Hyſterica, Colica, Nervalis, &c. Doſ.* ʒi. *ad* ʒiii. &c.

Tinctura Sulphuris . ℞. Hepat. Sulphuris ℥ii. Spir. Vini ℔i. Digere ac filtra. Extrahi etiam poteſt ope Spiritus Vini ex Balſ. Sulphuris Terebinthinato in Mar. Baln. ad ſiccit. cocto. *Valde Pectoralis. Doſ. ad gt.* xii.

Tinctura Veneris . Extrah. ope Spir. Vini ex Fl. Virid. Æris p. i. Sal. Armoniaci p. ii. in Crucibulo ſupra ignem mixta ſ. a. *Præſtantiſſima habetur in Epilepſia, Paſſione Hyſterica, &c. cum Liquir. conven. exhibita*.

* *Tinctura Virginiana* . ℞. Rad. Serpentar. Virg. pulveriſat. ℥ii. Tinct. Salis Tartari ℥xvi. extrahe Tincturam per digeſt. ſ. a. *Alexiteria, Cardiaca, Sudorifica, Scorbutica* &c. *Doſ.* ʒi. *ad* iii. &c.

* *Torquis Infantum*. Fit ex Rad. Pæon. mar. & Hyoſcyam recent. in fruſtula rotunda ſectis, in medio perforatis, filoque ſeriatim appenſis : qui ſindone circumvolutus, circa collum geſtetur Dentitionis tempore. *Dentitionem facilitat, & Convulſiones præcavet*.

* *Tragea Granor. Actes* . ℞. Succ. Bacc. Sambuc. matur. q. v. Farin. Secalin. q. ſ. ut ſ. Paſta, exinde ſ. panes exigui, quos coque in clibano addu-

ad duritiem Biſcocti. Hos pulveratos cum rec. Succo iterum impaſta, atque (ut prius) coque, idque tertiò repete. Tandem f. Pulv. ſubt. cujus ſing. unciis adde Nuc. M. ʒi. *Doſ. ad* ʒi. *cum vitello Ovi, ad Dyſenteriam, Menſes immoderatos, &c.*

* *Trochiſci Pectorales*. ℞. Extract. Glyc. ℥ß. Amyli ℥iß. Moſch. Zibeth. an. gr. iii. Ol. aniſ. gt. xii. Sacch. alb. ℥xii. Mucil. Gum. Tragac. q. ſ. f. Troch. *Titulus vires indicat.*

* *Turundæ Acouſticæ*. ℞. Galb. Pic. Naval. an. ʒii. Helleb. alb. pulveriſat. ℈v. Zibet. gr. vi. M. divid. in part. 8. vel 10. forma inſtar Caryophyllorum, ſindone rariſſ. involvendas; filo ad extremitates majores appenſo, ut ex aure evelli poſſint. *Inſurditate optimum Remed.*

V.

* *Vinum Arthriticum*. ℞. Sarſaparill. Guajac. an. ℥i. Viſc. querc. ʒvi. Fol. ſicc. Chamædr. Chamæpit. Salv. an. ℥iii. Fl. Primul. veris, Roriſm. Lil. conval. an. ℥ß. Hyperic. ʒvi. Vini alb. ℔x. infund. Dies 3. f. colat. *Doſ.* ℥ii. *bis in die per Dies* 30. *aut* 40. *poſt uſum Vini ſeq.*

* *Vinum Arthriticum purgans*. ℞. Chin. Sarſapar. an. ℥ii. Polypod. ℥iii. Rhab. Senæ, an. ℥i. Chelop. ʒvi. Caryoph. ʒi. Vini alb. ℔vi. Infund. ſ. a. & cola. *Doſ.* ℥iv. *quotidie per Dies* 8. *Vere & Autumno.*

* *Vinum Chalybeatum*. ℞. Limat. Martis crud. ℥viii. Rad. Eryng. Enul. an. ℥iß. Santal. citr. ℥i. Coral. rub. Raſ. Ebor. an. ʒvi. Caryoph. Mac. Cinam. ZZ. an. ʒiii. Ceterach. Anth. Fl. Geniſt. Epithym. an. p. ii. Vin. alb. opt. ℔vi. Macer. in Mar. Bal. Dies 8. ſæpe agitando, poſt

poſt reſidentiam filtra ad uſum. *Doſ: coch. 3. ad 6. &c. Omni manè ad dies 20. 30. &c. in Chloroſi, Hydrope, Ictero, Menſibus obſtructis, Quartanis*, &c.

* *Vinum Ecphracticum*. ℞. Lumbric. terr. vivent. circulis in collo ſignatos Num. 24. contund. in mortar. marmor. cum Uv. Corinth. mund. ℥iv. addendo Vini Rhen. ℔ iii. Cryſtall. mineral. (in Vino Rhen. ſolut.) ℥ ß. f. colat. limpidiſſ. ſæpe trajiciendo per manic. Hip. *Doſ.* ℥iii. *ter in die cum Aq. Cinnam. hord.* ℥ i. *Diureticum eſt nobile*.

Vinum Hippocraticum. ℞. Caryoph. ZZ. an. ℥ i. Cinam. Nuc. M. an. ℥ ii. contuſis adde Vin. Hiſpan. ℔ xii. Sacch. albiſ. ℔ iii. ß. m. cym Lactis rec. ℔ ii. ß. ſtent. hor. 24. f. colat. deſuper Limon. i. inciſ. & Roriſm. virgultas duas, ſæpe per manic. Hipp. trajiciendo ad claritatem. *Doſ.* ℥iii. *vel* iv. *in Languoribus*.

Vinum Hydropicum. ℞. Rad Irid. noſtrat. ℥i. Enul. Scillæ præp. an. ℥ ß. Marrub. M i. Cort. Rad. Sambuc. Ebul. an. ℥i. Fol. Senæ ℥ i. ß. Agaric. ʒii. ZZ ʒi. Vin. alb. ℔ iv. infunde ſ. a. f. Colat. *Aliter*. ℞. Cinerum Geniſtæ & Juniper. an. ℥i. Vin. Rhen. ℔ iii. f. lixivium, cui adde Rad. Ireos noſtrat. ℥ i. ß. cort intern. Sambuc. & Ebuli an. ℥i. Cort. dulcamar. ℥ ß. Rhab. ʒii. Mechoac. ℥ ß. Senæ ℥i. Sem. Carui ʒvi. Cort. Saſſafr. & Winteran. an. ℈iv. infunde tepidè per noctem: colat. adde Sacch. alb. ℥iv. Fl. Roſ. Dam. M ii. ſtent aliquantiſper, & denuò cola. *Doſ.* ℥iii. &c. *Omni manè per dies aliquot*.

* *Vinum Scelotyrbicum*. ℞. Fol. Acetoſ. Beccabung. Naſturt. aquat. Cochlear. hort. an. M iii. Rad. enul. Ireos noſtrat. Raphan Ruſtic.

ſtic. an. ℥iß. Sem. Cochlear. ℥i. Vini albi ℔iv. macer. per Dies 2, & f. colat. *Titulus monſtrat vires.*

* *Vinum Viperinum.* ℞. Viperas fœmellas vivas tempore verno collectas Num. 6. Vini Hiſpan. opt. ℔vi. macer. (vaſe opt. clauſo ſine calore per menſes 6. dein cola ad uſum. Sunt, qui macerant Viperas excoriatas, rejectis interaneis, Cauda ac Capite) in Vino Hiſpanic. per Dies aliquot. *In Lepra Græcorum, Elephantiaſi, Sterilitate, Peſte, &c. Doſ.* ℥iii. *vel* iv. *bis inde, ad longum tempus.*

Vitriolum Camphoratum. ℞. Vitrioli calcin. ℥vi. Camphor. in Spir. Vini ſolut. ℥i. m. & lento igne Spiritum indè abſtrahe ſ. a.

Vitriolum Lunæ. Fit ex Luna in Spir. Nitri ſolut. coagulando & cryſtalliſando ſ. a. Dicitur & *Cryſtallum Lunare & Magiſt. Lunæ. Doſ. gr.* 2. *ad* 6. *&c. In Hydrope, Capitis morbis, ut Epilepſia, Hemicrania, &c. proficuum. Leniter purgat; & nonnunquam Vomitum ciet. Ex hoc fieri ſolent cum micis panis mixto Pil. Lunares.*

* *Vitriolum Martis.* ℞. Alcoch. Vini ℥iv. Ol. Vitrioli ℥ii. ſerva ſimul in vaſe ferreo ad Dies 15. vel ad ſiccitatem. *Doſ. gr.* 2. *ad* vi. &c. *in Obſtructionibus.*

Vitriolum Veneris. v. *Flores Viridis æris.*

* *Unguent. Albuminum.* Fit miſcendo exactiſ. Ol. Roſ. ℥ii. cum Album Ovor. ℥iv. ſ. a. *Ad Ambuſta, Inflammationes, &c. optimum Remedium.*

* *Ungent. Antipyreticum.* ℞. Sterc. Anſer. rec Ol. Oliv. an. ℥iv. Ung. Dialth. Ol. Roſ. an. ℥.

Aquæ

Aquæ Nivis ℥ viii. coq. lento igne ſ. a. colat. adde Camph. ʒ i. m. *Valet. opt. in Ambuſtis, &c.*

* *Unguent. de Aurantiis*. ℞. Poma Aurantia rec. ſed immatura & viridentia in pulpam cum Cortic. contuſa Num. 6. Fol. Lauri M iv. Salv. Acetoſ. Calend. an. M ii. Succi Naſturt. aquat. ℔ ii. Butyr. rec. ℔ ii. coq. ad Succor. conſumpt. f. expreſ. fortis; cui adde recentia folia Lauri, & Salviæ contuſa; Cinnam. ℥ i. Nuc. M. ℥ ß. coq. iterum ad herbarum putrilag. & f. expreſſio. *In Scabie, Pruritu, &c. inſigne.*

* *Unguent. de Betonica aquatica*. ℞. Fol. Beton. aquat. Acetoſ. an. M. vi. contuſis adde Butyr. rec. ℔ ii. coq. ad herbar. ſiccit. f. expreſſio. Repet. coctio ter foliis rec. Colat. adde Sulphur. viv. ſubt. pulveriſat. ℥ ii ß. Ol. ſtil. Cort. Aurant. ʒ i. M. f Ung. ſ. a. *In Prutitu, Scabie, &c.*

* *Unguent. Cephalalgicum*. ℞. Ung. Alabaſtrin. Roſat. an. ℥ ii. Opii ʒ i. Croc. ʒ ß. Ol. Nuc. M. ʒ i. m. f. Ung. *Pro Temporibus ac Fronte inunguendis.*

Unguent. Crinificum. ℞. Ladan. ℥ vi. Axung. urſin. ℥ ii. Mell. crud. ℥ ß. Pulveris Abrotani ʒ iii. Ciner. Rad. Arundin. ʒ i ß. Ol. Nuc. M. ʒ i. Balſ. Peruan ʒ iii. m.

Unguent. Depilatorium. ℞. Calc. viv. ℥ iv. Auripigment. ℥ i ß. Rad. irid. Fl. ℥ i. Nitri, Sulphur. an. ℥ ß. Lixiv. fortiſſ. ℔ ii. coq. ad conſiſt. debitam: adde Ol. Caryoph. gt. xx. m. f. Ung. ſeu Pulmentum.

* *Unguent. Digitalis*. ℞. Butyr. Majal. ℔ iii. Flor. Digitalis rec. contuſ. quot infarciri poſſunt. Inſolentur Dies 30. deinde coq. ſ. a & f. expreſſio. *Pro Locis affectis Scrophuloſis inungendis. Nil æquale.*

* *Un-*

* *Unguent. Faciale*. ℞. Camph. Sulphur. Viv. an. ʒ ii. Pomat. ℥ ii. Diaſinap. fortiſ. colat. ℥ i. Ol. Rhodii gt. 4. m. f. Ung. *Ad Faciei ruborem curandum, præmiſſis univerſalibus.*

* *Unguent. Familiare*. ℞. Butyr. Majal. ℥ vii. Ceræ, Reſin. an. ℥ iv. Mell. crud. ʒ x. Farin. ʒ vi. m. ſ. a. *Calfacit, Humectat, Laxat, Emollit, Diſcutit, Abſtergit, Lenit, Concoquit, & Digerit. Uſus eſt familiaris in Paronychiis, ac Pernionibus ſubitò curandis. Ulceribus Pedum Scorbuticis mirè auxiliatur.*

* *Unguent. ad Fiſſuras*. ℞. Myrrh. ZZ. Lithargyri Lunæ, an. ℥ i. Mell. ℥ iv. Ceræ ℥ ii. Ol. Roſat. ℥ vi. M. ſ. a. Pro ditioribus addi poteſt Ol. Rhodii gt. xii. Fol. Auri Num. x. *Aliter*. ℞. Bol. Armen. Myrrh. Ceruſ. an. ʒ ii. cum Axung. Anatis q. ſ. f. ung. *Citò curat.*

* *Unguent. ad Foveas*. ℞. Ol. Amygdal. dulc. ℥ ii. Sperm. Ceti ʒ iii. Ol. ſtil. Rhodii gt. iv. M. f. unguent. ſ. a. *Ad foveas Variolarum delendas preſtantiſſimum eſt unguentum. Dolorem lenit, Acrimoniam tollit, &c.*

Unguent. Fuſcum. ℞. Colcothar. & Phlegm. Vitrioli, an. ℥ i. Aceti Chelidoniati ℥ i ſs. Flor. Viridis Æris ʒ v. v. Mell. deſpum. ℥ iii. f. Ung. ſ. a. *Mundificativum optimum in Vulneribus & Ulceribus.*

* *Unguent. Hæmorrhoidale*. ℞. Buryr. Majal. rec. ℔ iii. Sambuc. Flores & Geniſt. rec. qu. infarciri poteſt contuſos. Inſolentur per menſem. Dein agitentur, & ſub terrà defoſſa ſimul putreſcant per menſem. Poſtea coq. ſ. a. & f. expreſſio. *Aliter*. ℞. Pulveris ſuberis combuſti ʒ i. Camph. ℈ ii. Opii, gr. vi. Ung. popul. ℥ i. ſs M. *pro Loco affecto.*

* *Unguent. Herpeticum*. ℞. Calc. viv. Auripig-

ment.

ment. an. ℥ i. Tartari, Salis nigr. Sapon. com. an. ℥ii. Ol. Sambucin. q. ſ. ut ſ. Unguent. ſ. a. *Inunge locum percptime, maneat deſuper hor. 24. ſuperveniet cruſta, removenda Unguent albo.*

* *Unguent. ad Lumbricos.* ℞. Fol. Abſinth. vulg. Menth. Tanacet. Rutæ, Porri, Jugland. an. M. iii, Sabinæ M. iv. Helleboraſtri M. vi. contunde probè cum Sem. Santon. ℥ ii. Rad. Bryon. rec. ℥ iv. Colocynth. Aloes, an. ℥ ii. Fellis Taurin. ℔ i. Butyr. rec. inſulſ. ſ℥v. Vini alb. ℔ii: coq. lento igne ad Vini & Succor. conſumpt. f. expreſſio.

Unguent. Ophthalmicum. ℞. *Butyr. Majal.* ℥ iv. Ceræ alb. ℥ i. liqua, & laua ſæpius cum Aq. Roſ. dein (effuſa aqua) adde Lap. Tutiæ præp. ℥ſ. Camph. ℈ ii. M. f. Ung.

* *Unguent. Paregoricum.* ℞. Ceræ ℥vi. Tereb. ℥ iv. Mell. ℥ iii. Farinæ ℥iſ. Ol. Roſat. Unguent. Hæmorrhoidal. an. ℥ iv. Liqueſcant ſ. a. ut f. Unguent. *Ad Perniones curandas egregium.*

* *Unguent. Piperinum.* ℞. Pulveris Enul. Fl. Sulphuris, an. ℥ ii. Piper. n. ℥iſ. Ung. Roſat. ℥ xvi. Ol. Rhodii ℈ ii. M. f. unguent. *Ad Scabiem, Pruritum, &c. Elegantiſſimum.*

* *Unguent. Soleare.* ℞. Rad. Allii contuſ. ℥ iv. Axung. ℥ viii. coq. ad Succi conſumpt. f. expreſſio: adde Croc. pulveriſat. ℥i. Spir. Salis ℈ii. M. f. Unguent. *Pro plantis Infantum inungendis, ad Tuſſim, &c.*

Unguent. Sympatheticum. ℞. Ol. Roſar. Bol. Armen. an. ℥ i. Ol. Lini ℥ ii. Axung. Humanæ, Uſneæ Cranii Hominis interempti pulverat. an. ℥ii. Mumiæ, Sanguin. Human. an. ℥ ſ. f. Ung. ſ. a. *Unguento hoc ſanantur omnia Vulnera, ungendo Telum, quo Vulnus inflictum*

 fuit,

ſuit, quotidie ſemel, ſi vulnus ſit magnum; alioquin ſecundo vel tertio quoque die inunxiſſe ſufficit. Telum ſervetur in linteolo mundo, & loco non nimis calido, nè damnum inferatur Patienti.

* *Unguent. Virilitatis.* ℞. Mell. deſpum. Ol. Nuc. M. per expreſſ. an. ℥ß. Pyreth. Piper. n. Cubeb. an. ℈ß. Zibet. ℈i. Moſch. ℈ß. Balſ. Peruvian. ʒi. m. ſ. a.

Vomitorium Aluminis. v. *Serum Aluminatum.*

Uvæ paſſæ & Corinth. purgantes. v. *Paſſulæ Laxat.*

Finis Pharmacop. Bateanæ.

ARCANA GODDARDIANA:

Ex autographo Autoris *Jonathanis Goddardi*, M. D. Celeberrimi Collegii Medicorum *Londinenſium* nuper Socii, atque in Collegio Greshamenſi *Medicinæ* Prælectoris, deſumpta.

Aqua Abſinthii comp. ℞. Cort. Extern. rec. Limon. ℔ i ß. Aurant. ℔ i. Summit. Abſinth. ſicc. Cort. Winteran. an. ℔ ß. Flo. Chamæmel. ℥ iv. Cardamom. min. in capſulis, Caryoph. Cubebar. Schœnanth. an. ℥ i. Cinnam. Nuc M. Sem. Carui, an. ℥ ii. Spir. Vini, cong. i ß. Aq. font. (vel Aq. Abſinth. ſecunda ex aqua fœcibus affuſ. deſtillat) cong. iv. ß. Infund. per 3. dies, & dein deſtilla in Bal. Mariæ ad ſiccitatem.

Aqua Alexiteria. ℞. Bacc. Junip. ℔ iii. Zed. Myrrh. Sem. Angel. an. ℥ ix. Dictamn. Cret. Rad. Serpentar. Virg. an. ℥ vi. Croc. ℥ i ß. Spirit. Vini, cong. ii ß. Aqu. Proalexit. cong. 4 ß. Infund. calidè per dies 3. dein deſtilla in Baln. Mariæ ad ſiccit. Alexiter. ſecunda ex fæcibus cum Aqua ſimp. & poſtea Aqu. Alexiter. part. æq admiſc.

Aq. Chamameli comp. ℞. Summit. Abſinth. ℥ viii. Fl. Chamæmel. N. M. an. ℔ i. Spir. V. cong. i. Aq. ſimp. cong. vi. Infund. per dies 3. & deſtilla in Baln. Mariæ ad ſiccitatem.

Aqua Cochleariæ comp. ℞. Cochlear. hort. modios iii. vel ℔ xxx. Rad. Raphan. Ruſtic. in taleolas ten. inciſ. ℔ vi. Aqu. ſimp. cong. iii. Infund. calidè per hor. 24. & deſtilla ad extract. cong. iii. Aquæ.

Aqua Cordialis. ℞. Cort. ext. rec. Limon. ℥ iv. Aurant. ℥ iii. Cinnam. ℥ ii. Nuc. M. Macis, Calam. arom. Coriand. an. ℥ i. Cubeb. ʒ vi. Caryoph. Sem. Carui, Cardamom. in capſulis, an. ℥ ß. Croc. ʒ ii. Spir. Vin. ℔ vi. Aq. font. ℔ xii. Infuud. ac deſtilla ſ. a.

Aqua Lenitiva. ℞. Ficuum, Rad. Alth. an. ℔ ii. Glyc. Irid. Flor. an. ℔ i. Fl. Sambuc. ſicc. ℥ iii. Infund. in Aq. Font. cong. v. & adde Styrac. Cal. ℥ iii. Nuc. M. ℥ ii. Sem. Aniſ. Fœnic. d. an. ℥ ß. in Spir. Vini ℔ vi. infuſorum. Ol. Amygd. amar. ℥ vi. Digere & deſtilla in Alemb. ſ. a.

Aqua Pectoralis. ℞. Ficuum ℔ vi. Rad. Enul. Glyc. an. ℔ iii. Irid. Flor. ℔ i ß. Sem. Aniſ. Fœnic. d. an. ℥ i. Spir. Vini cong. ii ß. Aquæ Propectoralis (vel Aq. ſ. & poſtea Aq. Propector. æq. part. admiſcend.) cong. iv ß. Infund. calidè per dies iii. & dein deſtilla ad ſiccitatem.

Aqua Propectoralis. ℞. Botryos, Tuſſilag. Heder. terr. an. ℔ vi. Marrubii, Puleg. Hyſſop. Roriſmar. an. ℔ iii. Aq. ſ. cong. xii. Infund. calidè per dies iii. & dein deſtillentur in Alemb. ſ. a.

Aqua Proalexiteria. ℞. Jugland. virid. ℔ xxxv. vel Num. 400. Rad. rec. Petaſit. ℔ xii. Imperator. ℔ iv. Valerian. Helen. Flor. rec. Calendul. Herb. rec. Scord. Meliſ. Centaur. min. an. ℔ vi. Abſinth. Rutæ an. ℔ i ß. Aq. ſimp. cong. xviii. Infunde calidè per dies iii. & dein deſtillentur in Alemb. cum Roſtro Spirali ad omnimodam virium extractionem, cavendo ab empyreumate.

Aq. cong. xii. minimùm, } Prodeant.
cong. xv. plurimùm, }

Balſam. magis comp. ℞. Balſ. de Tolu, Co-

paiv.

paiv. Myrrh. Croc. Nuc. M. a. ℥ ii. Maſtich. Guajac. Ammoniac. Tacam. Caran. an. ʒ i. Tereb. è Chio ℥ ß. Ceræ flav. ℥ i. Ol. Hyper. ℥ vi. Aq. Roſ. r. ℥ ix. Liquetur primò Cera cum Ol. dein addantur Tinctur. & exhaletur Spir. Vini, tandem adde Aq. Roſ. quæ poſt refrigerationem, pertuſo foramine, liquefiat, & in aliud vas commodum effundatur, & uſui ſervetur.

Balſam. minus-comp. ℞. Tereb. è Chio ℥ ii. Ol. Hyper. ℥ iv. Ceræ flav. ʒ vi. Aq. Roſar. ℥ vi. f. Balſ. eodem modo quo ſuperiùs.

Electuar. Antepidemicum. ℞. Rad. Contrayerv. ℥ iii. Valerian. Imperator. Zedoar. an. ℥ i ß. Sem. Angel. excort. Dictamn. Cret. Myrrh. an. ℥ i. Rad. Serpentar. Virg. ℥ ß. Croc. ʒ iii. Opii ʒ ii. (vel ut ℥ i. contineat gr. ii. opii,) Pulp. Bacc. Junip. Vino Hiſpan. extract. ℥ xii. Vin. Hiſpan. q. ſ. ad ſolvend. Myrrh. & Opium, Syr. Antepidemic. q. ſ. f. Electuar.

Empl. de Minio comp. ℞. Minii ℔ ß. Ol. Oliv. ℔ i. coq. ad nigred. continuè agitando; adde colophon. ℔ ß. Fit etiam cum Ol. Lini.

Empl. de Minio compoſ. aliud. ℞. Minii ℥ iii. Ol. Oliv. ℥ vi. coctis adde Cinnabar. ℥ i. m.

Extract. Catarrhale. Fit ex Tincturis ad Extr. Panchymag. conficiend. eadem proportione commiſtis, quibus addit. Tinct. Opii ea proportione, ut ʒ ß. contin. Opii gr. i.

Extract. Hypnotic. ſeu Laudan. R. Opii p. x, Nuc. M. Croc. an. p. ii. Caſtor. p. i. Extr. cum Spir. Vini ſ. a.

Extract. Lenitivum. ℞. Aloes, Jalap. an. ℥ vi. Rhabarb. Senæ, an. ℥ xii. extrah. Tinctur. cum Spir. Vini rectif. quibus admiſceantur Centaur. min. Gentian. Abſinth. Myrrh. Fl.

 Cha-

Chamæm. Ammoniac. Nuc. M. Croc. an. ℥ ii. Caſtor. ℥ i. Aſæ fœtid. ℥ ß. extrah. ad debit. extracti conſiſtentiam.

Extract. Panchymagogum. ℞. Aloes, Jalap. an. ℥ vi. Rhab. Senæ, an. ℥ xii. Scammon. ℥ i. Helleb. N. Turpeth. an. ℥ iii. extrah. Tinctur. cum Spir. Vini rectif. quibus adde Gentian. Centaur. min. Abſinth. Myrrh Fl. Chamæmel. Ammoniac. Nuc. M. Croci, an. ℥ iii. Caſtor. ℥ i ß. Aſæ fœtid. ʒ vi. extrah. ad debit. conſiſt. ſ. a.

Infuſio Aperiens. ℞. Fl. Sambuc. Summit. Geniſt. an. p. iii. Centaur. min. p. ii. Summit. Abſinth. vulg. Fl. Chamæmel. an. p. i. Aq. Puleg. Hyſſop. Menth. Raphan. comp. an. ℥ iv. Infund. calidè per hor. iii colat. adde Tinct. Croci ʒ ß. Syr. de Succo Aurant. ℥ i ß. M. *Doſ. coch.* vi. *bis in die.*

Julap. Aperiens minus-comp. ℞. Aq. Cinnam. Abſinth. magis-comp. Cochlear. comp. Syr. de Ammoniac. an. ℔ i ß. Aq. Amygd. amar. ℔ x. m. & addit. Sal. Martis ʒ vi. in Aq. Flor. Sambuc. triplo pondere ſolut. per reſidentiam clarificetur.

Julap. Aperiens magis-comp. Superioribus addantur Abſint. Fl. Chamæm. an. ℥ x. Nuc. M. Croc. an. ʒ vi. Caſtor. ℥ ß.

Laudan. v. *Extr. Hypnoticum.*

Laudan. Liquid. v. *Tinctur. Opii.*

Spiritus Simplices. v. *Aq. deſtillata cum Spir. Vini.*

Spir. Salis Armoniaci. ℞. Solutionis Sal Armon. Solutionis Tart. cum Nitro calcinat. an.

p. æ.

p. æ. in] Aq. Simp. Miſceantur & deſtillentur in Baln. Mariæ in vaſis vitreis vel ſtanneis.

Spir. Raphan. comp. ℞. Sal. Armon. Tart. cum Nitro calcinat. a. p. æ. ſolvantur in Aq. Abſinth. comp. ſine Spir. Vini deſtillat. & Aq. Cochlear. comp. an. p. æ. miſceantur ſolutiones & deſtillentur in Baln. Mariæ in vaſ. vitreis vel ſtanneis.

Syrup. Antepidemicus. ℞. Rad. rec. Petaſit. ℔ i. Fol. rec. Scord. ℥ vi. Rutæ ℥ ii. Infund. per triduum in Succ. Jugland. virid. ℔ iv. adhibito leni calore: colat. per reſident. claræ adde Sacch. albiſs. pondus duplum, F. Syrup.

Syrup. Guajaci comp. ℞. Guajac. ℥ iv. Nuc. M. ℥ ß. Saſſafr. ʒ ii. Sacch. alb. ℔ iv. in Aq. Guajac. ℔ ii. ſolut. coq. leniter ad deſpumationem.

Syr. Hypnotic. Pectoralis ℞. Sacch. alb. ℔ iv. Aq. Fl. Aurant. ℥ xvi. Aqu. Roſ. Dam. ℥ viii. liquentur in Syrup. cui adde Nuc. M. Croc. an. ʒ ii. Laudan. liquid. q. ſ. ut Syrupi ℥ i. Opii puri gr. i. contineat, miſceantur & coq. leniter ad deſpumationem. *Aliter*, cum Aq. Fl. Sambuci, & Roſ. Dam. an. ℔ i. addit. Caſtor. ʒ i.

Syr. Martis. ℞. Sal. Martis (in Aq. Amygd. amar. ℥ iii. ſolut.) ℥ i. adde Syr. Fl. Sambuc. ℔ vi. miſceantur. adde Gum. Ammoniac. ʒ vi. Summit. Abſinth. Fl. Chamæm. Cinnam. Nuc. M. Croc. an. ʒ iii. Caſtor. ʒ i ß. coq. leniter ad deſpumationem.

Syr. Pectoralis Balſamicus. ℞. Myrrh. Benz. Styrac. Tacamah. Maſtich. Ammoniac. Tereb. è Chio, Olib. Gum. Elem. Balſ. de Tolu, Copaiv. an. ℥ ii. Croc. ℥ ß. Glyc. ʒ vi. Aq. Pector. ℔ iv. Sacch. albiſ. ℔ viii. Quibus in Aq. ſolutis addantur reliqua, permiſceantur, & coq. leniter ad deſpumationem.

Syr. Hypnotic. Balſamicus. Fit cum additione Laudan. liq. ea quant. ut Syrupi prædict. ℥i. contineat Opii gr. i.

Syr. Terebinthinæ comp. ℞. Tereb. ℥xiii. Maſtic. ℥i. Nuc. M. ℥ß. Syr. Roſat. ℔vi. M. & coq. leniter ad deſpumationem.

Tinctur. Amara comp. ℞. Centaur. Min. ℥v. Gentian. ℥iv. Fl. Chamæm. ℥iii. Abſinth. ℥ii. extrah. cum Spiritu Vini.

Tinctura Cordialis. Paratur ex Aq. Cordiali Succo granor. Kermes ſaturè impregnata.

Tinctura Opii; ſeu Laudan. liq. R. Nuc. M. Croc. an. p. ii. Caſtor. p. i. Spir. Vini q. ſ. deſtillentur; Spiritus tenujor ſufficit. ideoque poſſunt duæ vel tres partes Aq. ſ. ad unam Spiritus pro Menſtruo addi. Spiritus qui imprægnetur Opio in eo ſoluto, ut ſaturè fieri poteſt.

Unguent. Hæmorrhoidale. ℞. Ol. Roſ. ℥iß Emp. de Minio ℥i. Ceræ alb. ℥ß. liquatis adde Æthiop. mineral. ʒii. Opii ℥ß. Croc. Nuc. M. Fl. Chamæmel. an. ʒi. Syrup. Roſat. ℥i. Leni calore exhaletur humiditas & miſce ſ. a.

Aquæ deſtillatæ Simplices.

Aq. Amygdal. amar.
Bellid. major.
Euphragiæ.
Pæon. ex toto.
Papav. errat.
Aq. Pulmonar. Querc.
Roſar. Dam.
Roſar. rubr.
Sambuc. Flor.

Aquæ deſtillatæ cum Spiritu Vini, ſeu Spiritus Simplices.

Aq. Aniſi.
Aſæ fœtidæ.
Aurant. cort.
Cinnamomi.
Fœnic. dulc.
Guajaci.
Junip. Bacc.
Lavend. Flor.
Limon. Cort.

Aq. Menthæ.
Nucis moſch.
Opii.
Papav. errat.
Papav. alb.
Papav. nigr.
Rutæ.
Saſſafras.
Succini.

Tincturæ cum Spiritibus propriis, vel Spiritu Vini paratæ.

Tinct. Abſinthii.
Amara ſimp. i. Abſinthii.
Ambræ griſeæ.
Ammoniaci.
Agelic. Sem.
Antemetica. i. Menthæ.
Antepileptica. i. Lavend. Flor.
Anticolica. i. Junip. Bacc.
Anti-hydropica. i. Jalapii.
Antimelancholica. i. Ellebor. utriuſque.
Autiſcorbutica. i. Winterani.
Aſæ fœtidæ.
Aurant. cortic.
Balſam. Copaiv.
Balſam. Tolutani.
Benzoini.
Calefaciens, i. Caryophyllor.

Tinct.

Tinct. Calida major. i. Cardamomi.
Calida minor. i. Cubebarum.
Carannæ.
Cardamomi.
Cardiaca. i. Croci.
Cardiaca reſtring. i. Cinnamomi.
Caryophyllorum.
Caſtorei.
Caphalica. i. Salviæ.
Cephalic. Cordial. i. Nucis Moſchatæ.
Chamæmeli Flor.
Chinæ.
Cinnamomi.
Cœleſtis. i. Angelic. Sem.
Contra Iliacam. i. Chamæmel. Flor.
Contrayerva.
Codial. Antepidem. i. Contrayerva.
Corroborans. i. Limon. cort.
Croci.
Cubebarum.
Ellebori utriuſque.
Exonerans. i. Scammon.
Febrifuga. i. Schœnanthi.
Galbani.
Gambodiæ.
Glycyrrhizæ.
Gratiſſima. i. Thymi citrini.
Guajaci.
Hypnotica. i. Opii.
Jalapii.
Juniperi Bacc.
Lavendul. Flor.
Limon. cort.
Maſtiches.
Menthæ.
Moſchi.

Tinct.

Tinct. Myrrhæ.
Nucis moſchatæ.
Nutritiva. i. Chinæ.
Olibani.
Opii.
Papav: errat.
Pectoralis. i. Glycyrrhizæ.
Peruviana.
Quartanaria. i. Peruviana.
Rhab. Abſinthit. fit cum Aq. Abſ. comp.
Rubra. i. Papav. errat.
Rutæ.
Salviæ.
Salv. Abſinthit. Fit cum Aq. Abſ. comp.
Scammonii.
Schœnanthi.
Senæ Abſinthit. extrah. cum Aq. Abſ. comp.
Serpentar. Virgin.
Stomach. Cordial. i. Aurant. cort.
Styracis.
Succini.
Sudorifica. i. Serpentar. Virg.
Sudorif. min. i. Valerianæ.
Tacamahacæ.
Terebinth. è Chio.
Thymi citrini.
Valerianæ.
Winterani.

Syru-

Syrupi Simplices.

Quorum alii ex Tincturis parantur; alii ex Aquis deſtillatis, cum Saccharo ſ. a.

Syr. Ammoniaci.
Anti-hydropicus. i. Jalapii.
Aſæ Fœtidæ.
Aurant. ex Aq. Flor. p. i. Sacch. opt. p. ii.
Balſamic. min. i. Copaiv. vel de Tolu.
Benzoini.
Copaiv.
Carannæ.
Contemperans. i. Maſtiches.
Exonerans. i. Scammonii.
Fœtidus. i. Aſæ fœtidæ.
Galbani.
Hyſtericus. i. Galbani.
Jalapii.
Jovis. i. Ammoniaci.
Maſtiches.
Myrrhæ.
Olibani.
Odorat. min. i. Benz. & Styracis.
Pectoral. ſimp. fit ex Aqu. Pector. Flor. Sambuc. Roſ. Dam. & Saccharo ſ. a.
Roſar. Dam. ex Aqu. deſtillat. } p. i. Sacch. opt. p. ii.
Roſar. rub. ex Aqu. deſtillat. }

Syr.

Syr. Roſ. odorat. fit, addendo Moſch. & Ambr. griſ.
Sambuc. Flor. ex Aq. deſtillat. p. i. Sacch. opt. p. ii.
Sapientum. i. Myrrhæ.
Scammonii.
Styracis.
Ad Tuſſim. i. Olibani.
Uterinus. i. Carannæ.

FINIS.

Ortho-

Orthotonia Medicorum

OBSERVATA

In quibuſdam Dictionibus ;

Apud Pharmacopœos pleroſque

(*Vel ex ignorantia, vel mera conſuetudine*)
Malè pronunciari ſolitis.

Carmina quæ interſeruntur, excerpta ſunt è *Borrichio & Ricciolo*, quos videas citantes hâc in re Authores approbatos.

A

Abbātis Diarrhŏdon.
Abiētis lignum.
Acbillēa herb.
Aconītum.
Adōnis flos.
Ælurŏpus. herb.
Æthiŏpis. herb.
Alabaſtrīnum ung.
Alectorolŏphus.
Alcĕa. herb.

Alcŏhol. Vini.
Aloeohangĭnæ Pil.
Alȳpum. herb.
Amarăcus. herb.
Ambarum.
Amōmi Sem.
Amygdalīnum Ol.
Anacardīna nux.
Anagȳris. herb.
Anătis. axungia.

An-

Androsăce. herb.
Anemōne. herb.
Anethĭnum oleum.
Anĭme gum.
Anodȳnum Ung.
Anthĕra Roſarum.
Anthōræ Radix.
Anthirrhīnum. herb.
Apozĕma---εμα
Apozȳnum. herb.
Arbŭtus.
Ardĕa. Avis.
Arĕgon. ung. ηγὸν:
Arisărum. herb.
Ariſtolochīa.
Armĕna Bolus.
Armeniăca mala.
Asbeſtĭnum linum.
Aſpalāthum lignum.
Aſphodĕlus. herb.
Athanasĭa herb.
Attăgen, avis

Nomina *ad Abbatem* Siculum tranſmittit, & ille. Solus *Acchillĕo* tollere more poteſt.
Semper *Adoni*, mei ———
Æthiopum populus nigrum traxiſſe colorem.
Agaricŭmque Aſarumque potens, Aloen. *Aconitum*.
Τῶν ἄλλων οἴνων μετ' ἀμύμονα Χῖον ἄλυπον.
Italiæ locos ubi mollis *Amaracus* illum.
O Dea, & *Ambareos* mundus reſpirat odores.
Pingueſcat nimio madidus mihi crinis *Amomo*.
Fertur *Amygdalinæ* ſuccus nucis eſſe bibendus.
Per cæcas latebras *Anagyris* mittit, & acri.
Latipedemque *Anatem* cernens excedere pento.
— Vaſorum, ſuper hæc Anemone.
Dulce fatis humor, depulſis *Arbutus* hœdis.
Urbis & ipſa ſuis deplangitur *Ardea pennis*.
Herba puerperii vel *Ariſtolochia* ſecatur.
Daphnis & *Armenias* curru ſubjungere. Tigres.
Aſphalathum, Gallum, Elleborum, nigrumque Bitumen.

Ra-

Radix *Aphodeli* calefactat.——
Non *Attagen* Jonicus. *Jambic.*

B

Bacchăris. herb.
Balanīum Ol.
Balſamĭne. herb.
Barbarĕa. herba.
Bardāna.
Benzoĭnum.
Bombācis ſem.
Bombycĭna lana.
Buniăs--ădis.
Byſsĭnum linum.

Errantes hederas paſſim cum *Bacchare* tellus.
Balſamines folium committit glutine vulnus.
Nunc furtiva lucri fieri *Bombycina* poſſunt.
Bunias & rapum decorantur viribus iiſdem.
Τοσσὸν καὶ γλυκερῆς σπέρματα βουνιάδος.
Vina, Unguenta, leves tunicas, & *Byſſina* Vela.

C

Camphŏra. καμφορά
Cancămum gum.
Cannabĭnum Oleum.
Canthări, inſecta.
Caphūra. καφουρά-
Capparīnum Oleum.
Capreŏlus, animal.
Carbasĭnum linum.
Cardamīne. herb.
Carlīna. herb.
Caryĭnum Oleum.
Caryocoſtĭnum.
Caſtor--ŏris.
Cathĕter. στιρ inſtrum.
Caucălis. herb.
Centaurīum. herb.
Chalcītis. χαλκῖτις.
Chamæmelīnum Ol.
Chamæmŏrus.
Chamæpĭtys.
Chebūlæ myrob.
Cheirĭnum oleum.
Cholagŏga potio.
Chryſolĭthus.
Chryſopraſus, lapis.
Chryſomelīnum Ol.
Cinăra radix.
Cinnabăris.
Citrīna cera.
Clemătis daphnoīdes.

Cly-

Clyſtêres ῆρες.
Coccĭna veſtis.
Colchīcum, herb.
Colcōthar.
Colutĕa, τέα herb.
Corallīna.
Corallĭnum Arcanum.
Coronŏpus, Rad.
Coſtīnum. Oleum.
Cotylēdon. herb.
Cratæogŏnon-γονον.
Crocĭnum Oleum.
Cryſtallīnum ſacchar.
Cumīnum. Cymīnum.
Crucūma κούρκουμα.
Cuſcūta. Caſsūtha.
Cyăni. flores.
Cyclămen-īnis. Rad.
Cynorrhŏdi conſ.
Cynosbāti conſ.
Cypēri Rad.
Cyprīnus lapis.
Cytĭni flores.

Cannabinas nutrit ſylvas quam commodo noſtro.
Carbaſinum, ac ſpatiis geminata monilia colli.
Caſtoreas ſiliquas bis ſex perquirere cura.
Καυκαλίδας, σμὶ δ' αὖ θὰ βάλοις φιμωδέα μύρτα.
Abrotanique graves & triſtia *Centauria*.
Cadmia, *Chalciti*, Chalcantho, Chalco & aduſto.
Ardua *Morus* erat gelido contermina fonti.
Artemidiſque̅ *Chamæpityoſque*, atque Achrados herbæ.
Per juga *Chryſolithi*, poſitæque ex ordine gemmæ.
Chryſophraſo, & ſidus ſaxis ſtellantibus addit.
Hiſpida ponatur *Cinăra*, & quæ dulcis Jaccho.
Ἄλλοτε κλήμασι ὀσσοῦσαν ἐν ὄξει ῥύπτεο τέφρῃ.
Coccina famoſæ donas, & Janthina Mœchæ.
Et poſuere inter virgulta *Corallina* cippos.
Porrò *Coronopodis* radix aſtringit & aret.
Friget & abſtergit *Cotyledon* atque reſolvit.
Et *Crocino* nares myrrhinus ungat onyx.
Sic Aretinæ violant. *Cryſtallina* teſtæ.
Ordine ſub primo *Cuſcuta* caleſcit, & aret.

Tranſeat inſtabiles ſtrenua *Cyaneas.*
Cyperum, Ladanum, Sagapenumque & Tragacanthum.

D

Daphnīnum Oleum.
Diacurcūma.
Dianūcum.
Diaphœnīcum.
Diaphorēſis. χσι
Diarrhŏdon Abbātis.
Dioſpȳros. herb.
Diphrȳges.
Drepax-ăcis.
Dryoptĕris. ερὶς.

Corpore de patrio parvum *Phœnică* renaſci.
At *Diphryges* valde deſiccat ——
Pſilothro faciēmque lavas, & *Dropace* calvam.

E

Ebĕnum lignum.
Empyēma ημα.
Enēma. εμα.
Epilīnum herb.
Epūlis. ἐπελίς.
Eranthĕmum. θεμα.
Erica. herb.
Errhīnum.
Erythrodănum.
Exoſtōſis ωσις.

Fert *Ebenum*: Solis eſt Thurea virga Sabæis.
Calfacit & ſiccat, ſeu clamat amaror, *Erica.*
Α᾽μβροσίαν ὑπὸ ςῖγα ἐκάςω θῆκε φέρεσα.

F

Faginus.
Febrifuga potio.
Figulīnum Vas.
Formīca.

Poſt vario nitens ſub pondere *Faginus axis.*
Parvula nam exemplo eſt magni *Formica* laboris.

G

Gagătes.
Glaucīnus color.
Glottĭdes, aves;
Gratiŏla. herb.

Naſcitur in Lycia lapis; & prope gemma *Gagates.*
Pallida donabit, *Glaucina*, Coſme, tibi.

H

Halĭmus. herb.
Hedychrŏi Troch.
Hedysărum herb.
Heliochrȳſon. herb.
Helleborīne. herb.
Herba Parĭdis.
Hierobotăne. herb.
Hippolўthus lapis.
Hippopotămi dens.
Hippūris. ἵππουρις.
Hormīnum.
Hydragōgus. ὠγός
Hypecōnum: herb.
Hyperĭcum.

Μάγματος Ἡδυχρόου τ' ἔσσον ἐφελκόμενον.
Horminum ſiccat mediocriter atque caleſcit.
Οὐρίνου τ' ὀπέρκον, ἠδ' ὑσσώπου ὀροδάμνους.

I

Jacĕa herba.
Janthўnus color.
Jaſmўnum Oleum.
Illecēbra: herb.
Intŭbus, *Intŭbum*.
Irўnum Oleum.
Isătis herb.
Jujŭbæ.
Jujūbўnus Syr.
Juniperinum Ol.

Coccina famoſæ donas & *Janthina* mœchæ.
Illecebris erat, & grata novitate morandus.
Intuba, jam teneris frondens lactucula fibris.
Nectit *Iſatis* agrum, vel florea regna Priapi.

L

Labdănum. Ladănum.	Lentiſcĭnum lign.
Lagōpus. herb.	*Leucoïum.*
Lampsăna. herb.	*Leucoinum. Ol.*
Lapis Armēnus.	Leucogrăphis. herb.
Lapis Lazūli.	Libanōtis. ωτίς.
Lathȳris. herb.	*Lithanthrăces.*
Laurīnum Ung.	*Lumbrīci.*

Cyperum, *Ladanum*, Sagapenumque & Traga-
cantum.
Si mens aurita pendet *Lagopede* Flaccus.
Aut herbæ ſuccum, *Lathyris* quæ nomine fertur.
Καὶ ῥόδον, ἠδ' ἴα λεπτὸν ἀεὶ σπερμοῖον ἄεξα.
—— Λιθανθρακες αἰθομένοιο.
Lumbrici quoque terreſtres miſcentur Olivo.

M

Macropĭper.	Melĭnum ſem.
Malabăthrum.	Melopĕpo. πέπον.
Martăgon. herb.	Melopepŏnis ſem.
Maſtiche.	Miclĕta. ετω.
Maſtichīnæ Pil.	Mumīa.
Melīa terra.	Myosōtis. ωτις.
Melicrătum.	Myrrhĭnum Ol.
Melĭnum Oleum.	Myrtīnum. Ol.

Maſtichis addentur fractæ jam molliæ ferra.
Rugarum ſulcos lentiſci *Maſtiche* tendens.

N. Nar-

N

Narciſsīnum Ol.
Nardīnum Oleum.
Nenūphar.
Nenupharīnum Ol.
Nepĕta. herb.
Nervīnum Ung.

Sive apio *Nepetas* tereti cum Maſtiche junges.

O

Ocȳmum, ocĭmum.
Oesypus.
Omphacīnum Ol.
Onobrȳchis, herb.
Opălus, lapis.
Ophioſcŏrŏdon. herb.
Ophthalmīa. morb.
Ornithogălon. herb.
Oppopănax-acis.
Origănum.
Oſȳris. herb.
Oxălis-ĭdis.
Oxycrătum.
Oxyrrhodīnum.

Ocyma præterea, bulbive linuntur amari.
Oeſypa quid redolent, quamvis mittantur Athe-
nis.
Βεβρύχως, κόνιος ———
Expirant autem *Panaces*, Abſinthia tetra.
Cumque hoc abſumi debebit *Origanus* herba.
Siſtraque erunt, nunquamque ſatis quæſitus *Oſȳris*:
Ἀ'γκτιον, Ὀ'ξαλίδας τε καὶ ὀμμερόεντα λάκαφον.

P

Pampĭni folia.
Papaverīnum Ol.
Parūlis. morb. ουλις.
Pepŏnis Sem. ωρός.
Perdicis Fel.
Periclymĕnum. herb.
Periplŏca. herba ουα.
Petroſelīnum.
Peucedănum.
Phellodrys. δρυς.
Philanthrōpus ωπος.
Phyllītis herb.

Platănus. arbor.	Praſinus color.
Piperīnum Ol.	*Priāpus.*
Polygăla. herb.	Propŏlis--ειτω.
Polygonatum.	Pſilōthrum.
Polygŏnum. herb.	*Ptiſăna.*
Polytrĭchum.	Pylōrus πυλωρός.
Pomphŏlyx. ῦγος.	Pyrĕthrum. εθρον.
Potamogīton. είτων.	

Heu male tum mites defendat *Pampinus* uvas.
Lepra, Elephantiaſis, Cancer, Gangræna, *Parulis.*
Seu fel *Perdicis* parili cum pondere Mellis.
Φύλλα τε κασσκέντα Περικλυμένοιο φέρουσα.
Peucedanumque ſonat flammis, Erycinaque Thapſos.
Jamque miniſtrante *Platanum* potantibus umbram.
Ηλασε τοῦ δ' αὐτοῦ λύτο γούνατα, καὶ φίλον ἦτορ
Helleſpontiaci ſervet tutela *Priapi.*
Pſilothro nitet aut acida nitet oblita Creta.
Frumentum, Milium, *Ptiſanamque*, fabamque ſolebas.

R

Raphanus.	*Ricinus.* com.
Reſina.	*Rubrīca,* ochra.

Semine vel *Raphani* permiſto dulcia melle.
Reſinam Veneto nec reſecare luto.
Sanguine ſeu *Ricini*, quem Bos geſtaverit ante.
Calfacit & ſiccat bina ſub claſſe *Ricinus*;
Exceptio ſiquid Maſuri *Rubrica* notavit.

Sam-

S.

Sambucīnus Syr.
Sampsūchum.
Sampſuchinum Ol.
Sandarăcha.
Sandȳcis emp.
Sangusūgæ.
Santalinum cerat.
Sapphirīna Aqua.
Sardŏnix. ὄνυξ.
Saxifrăga.
Scariŏla.
Schœnoprăſon.
Securidăca, herb.
Scorīum.
Serapīnum gum.
Sſeſamīnum Ol.
Sasămum.
Sinapinum olèum.
Sisări Radix.
Smilax-ăcis.
Sophīa Chirurgorum.
Storăx ăcis.
Strobīlus.
Strobilina reſina.
Styrăcis Pil.
Styracīnum Ol.
Sycomōrus arbor.

Nataque jam veniant hilari Sampsūcha canopo.
Galbana, *Sandaracham*, Sampſuchum, ——.
Interdum Libico fucantur *Sandyce* pennæ.
Marte ſatos ſcires, timor abſuit ubera *Sugunt*.
Cunctæ *Saxifragæ* deſiccant atque caleſcunt.
Σκόρδιον, καὶ [illegible]
Seſamon at leviter calet: occluditque meatus.
Ductor cujus erat præfectus *Siſara* turmis.
Et crocon in parvos verſum cum *Smilace* flores.
Cum tibi ſit *Sophiæ* par fama & cura Deorum.
Aut *Styracem* torres, aut diri Vulturis alam.
Non *Storace* Idæo flagrantes picta capillos.

T

Taraxăcum.
Tetănus morb.
Thalaſsĭna.
Tragopōgon. ώγων.
Tribŭlus aquat.
Trichomānes.
Tripŏlis. τρίπολις.
Tryphĕra. -- ϛερα.

Hinc tuſſis, ſpaſmus, *Tetanus*, Dyſpnœa, Catarrhus.
Auro includuntur, teriturque *Thalaſſina* veſtis.
Semina jacta legunt, lolium, *Tribuluſque* fatigant.

V.

Vagĭna
Venĕtus ſapo.
Vernix-ĭcis.
Veronĭca.
Vesĭca.
Vicĭa.
Umbilīcus.
Vomĭca morb.
Urăchus.
Urēter -- ēris.
Urēthra. --- ηθρα.
Uſnĕa.

Vagina tectus, quem cum diſtringere coner.
De praſino conviva meus, *Venetoque* loquetur.
Calfacit & ſiccat *Veronĭca*, fugatque tumores.
Nam, diſploſa ſonat quantum *Veſica*, pepedi.
Aut tenues fœtus *Viciæ*, triſteſque lupini.
Et Phthiſis, & *Vomicæ* putres, dimidium crus.

Z.

Zeopȳrum.
Zibēthum.
Zizȳpha-Jujūbæ.
Zythogăla.

Πυρὸν ἐρεπτομένῳ παρὰ πύελον ἢ χι πάρος περ.
Ἠ νδ' ἐπιθρομβωθῇ νεαλὲς γάλα τεύχεϊ γαςρός.

Non

Non fuerit hìc forſan ſupervacaneum, Regulis duabus generalibus, quàm plurimis, in pronunciandis dictionibus, difficultatibus mederi.

Regula prima generalis.

Adjectiva in *inus* a rebus animatis ſenſitivis deducta; item, Nomina Cognationum, item propria & Gentilia penultimam producunt: ut, Caro *agnīna*; pinguedo *anatīna*; ſtercus *equīnum*; Syr. *Byzantīnum*; ſena *Alexandrīna*; manna *Calabrina*, &c.

Regula ſecunda generalis.

Adjectiva in *inus* à Rebus non animatis, (vid.) plantis, lapidibus, aliiſque materialibus; (qualia ſunt permulta à Græcis vocibus formata:) item, Adjectiva ab Adverbiis temporalibus, aut Subſtantivis quatuor Anni tempora notantibus, derivata, penultimam corripiunt: ut *Acanthinus*, *Amaracĭnus*, *Cedrĭnus*, *Cypreſsĭnus*, *Faginus Glaucĭnus*, *Adamantĭnus*, *Amethyſtĭnus*, *Hyacinthĭnus*, *Diutĭnus*, *Craſtinus*, *Priſtīnus*, *Perendĭnus*, *Hornotĭnus*, *Rotĭnus*, *Earĭnus*, *Therĭnus*, *Oporĭnus*, *Chimerĭnus*, &c. Matutĭnus autem & Veſpertĭnus, quia à nominibus Matuta & Veſpero flectuntur, penultimam habent longam.

FINIS.

T A-

TABULA POSOLOGICA

Doſibus Pharmacorum quorumdam.

(Quæ in *Pharmacopæa Londinenſi* *Noviſ. Edit.* occurrunt.)

Expeditiùs computandis Accommodata.

In nonnullis ad amuſſim uſque, in aliis quàm proximè, Ingredientium purgantium, &c. calculantur Quantitates.

Continentur in

Arom. Caryophyllat. ℈ iv	Ambr. griſ. gr. 4. Moſchi. gr. 1.
Arom. Roſat. ʒ i. gr. xii.	Ambr. griſ. gr. i. Moſch. gr. ß.
Bened. Laxat. Spec. ℈ ii. gr. vii.	Diagrydii. Eſulæ. Hermodact. an. gr. xv. Turpet. ℈ ß.
Caryocoſtini ℥ ß.	Diagrydii. Hermodact. an. gr. xv.
Catholici ʒ vii.	Pulv. Senæ ℈ i. Polypod. Rhab. an. ℈ ß.

Con-

Continentur in	
Confect. Hamech. ℥i.	Diagryd. gr. viiß Pulv. Senæ. Agar. an. ℈i. Epithym ℈ß. Colocynth. in Decocto gr. xv.
Confect. alkerm. ℥ ii. ℈ ii.	Ambr. griſ. Margarit. an. gr. i.
Conf. de Hyacinth. Spec. ʒ xi.	Ambr. griſ. Moſchi, an. gr. i.
Decoct. Epithymi, ℥iv.	Epithym. Senæ, an. ℈iv. Helleb. n. gr. xv. Turpeth. Myrob. chebul. Indar. an. ℈ii. Agaric. gr. v. Polypod. ʒi.
Decoct. Senæ Gereon. ℥ iii.	Senæ, ʒii. Polypod. ʒß.
Diacarthami. ℥i.	Diagrydii gr. ix. Turpeth. gr. xviii. Carthami. Hermodact. an. gr. xii.
Diacodii ʒix.	Capit. Papav. ʒiii ß. in Decocto.
Diachyl. Ireat. ℥i ß.	—Pul. Irid. Florent. ʒi.

Dia-

Continentur in	
Diacinnam. Spec. ʒ i ß.	Moſchi gr. i.
Diaprun. ſolut. ʒ vi ß.	Scammon. ℈ i.
Diaphœnic. ʒ ß. gr. xiv.	Diagryd. gr. xii. Turpeth. gr. xxxii.
Diarrhod. Abbat. ʒ iii. ℈ i.	Sem. frig. maj. ℈ ß. Moſchi gr. ß.
Diaſatyr. ʒ x.	Moſchi gr. i. Ambr. griſ. gr. ß.
Diaſcordii ʒ v. gr. xii.	Opii gr. i.
Diaturb. cum Rb. ℈ ii. gr. xvii.	Hermodact. Turpeth. an. gr. xii. Diagryd. gr. vi. Rhabarb. gr. xv.
Elect. Amar. major. ʒ i.	Aloes ℈ ii. Turpeth. Rhabarb. an. gr. xv.
Elect. Amar. min. ʒ v ß.	Epithym. gr. v. Aloes ʒ i.
Elect. è Citro ſolut. ʒ iii.	Diagryd. gr. vi. Turpeth. gr. vii ß. Senæ gr. ix.
Elect. Levitiv. ʒ i.	Pulv. Senæ ʒ i. Polypod. & Sen. in Decoct. an ℈ i.

Elect.

Continentur in	
Elect. è Saſſafras ℥ i.	Ambr. griſ. gr. i. Moſch. gr. $\frac{\text{i}}{\text{ii}}$
Elect. è Succo Roſar. ʒ iii ß.	Diagrydii gr. xii.
Empl. Barb. magn. ℥ i ß.	Opii gr. i.
Empl. Cephalic. fort. ℥ i.	Piper. nigr. Euphorb. Pyrethri, an. gr. vi.
Emp. Diachalcit. ʒ vii ß.	Vitriol. uſt. ℈ i.
Empl. Epiſpaſtic. ʒ iii.	Cantharid. ℈ ii.
Emp. Hyſteric. ℥ ii. ʒ i ß.	Gall. Moſchat. Alipt. Moſchat. an. gr. i. Moſchi gr. ß.
Emp. Oxycroc. ℥ iii.	Croci ℈ i.
Empl. de Ranis ℥ i.	Hydrargyri ʒ ß.
Hier. Diacolocynth. Spec. ʒ i.	Colocynth. Agaric. an. gr. vi
Hier. Logadii, ſc. Elect. ʒ vii.	Colocynth. Opopanac. Sagapen. Polypod. an. ℈ i. Diagryd. Agaric. an. ℈ ß. Helleb. alb. & n. an. gr. i Sem. Thymel. Euphorb. an. gr. vi. Aloes opt. gr. v.

Mi-

Continentur in	
Mithridati ℨiv. ℈ii.	--- Opii gr. i.
Moſchelai ℨi.	--- Moſchi gr. i.
Philon. Magiſtral. ℈ß.	--- Opii gr. iv. vel v.
Philon. Rom. ℨii ß.	Opii gr. ii ß. Sem. Hyoſcyam. gr. v.
Philon. Perſic. ℈iv.	Opii gr. ii ß. Sem. Hyoſcyam. gr. v.
Pil. de Agarico ℨi.	Colocynth. gr. 4. Turpeth. gr. x. Agaric. gr. 6. Hier. picr. gr. 8.
Pil. Aggregativ. ℨi.	Diagryd. gr. v. Colocynth. Agaric. an. gr. 2. Turpeth. Aloës, an. gr. 6.
Pil. Aureat. ℨi.	Diagrydii, Aloë, an. ℈ß. Colocynth. gr. 2.
Pil. coch. major. ℨi.	Diagryd. gr. iv ß Turpeth. gr. ix. Colocynth. gr. vi ß.
Pil. coch. min. ℨi.	Scammon. Colocynth. Aloës, an. gr. 13.
Pil. de Cynogloſſ. ℈ß.	Sem. Hyoſcyami, Opii, an. gr. i.

Pil.

	Continentur in
Pil. Diambræ ℈ i.	Ambr. griſ. gr. i.
Pil. de Eupator. maj. ʒ i.	Rhabarb. gr. vii. Aloes ℈ ß.
Pil. Fœtidar. ʒ i.	Colocynth. Opopanac. Sagapen. Epithym. Aloes, an. gr. 4. Turpeth. gr. iii ß. Scammon. gr. ii ß. Eſulæ Rad. Hermodact. an. gr. i ß.
Pil. de Gutta Gamand. ʒ i.	Gutt. Gamandr. gr. ix. Scamm. gr. 6. Aloes, gr. 15.
Pil. de Hermodact. ℈ ii.	Colocynth. Turpeth. Hermodact. Sagapen. Aloes, an. gr. iii. Opopanac. gr. i ß. Euphorb. gr. ß.
Pil. Hier. cum Agar. ʒ i.	Aloes ℈ i. Agaric. gr. 8.
Pil. Imperial. ʒ i.	Agaric. Senæ, an. gr. 5. Aloes ℈ ß. Rhabarb. gr. 8.

Pil.

	Continentur in
Pil. de Lap. Laz. ℈ii. gr. iv.	Epithym. Agaric. an. gr. iv. Lap. Lazul. gr. ii ſs. Helleb. nigr. Scammon. an. gr. i ſs.
Pil. Mechoacanæ, ʒi.	Mechoacan. gr. viii. Turpeth. gr. vi. Eſulæ gr. iii. Fol. Thymel. Sem. Ebuli, Agaric. an. gr. iv.
Pil. de Opopon. ℈iii. ſs.	Colocynth. Hermodact. Sagapen. Opoponac. an. gr. v. Turpeth. gr. iv. Scammon. gr. ii. Aloes gr. xii.
Pil. ſine Quibus ʒi.	Scammon. gr. vi. Agaric. Rhabarb. Senæ, an. gr. iv. Aloes gr. xiv.
Pil. de Styrace gr. vi.	Opii gr. i.
Pulv. Diaſenæ ʒi. gr. vi.	Diagryd. gr. vi. Senæ gr. xxiv.
Pulv. Haly ʒi.	Sem. frigid. gr. vi.

Pul.

	Continetur in
Pulv. Senæ comp. maj. ʒ i.	Senæ ʒ ß.
Pulv. Senæ comp. min. ℈ iß.	Senæ gr. xxxii.
Pulv. Warvicenſ. gr. 21.	Scammon. gr. xii.
Sacch. Perlat. ℥ i.	Margarit. præp. ℈ i.
Sief. de Plumbo ℈ iv. ß.	Opii gr. i.
Sief de Thure ℈ iv.	Opii gr. vi.
Spec. cord. temperat. ℈ ii ß.	Ambr. griſ. Moſch. an. gr. i. Margarit. gr. xii.
Spec. Dimarg. frig. ℈ ii ß.	Sem. frig. maj. gr. viii. Pap. alb. gr. ii.
Spec. Diambræ ʒ i. gr. vii.	Ambr. griſ. gr. iii. Moſchi gr. i.
Spec. Diamoſch. d. ℈ ii ß.	Moſch. gr. i.
Spec. Diamoſch. am. ℈ iii ß.	Moſch. gr. i.
Spec. Diatrag. frig. ℈ iii ß.	Sem. frigid. gr. viii. Papav. alb. gr. iii.
Spec. Diatri. Sant ʒ i. gr. iv.	Sem. frig. gr. xii.
Spec. Liberant. ʒ v ß.	Abr. gr. Moſch. an. gr. ß.
Syr. Cich. cum Rhab. ʒ vi.	Rhab. infuſ. ℈ i.

Continentur in

Syr. de Epithm. ℥ i. { Epithym. ℈ i. Myrobal. ʒ ii. Polypod. Agar. an. g. 6. } Infuſ.

Syr. de Mecon. ℥ ix. — Cap. pap. coct. ʒ iii ß.
Syr. Papav. comp. ℥ ix — Cap. pap. coct. ʒ iii.

Syr. de Pomis magiſtr. ℥ i. { Senæ ʒ i. Epithym. ℈ i. Rhabarb. Agar. an. gr. 5. } Coct.

Syr. de Pomis purg. ℥ vi. — Senæ infuſ. ℈ i.

Syr. de Rhab. ℥ vi. ℈ ii { Senæ infuſ. & Rhabarb. an. gr. xxv.

Syr. Roſ. cum Agar. ℥ vi. — Agaric. infuſ. ℈ i.

Syr. Roſ. cum Helleb. ℥ i. { Myrobal. ʒ i. ℈ ii. Senæ, Polypod. Epithym. an. ʒ ß. Rhabarb. ℈ ß. Helleb. n. gr. iii. ß.

Syr. Roſ. cum Sena, ℥ 6. — Senæ ʒ i.

Theriac. Androm. ℈ iv. — Opii, gr. i.

Theriac. Londin. ʒ i. — Opii, gr. i.

Troch. Alipt. Moſchat. ʒ ii ß. { Ambr. griſ. gr. iii. Moſchi. gr. ß.

Continentur in

Troch. de Carabe ℈ i.	Opii gr. i.
Troch. Gall. Moſchat. ℈ ß.	Ambr. griſ. gr. iii. Moſchi gr. ß.
Troch. de Lign. Aloes, ℈ v.	Ambr. griſ. gr. iii. Moſchi gr. ß.
Troch. de Terra Lemn. ℈ ii.	Opii gr. i.
Troch. è Violis ſolut. ℈ ii ß.	Scammon. gr iv. Turpeth. gr. xxiv.
Trypher. maj. ʒ vi.	Scor. ferri, Myrobal. an. ℈ i. Moſchi gr. i.
Trypher. ſolut. ℥ ß.	Diagryd. ℈ ß. Turpeth. gr. xii.
Ung. alb. Camphorat. ʒ vi.	Camphor. gr. vii.
Ung. Enulat. cum Merc. ℥ i.	Hydrargyr. ℈ ii.
Ung. Neapolitan. ℥ i	Hydrargyr. ʒ i.
Ung. Tutiæ, ʒ iii.	Lap. Tutiæ ℈ i. Lap. Calaminar. ℈ ß.

CATHARTICORUM SIMPLICIUM

Doſes

In Subſtantia.

AGaricus. ℈i. ʒi. ʒii.
Aloe ℈i. ʒi. ʒii.
Bryon. Rad. ℈i. ʒß. ʒi.
Carthamus. ʒi. ℥ß. ʒvi.
Caſſia fiſtula. ℥ß. ℥i. ℥ii.
Cataputia minor. Bacc. num. x. Fol. 4. 5.
Colocynthis. gr. vi. ℈ß. ℈i.
Ebuli Sem. ℈i. ℈ii. ʒi.
Ebuli Succus. ℥ß. ʒv. ℥vi.
Ebuli cort. ʒi. ʒiß. ʒii.
Elaterium. gr. 1. 2. 3.
Epithymum. ʒi. ʒii. ℥ß.
Eſulæ cort. gr. vi. xii. xv.
Euphorb. gr. iii. 6. 12.
Frangul. cort. intern. ʒi. ʒiß. ʒii.
Gratiolæ Fol. ℈i. ℈ii. ʒi.
Gutta Gamandrœ. ℈ß. ℈i. ʒß.
Helleb. nigr. gr. xv. ℈i. ℈ii.
Hermodactyl. ℈ii. ℈iv. ʒii.

Jala-

Jalapium. ℈i. ʒi. ℈iv.

Ireos Succus. ℥ß. ℥ii. ℥iii.

Lap. Armen. ʒß. ʒi. ʒiß.

Lap. Lazuli ʒß. ʒi. ʒiß.

Manna. ℥i. ℥ii. ℥iii.

Mechoacana. ℈ii. ʒiß. ʒii.

Mezerei Fol. cort. gr. vi. xii. xv.

Myrobalani. ʒii. ʒvi. ℥i.

Opopanax. ʒß. ℈ii. ʒi.

Polypod. ʒii. ʒvi. ℥i.

Rhabarb. ʒi. ʒiß. ʒii.

Ricini nuclei. Num. 4. 8. 12.

Roſar. Dam. Succus. ℥ß. ℥iß. ℥ii.

Sagapenum. ʒß. ℈ii. ʒi.

Scammonium. gr. vi. xii. ℈i.

Sena. ℈ii. ʒiß. ʒii.

Soldanella. ʒß. ℈ii. ʒi.

Spina Cervina. Baccæ; Num. 30. 40. 50. Succ. ʒii. ℥ß. ʒvi.

Tamarind. ℥i. ℥ii. ℥iii.

Turpethum. ℈ii. ʒi. ℈iv.

Hiſce addi poſſunt:

Aquæ Minerales. ℔iii. ad ℔viii.

Braſſicæ jus. ab ℔i.

Crem. Tartari. ʒii. ʒiii. ℥ß.

Geniſtæ flores. Succus ℥ß. ʒvi. ℥i.

Gum. Guajaci. ʒi. ℈iv. ʒii.

Lac Ebutyratum. ℔ii. ℔iii.

Lac recens mulctum. ad ℔i.

Mercurialis. Mi. coctum in brodio.

Ol. Sem. Lini ℥iii. iv. vi.
Perſici Flor. Succus ℥ß. ʒvi. ℥i.
Pruna Damaſc. macerata. Num. 12. 16. 20.
Pruni Sylv. Flores ſuccus. ℥ß. ad ℥i.
Sambuci turiones pulv. ʒi. ʒii.
Serum Lactis. ℔ii. iii. iv.
Terebinth. Venet. ℥iii. ℥ß. ʒvi.
Violarum Succus. ℥i. ℥i.ß. ℥ii.

INDEX

Morborum, Curationum, &c.

A

ABortum prohibentia, Fœtum roborantia, &c. Aqᵉ Embryon. Aq. Horm. c. Aq. Lamii c. | Caudel Nenuph. | Cerev. Embryon. Emp. Smect. | Emulſ. Dactyl. | Sacch. Torm. | Spir. Embryon. Tab. Embryon. |

Alexiteria, Bezoartica, &c. Aq. Epidem. Aq. Lact. Alexit. Aur. potab. Aur. Vitæ. | Bez. Animal. Bez. min. | Bolus Alexiter. | Emulſ. expulſ. | Enem. Alex. Flor. Salis | Infuſ. Sanct. | Lap. c. yerv. L. de Goa. | Mixt. Simp. | Pulv. Albus. P. Cantian. Pul. Panon. rub. Pul. Purpur. | Sal. Tart. Volat. Sal. Viper. | Spir. Sal. Arm. Spir. Sambuc. Spir. Ther. camph. Spir. Viper. Spir. Vitriol. diaph. | Sulph. Aurat. | Tab. de Angel. | Tinct. Bez. Tinct. Virgin. | Aq. Alex. & Proalex. D. G. |

Alopeciæ cura. Aq. Crinal. | Ol. Chartæ. | Ol. *Τριχοφυὲς.* | Pul Crinal. | Ung. Crinific.

Alvi; fluxibus, Diarrhœæ, &c. Remedentia. Alum. dulc. Alum. Febrif. | Bez. Animal. Bez. Mart. | Caudel. Amygd. | Laudana. | Sal. Litharg. Tinct. Roſ. | v. *Aſtringentia, Opiata, &c.*

Aluminata ex Alum. præparata, &c. Alum. dulc. Alum. Febrif. | Aluminatum. Aq. Alumin. Aq. fort. Aluminata. Aq. Herpet. | Arc. Alum. | Lac Alum. | Lap. Medicam. L. Salut. | Pul. ſine pari. P. Uvular. | Sal. Alum. | Serum Alum. | Spir. Alum. d. | Suppoſ. Aluminoſ.

Ambuſta, Inflammationes, &c. Sanantia. Balſ. Magiſtr. B. Lucat. | Magiſt. Saturni | Mel: Sapon. | Ol. Cremor. Ol. Pomoſ. | Tinct. Ceruſſ. | Ung. Albumin. Ung. Antipyret. |

Analeptica. v. *Reſtaurantia.*

Anginæ, oris & faucium Ulceribus, &c. Medentia. Catapl. Cynanch. | Emp. Synanch. | Garg. Synanch. | Linct. Synanch. Tab. Antiſynanch. | v. *Aphthæ.*

Animi deliq. & Syncopes remedia. Aq. Cinnam. cardiac. | Julap. perlat. Jul. Vitæ | Spirit. Alk. Spir. Ambr. Spir. Embryon. | Tab. griſ. v. *Cardiaca.*

Anodyna, Paregorica, &c. Aq. Pneumon. | Balſ. Anod. Balſ. Magiſtral. Balſ. Nuciſt. Balſ. Sulph. Rul. Balſ. Tartari. | Bez. Lunar. | Butyr. Amygd. | Cerat. Alb. | Cryſtal. min. | Dec. Pacif. | Emp. Diagalb. Emp. Opiat. Emp. Smect. | Ens Vener. | Extr. Paregor. | Inject. alb. Inject. ben. | Laudana omnia. | Liquor. Limac. | Nitr. fixat. Nitr. ſulph. | Ol. Chartæ. Ol. Heracl. Ol. ſapon. Ol. Tabac. | Pil. Pacif. | Sal. Urin. Volat. | Spir. Camph. | Sulph. Vitriol. narcot. | Ung. Paregor.

Antimoniata ex Antim. &c. præp. Antihect. Poter. | Ant. diaph. Ant. diaph. fix Ant. medic. Ant. reſuſcit. | Aq. Stim ſulph. Balſ. ſulph. antim. | Bez. Jov. B. Lunar B. Mart. B. miner. B. Solar. | Cerev. Catapſ. | Ceruſſ. ant. Ceruſ. Mart. | Cinnab. antim. | Dec. ant. | Elect. alb. | Febrif. Riv. Fl. ant. Fl. Ant. diaph. | Magiſt. Antim. diaph. | Merc. Vitæ corr. & purg. Nitrum Antim. | Ol. Antim. ſaccharat. | Oxyſacch. emet. | Panac. aur. Pan. cathart. Pan. Hartm. | Pil. Antim. Pil. Baſil. P. Cantian. P. Cornach. P. Liliac. | Regul. Jov. Reg. Lun. Reg. Mart. Reg. Solar. Reg. Vener. | Sulph. antim. Sulph. antim. Comb. Sulph. aurat. | Tab. antim. | Tart. Ant.

Tart.

Tart. Emet. Tart. Vitriolat. antimoniale; Tart. Vitriolat. Emetico-purg. | Tinct. Ant. Emet. Tinct. Antim. purg. |

Aperientia. v. *Ecphractica*.

Aphthas, ulcera oris, &c. Sanantia. Aq. Mellum. | Dec. Ulmi. | Garg. alb. G. ſynanch. | Linim. Mellum. | Tab. Antiſynanch. | v. *Plura inter Aluminata, Vitriolata, &c.*

Apoplectica, Apoplexia, &c. remed. Balſ. Apop. | Bez. Lunar. | Calx Lunæ. | Catapl. Apopl. | Elix. Vitæ. Elix. Vitriol. | Garg. Apoplect. | Pom. Ambræ. | Spir. Sal. coag. Spir. Sang. | v. *Cephalica, Epileptica*, &c.

Apoſtemata Curantia. Aq. Chalybeat. | Balſ. Sulph. Aniſat. & Terebinthinat. | Pil Matth. | v. *ulcera*.

Appetitum Juvantia, &c. Aq. Pneumon. | Elect. Caryophyllat. | Nitrum Cachect. v. *Stomachica*.

Arthritica. Arthritidis, Podagræ, &c. remed. Allium condit. | Aq. Hungar. Aq. Omn. flor. | Balſ. Anod. Balſ. Sulph. miner. Balſ. Tartar. | Catapl. Podagric. | Cicer. Tartari. | Cinnab. Antim. | Dec. Ambroſ. Dec. Pacific. | Diatart. Elect. Duc. Sab. | Emp. Opiat. Emp. Podagric. Emp. Smect. Emp. Solear. | Fotus Arthrit. | Infuſ. Arthrit. Infuſ Sancta | Jup. diaph. Jup. nitrat. | Laudana. | Liquor. Limac. | Magnes præp. | Mel. ſapon. | Ol. Sapon. Ol. Tabac. | Pedilav. Podagric. | Pil. Antipodagr. Pil. Matth. Pil. Pacific. | Pul. Arthrit. Pul. Hermod. c. Pul. Lateral. Pul. Solear. Pul. Sternutat. | Sal armoniac. volat. Spir Salis coag. | Vinum arthrit. Vin. Arthrit. purg. | v. *Anodyna, Opiata, &c.*

Aſthmatica, Aſthmatis, Dyſpnœa, &c. remed. Allium condit. | Aq. Becchic. Aq. Bened. c. Aq. Cinnam. cum Ox. Sq. Aq. Digitalis. Aq. Pector. | Balſama Sul-

Sulphurata. | Cerev. Butl. | Conſ. Nicot. | Elect. Aſthmat. | Elix. Salutis | Extr. Petic. | Flor. Benz. Fl. Sulph. alb. | Infuſ. Cachect. Julap. Aſthmat. | Lac. Ammon. Lac. Benz. Lac. Sulph. Liquam. Sulph. | Nitr. Saturn. | Ol. Sacch. ſimp. &c. | Paſta Hippiatri. | Pil. Sinap. Pil. Styracin. | Pul. Aſthmat. Pul. Epidem. aur. | Serum Sinap. | Sp. Hyſſop. Spir. Milleped. Spir. Nitri d. | Syr. Balſam. S. de Myrrh. S. de Peto. S. Sulph. S. Tolut. Magiſt. | Tab. Divin. T. Helen. T. Sapon. | Tinct. Aſthmat. T. Melamp. T. Sulph. | Vin. Hydrop. | Ung. Solear. | v. *Pectoralia*, *Pulmon.* &c.

Aſtringentia, *Styptica*, &c. Aq. Styptica. | Bez. Martial. | Chalcanth. rubef. | Ol. Mart. | Pil. reſtring. | Pul. Uvular. | Stypt. Regis. | Syr. Chalyb. corallat. | Terr. Vitriol. d. | v. *Aluminata*, *Vitriolata*, &c.

Atrophiæ Conducentia. Emulſ. Dactyl. | Liq. Limac. | Dec. Limac. Syr. Lumbric. | v. *Reſtaurantia*.

Auditum Juvantia. Aq. Crinal. | Inject. Auric. | Maſtichat. | Ol. Balſamic. | Pil. Maſtichat. | Sp. Milleped. | Turund. acouſtic. |

Aurium Dolores, *Tinnitus*, &c. *ſedantia*. Balſ. Sulph. Ruland. | Inject. Auricul. | Ol. Balſamic. Ol. Chartæ. Ol. Heracl. |

C.

Cachectica. Cachexiæ cura. Antim. diaph. Antim. diaph. fix. Antim. Medicam. | Dec. amar. | Cerev. Butl. | Elect. alb. | Eſſent. Mart. | Extr. Diateſs. Infuſ. cachect. | Magiſt. Ant. diaph. | Mars potab. | Nitr. cachect. | Panis de Viper. | Pil. de Ammon. mag. | Pul. Martial. c. | Sal. Urin. Volat. Syr. Jovial. | Tab. Antim. | Tart. Chalyb. | Tinct. Antim.

tim. purg. T. Armon. Tinct. Hieræ. T. Martis. | v. *Antimoniata, Martiata, Hepatica &c.*

Calculi renum ac Veſicæ remed. Aq. Omn. flor. Aq. Perſic. c. |. Balſ. Magiſtr. B. Tart. | Enem. colic. Enem. oleoſ. Enem. terebinth. | Nitr. Hermaphrod. | Ol. Ludi. Ol. Vitriol. d. | Pul ad Calcul. | Sal. Viper. | Teſtes Apri præp. | v. *Nephritica.*

Camphorata, ex Camphora, &c. præpar. Aqua Camphorar. | Balſam. Anodyn. | Elix. Camph. | Emp. Camph. | Enem. Hyſt. | Front. Cephalalg. | Julap. Hyſt. Camph. | Liq. Cephalalg. | Mixt. ſimp. | Pilul. Caſtitat. Pilul. Hyſter. | Spir. Camph. Sp. Theriac. camph. | Tinct. Ceruſ. | Vitriol. Camph. | Ung. Antipyr. Ung. Facial.

Cancri remed. Arc. Corall. | Balſ. Saturn. | Cerev. Scroph. | Croc. Jov. Linim. ſimp. Magiſt. Saturn. | Merc. ſublim. rub. & flav. | Ol. Bufon. Ol. Ranar. |

Capitis Ulcera. v. *Tinea.*

Cardiaca, Spiritus Reficientia, &c. Aq. Caryoph. Aqu. Cinnam. Cardiac. Aq. Cordium c. Aqua Lact. card. | Cardiac. cœleſt. | Elæoſacch. card. | Elix. Vitæ. | Flos Cordial. & Cardiac. magn. | Julap. perlat. Julap. Vitæ. | Lap. de Goa. | Miv. Borrag. | Nitr. Corall. Nitr. perlat. | Pul. Cardiac. corallat. Eborat. & perlat. Pul. Pannon. rub. Pul. Purp. | Roſa Solis | Sacch. Ambrat. & Caryoph. | Sal. Corali. | Spir. Alk. Spir. Corall. | Syr. Cardiac. aurat. Syr. Sambuc. c. | Tab. de Angel. T. de Aurant. T. Diambr. T. griſ. T. de ſtyrac. | Tinct. Bezoart. Tinct. Corall. Tinct. Meliſs. Tinct. Perlar. Tinct. Virgin. | Vin. Hippocrat. | Aq. Cordial. & Tinct. Cordial. D. G. | v. *Alexiteria,* &c.

Cardialgiæ cura. Diacreta. | Emulſ. Cretac. | Jul. Cretac. | Pul. Anticardialg: Pul. Griſeus. Pul. Cardiac. rub. | Tab. Cardialgic.

Carminativa. *Flatus discutientia*, &c. Aqu: Chamæm. c. | Conſ. Aurant. | Elæoſacch. Carmin: & Fœnic. | Elix. Salut. Elix. Vitæ. | Ol. Balſam. | Pul. Lateral. Pul. Peptic. | Roſa Solis. | Spiritus Ceraſ. Spirit. Embryon. Spir. Junip. | Tab. de Aurant. T. Carmin. T. Fœnic. T. de Piper. | Tinct. Aſthmat. Tinct. Cardam. Tinct. Carui. Tinct. Chamæm. Tinct. Piper. Tinct. Rhab. | Aq. Abſ. c. & Aq. Chamæm. c. D. G.

Catarrhalia, *Catarrhi*, &c. *Remed.* Balſ. Sulph. Aniſat. Benzoinat. &c. | CasheW. | Dec. Antim. | Elix. Vitriol. | Emp. Burgund. Emp. catarrhal. Emp. nuchal. | Extr. Paregor. | Fl. Benz. Flor. Sulph. alb. | Lac. Sulph. | Laudana omnia: | Mag. Benz. | Mixt. Tubul. | Ol. Vitriol. d. | Pil. Catarrh. Pil. Matth. Pil. Pacif. Pil. Styracin. | Pul. Cucuph. Pul. epidem. aur. Pul. Pect. | Sulph. Vitriol. narcot. | Syr. de Croco. S. de Rapis. S. de Sulph. S. Tolut. mag. | Tab. Amygd. Tab. Roſ. Tab. de ſtyrac. | Tinct. Amygd. Tinct. Guajac. | Tinct. Sulph. | Extr. Catarrhal. D. G. | v. *Opiata*, *Sulphurata*, &c.

Catarrhi ſuffocativi Remed. Conſ. Nicot. | Pil. de ſtyrac. | Syr. de Peto. | v. *Aſthmatica*, &c.

Cephalica. *Capitis morbis proficua*. Aq. Cephal. | Balſ. Apoplect. | Bez. Vener. | Catapl. Cephal. | Cerev. Butl. | Emp. Catarrhal. | Pil. Vatican. | Sacch. ambrat. Sacch. Caryoph. Spir. Ceraſ. Spirit. Vini ſuccinat. Spir. Vitrioli Philos. | Tab. Diambr. Tab. de Piper. | Tinct. Succin. | T. Melamp. T. Serpyll. Vitriol. Lunæ.

Cephalalgiæ remed. Aq. Cephal. | Balſ. Magiſtr. | Emp. Burg. | Frontal. Cephalalg. | Liq. Cephalalg. | Ol.

Ol. Sapon. | Pil. Matth. & Pacific. | Pul. Cucuph. Pul. Sternut. | Roſ. Vitrioli. Roſa Solis. | Tab. Diambr. | Tinct. Melamp. Ung. Cephalalg. | v. *Cephalica, &c.*

Chalybeata, v. *Martiata*.

Chloroſi remedentia. Elect. Chalybeat. | Eſſent. Martis. | Infuſ. Cachect. Spir. Vitriol. Martial. | Syr. Jovial. | Tinct. Antim. purg. Tinct. Armon. Tinct. Martis aur. | Vin. chalyb. v. *Antimoniata*, *Cachect. Martiata*, &c.

Clavorum, & Verrucarum cura. Balſ. magiſtr. | Cauter. Lunar. Emp. Diagalb. | Liquor Limac. Ol. virid. æris. |

Colica Colicæ, Iliacæ, &c. *remed*. Allium condit. | Aq. Chamæm. c. Aq. Pneum. | Balſ. Magiſtr. | B. Sulph. aniſat. & ſuccinat. | Cathart. Cæſar. | Conſ. Aurant. Croc. Ven. Elect. Piper. | Enem. colic. & oleoſ. | Fl. Sulph. alb. | Lac. Sulph. | Mag. Saturn. Mixt. Anticolic. | Ol. Balſam. | Pil. Anticol. Pil. de Sagap. | Pul. Anticol. Pul. Lateral | Sacch. Samb. | Sal. Arm volat. oleoſ. | Spir. Nitri d. Spir. Sal. coag. Suppoſ. alumin. | Teſt. equi præp. | Tinct. Junip. Tinct. Succin. | v. *Anodyna*, *Carminativa*, *Opiata*, *&c.*

Columellæ relaxatæ conducit Pulv. Uvularis.

Contractura. v. *Spaſmus*.

Contuſionum remed. Aq. Chalyb. | Balſ. Lucatel. | Balſ. Magiſtr. | Emp. Smect. | Ol. Sapon. | Pul. ad caſum. |

Convulſiva. v. *Epileptica*.

Cordis Palpitationis & Tremoris medela. Pul. Griſeus | Cardiac. Cœleſt. | Elect. Caryoph. | Sal. Armoniac. Volat. oleoſ. | Tinct. Meliſs. v. *Cardiaca*.

Coſmetica, *Cutanea*, *&c.* Aq. Coſmet. Aq. Venuſt. Arc. Coſmet. | Ceruſ. alb. | Flo. Biſmuth.

th. & Zinci | Lac. Merc. | Mag. Biſmuth. | Mel. Sapon. | Ol. Coſmet. Ol. Talch. Ol. Tritic. Ol. Viper. | Pilæ odor. | Savan. Coſmet. | Spir. Benz. | Tinct. Ceruſ. | v. *Tartarea*, *Nitrata*, *Aluminata*, *&c.*

Crapulæ, *Ebrietatis*, *&c. cura*. Pil. Crapular. P. Matth. P. Pacif. | Spir. Rhœad. crapular. | Tinct. Abſinth. |

Cuprea, *Venerea*. *Ex cupro*, *&c. præp.* Balſ. Vener. | Bez. Ven. | Croc. Ven. | Flor. virid. æris. Ol. virid. æris. | Regul. Ven. | Spir. Ven. | Tinct. Veneris. |

Cutis Scabritiem emendantia. Ol. Tritic. Ol. Viper. | Pilæ odor. v. *Coſmetica*.

Cynanchica. v. *Anginæ curantia*.

D.

Dentes candidos reddit Dentifric. Dominat.

Dentitionem facilitant. Dentifric. Infant. & Torquis Infant.

Dentium Dolores ſedantia. Alum. dulc. | Arc. Alum. | Emp. Nuchal. | Maſticat. | Ol. Carthæ. Ol. Heracl. Ol. Tabac. | Pil. Matth. Pil. Pacif. Pil. Maſtichat. | Spirit. Tabac. | Tinct. Guajac. Tinct. Odontalg. | Torq. Infant. | v. *Anodyna*, *Opiata*, *&c.*

Depilatorium. Ung. Depilatorium.

Diabetis cura. Aq. Bened. ſimp. & comp.

Diaphoretica. v *Sudorifica*.

Diarrhæa. v. *Alvi Fluxus*.

Diuretica. *Urinam Cientia*, *&c.* Alkek. cond. | Aq. Cucum. comp. Aq. Cynosbat. c. Aq. omn. Flor. Aqu. ſtim. ſulph. | Balſ. Lucat. Balſ. Succin. | Conſ. Hepat. corallit. | Crem. Hord. | Croc. Ven. | Dec. Diuret. Augen. | Elect. Junip. |
Flor.

Flor. Sal. Armon. | Jul. Fragor. | Mars diaph. Mars Fulm. Nitr. Hermaph. | Pil. Matth. Pil. Pacif. | Sal Diuret. S. Martis Cathart. S. Polychr. S. Tart. S. Tart. Volat. | Silic. præp. | Sp. Alum. d. Sp. Ceraſ. Sp. Junip. Spir. Milleped. Spir. Nitri Spir. Nitri dulc. Spir. Sal. Arm. Spir. Sal. Arm Succinat. Tartariſat & Calybeat. Spir. Sal. Coag. Sp. Sal. Mart.|Syr. Lumbric. | Tinct. Antim. ſ. Coral. T. Junip. Tinct. Serpyll. Vin. Ecphract.

Dorſi doloris & infirmitatis remedia. Aq. Lamii comp. caudel. Nenuph. | Emp. Smect. | Emulſ. Dactyl. |

Dyſenteriæ remedia. Butyr. Ceræ | Chalcanth. rubef. | Dec. Dyſenteric. Enem. Dyſenteric. Enem. Balſamic. | Pilul. Matth. Pil. Pacif. | Sal. Litharg. | Ter. Vitriol. d. | Tinct. Roſ. | Trag. gran. Actes | v. *Opiata*, *Aſtringentia*, *&c.*

Dyſpnœæ remed. v. *Aſtmatica*.

E.

Eccoprotica. v. *Laxantia alvum*.

Ecphractica, *Aperientia*, *&c.* Ens Vener. | Extr. Ecphract. | Infuſ. Sancta. | Nitr. Cathart. Nitr. Hermaph. | Spir. Alum. d. Spir. Millep. Spir. Nitri d. Spir. Sal. Armoniac. Chalybeat. Spirit. Sal. Martial. Spirit. Viperar. Spir. Vitriol. Diaph. Spir. Vitriol. Mart. Spir. Vitriol. Philoſoph. Spir. Vitriol. Tart. | Sulph. Vitriol. Martial. | Syr. Lumbric. Syr. Sider. Tart. Antim. Tart. Chalybeat. | Tinct. Antim. purg. T. Armon. T. Ferri. T. Mart. | Vin. Ecphract. | Vitriol. Mart. | v. *Martiata*.

Elephantiaſis. v. *Lepra*.

Emetica v. *Vomitoria*.

Emmenagoga. *Menſes moventia*, *&c.* Aq. Chamæm. comp. Eſſent. Mart. | Extr. Fellis. |
Mars

Mars fulm. | Pedilav. emmenag. | Pulv. Oxytoc: | Spir. Junip. Spir. Sal. Arm. chalyb. | v. *Plura inter Chalybeata, Hyſterica, &c.*

Empyemati proficua. Aq. Bened. Aq. Tuſſilag. c. | Tab. Saponac. v. *Pectoralia &c.*

Ephelides maculas curant. Aq. Bened. | Savan. Coſmet.

Epileptica, Epilepſiæ, Convulſionum, &c. Remedia. Aqu. Hirundin. Aqu. Picar. c. | Balſ. Succin. Balſ. ſulph. aniſat | Bez. Lunar. | Calx Lunæ. | Cinnab. Antim. | Corv. Epilept. | Dec. Digital. | Elect. Epilept. | Elix. Vitriol Elix. Vitæ. | Emulſ. Pæon | Luna Potab. | Ol. Heracl. Ol. Milvin. Ol. Sapon. | Pul. Cinnab. c. Pul. Epilept. | Ranar. Hepat. præp. | Regul. Lunar. | Secundin. præp. | Spir. Ceraſ. Spir. c. c. ſuccinat Spir. Embr. Spir. ſang. Spir. Vener. Spir. Vini ſuccinat. | ſulph. Vitriol. Sulph. Vitriol n. reotic. | Syr. de Peto. | Teſtes Apri, & Equi præp. | Tinct. Succin. Tinct. Ven. | Vitriol. Lunæ. | v. *Antimoniata, Vitriolata, Cephalica, &c.*

Epiphora oculorum cura. Aqu. Camphorat. v. *Ophthalmica*.

Equos aſthmaticos curat, & macilentos impinguat. Paſta Hippiatri.

Eryſipelatis, Roſæ, &c remed. Bez. Lunar. | Lap. Medicam. Lap. Salutis. | Linim ſimpl. | Ol. Cremor. Ol. Ranar. | Ung. Hæmorrhoid. |

Expectorantia, Becchica, &c. Apoz. poteuter Expector. | Aqua Digital. | Balſam. Sulphuris Knæph. | Linct. Bened. Linct. expect. | Loh. alb. Loh. Domeſt. | Mixt. Tubular. | Pilul. de Pice. | Syr. de Myrrh. | Tab. Saponac. | Maſticator. | Pil. Maſtichator. | v. *Aſthmatica, Pectoralia, &c.*

F

Faciei Ruboris, Puſtularum, &c. remed. Acet. Litharg. | Aluminat. | Aq. Bened. Aq. Mercur. | Cerev. Catapſ. | Dec. Rubiæ. Tinctor. | Lac. Mercur. | Mag. Saturn. | Ol. Ranar. | Ung. Facial. | v. *Coſmetica*.

Febrifuga. Febrium & Febricitantium remed. Alum-Febrif. | Antifebr. Conchar. | Aq. Febrif. Aq. Formicar. | Arcan. dupl. | Dec. Bez. Jov. Bez. Solar. | Catapl. Solear. Croc. Ven. | Dec. Ambroſ. | Diateſſ. potab. | Emp. Febrifug. | Epicarp. Febrif. | Extr. Febrifug. River. | Flor. Sal. Arm. Martiat. | Lac. Alum. Lap. C. yerv. Lap. de Goa. | Merc. præcip. per ſe. | Mixt. ſimp. | Nitr. Antim. Nitr. Corallat. Nitr. Hermaph. Nitr. Perlat. Ol. Antim. ſaccharat. Pil. Antim. Pilul. Matth. Pil. Pacif. Pilul. de Sagap. | Potio febrif. | Pul. Antipyr. Pul. Febrif. certus. Pul. Pannon. rub. | Sal. Alum. Sal. Diuret. Sal. Febrif. Sal. Litharg. Sal. Viperar. | Sedativ. Arch. | Serum Alum. | Spir. Alum. Spir. Camph. Spir. Mann. Spir. Nitri. Spirit. Nitri d. Sp. Sal. Arm. Spir. Sal. coag. Spir. Saturn. Sp. Viper. Sp. Vitriol. coag. Sp. Vitriol. Philoſoph. | Sulph. Aurat. | Tartar. Antim. T. Chalyb. Tartar. Vitriolat. Antimoniale. T. Vit. Emetico-purg. | Tinct. Cathart. T. Hieræ, T. Roſ. T. Saturn. T. Stomach.

Fiſſuras, Rhagades, &c. Sanantia. Ol. Tritic. | Syr. ad Fiſſuras, | Ung. ad Fiſſuras. |

Fiſtular, Ulcera, &c. curantia. Aq. Alumin. Aq. chalyb. | Balſ. Saturn. Balſ. Sulph. Antimon. Balſ. Vener. | Croc. Jov. | Magiſt. Saturn. | v. *Ulcera*.

Fiſtulæ lacbrymali conducit Aq. Ophtalm. Sapph. v. *Ophthalmica*.

Flatus diſcutientia. v. *Carminativa*.

Fœtum Roborantia. v. *Abortum probibentia*.

Fœtum mortuum & Secundinas expellunt Balſ. Nuciſt | Teſtes equi præp. | &c. v. *Emmenagoga fortiora*.

Fontanellas apertas ſervant Emp. Adhæſiv. | Piſa Lutea, rubra, & Viridia. |

Furanculus. v. *Paronychia*.

G

Gangrænas præcaventia. Ol. Ranar. | Tinct. Myrrhæ.

Gonorrbææ Remedia. Candel. Nenuph. | Emul. de Avellan. Emulſ. Dactyl. | Gelat. Ichthyoc. | Inject. alb. Inject. ben. | Lac. Alum. | Merc. præcip. virid. | Pilul. Caſtitat. Pil. cretac. Pilul. de creta Palm Pil. Reſtring. | Potio alba. | v. *Syphylica, Mercuriata, &c.*

H

Hæmoptoica. Linct. hæmopt. | Miv. Conſolid. | Pul. hæmopt. | Syr. hæmopt. | Tab. hæmopt. | Tinct. Hæmatit. | v. *Aſtringentia*.

Hæmorrbagiæ Narium, &c. remed. Balſam. magiſtr. | Chalcant. rubef. | Stypt. Regis. | Terr. Vitrioli dulc. | Tinct. Hæmatit. | v. *Aſtringentia*.

Hæmorrboidalia. Aqu. Chalyb. Balſ. Momord. | Emp. Hæmorrh. | Ol. cremor. | Suppoſ. hæmorrh. | Tab. Divin. | Ung. Hæmorrh. & Ung. Hæmorrh. D.G. |

Hectica. v. *Phthiſis*.

Hepa-

Hepatica. Splenetica, &c. Balſam. Splenet. | Cerev. Butl. Cerev. Jov. | Conſ. hepatic. corallit. Elect. Diarrhod. | Extr. Diateſſ. Extr. Ecphract. | Pil. de Ammon. Mag. Pil. Tartar. Bont. | Serum hepatic. | Spir. Cochlear. | Tab. Abſ. | Tinct. Abſ. Tinct. Roſar. | v. *Chalybeata*; *Tartarea*; *&c.*

Herniæ remed. Miv. Conſolid. | Spir. Sal. coagul. | v. *Aſtringentia*:

Herpetis, Serpiginis, &c. cura. Aqua Benedicta. Aq. Herpet. | Ol. Chartæ. Ol. Tritic. Ung. Herpet. |

Hydropica, Hydropis, &c. remed. Æthiop. miner. Antimon. diaph. Antimon. d. fix. Antimon. Medicam. | Aqu. Bened. Aqu. Ceraſ. c. | Arcan. Corallin. Bez. Solar. | Cerev. Butleri. C. Hydrop. C. Vern. | Dec. Ambroſ. | Elect. alb. Elect. Chalyb. Enem. Urinoſ. | Eſſent. Mart. | Extr. Alhand. Extr. Diateſſ. | Infuſ. Ireat. Infuſ. ſanct. | Luna potab. | Mag. Ant. diaph. | Mag. Git. Mars potab. Merc. præcip. alb. &c. Nitr. Antim. Ol. Bufon. Pil. Æthiop. Pil. Hydrop. | Potio Hydrop. | Pul. Æthioph. | Sacch. ſambuc. Sal. diuret. Silic. præp. | Spir. Sal. coag. | Syr. Lumbric. | Tab. Ant. | Tinct. Cochlear. c. T. Junip. Tinct. Mart. aur. T. Scorbut. | Vin. Chalyb. Vin. Hydrop. Vin. Hydrop. purg. | Vitriol. Lunæ | v. *Plura inter Chalybeata*; *Diuretica*; *Purgantia*; *&c.*

Hypnotica, Somnum Inducentia; *&c.* Laudana omnia: | Nitr. cachectic. | Pedilav. hypnot. | Sulph. Vitriol. narcot. | Syrup. de Croco. | v. *Opiata*.

Hypochyma Oculorum curat. Aq. Ophtalm. Sapph. v. *Ophtalmica*.

Hyſterica; *Uterina*, *&c.* Balſam. Succini | Bez. Jov. Bez. Saturn. | Calx Jovis & Lunæ. | Cerev. Jovial. | Clyſſ. Vitriol. | Croc. Jov. Croc. Ven. |

Elix. Camph. Elix. Prop. dul. Elix. Prop. Peſtilent. & Tartar. | Emp. Camph. Emp. Diagalb. | Enem. Hyſter. | Ens Vener. | Flor. Jovial. | Jul. Hyſt. camphorat. farin. fœtid. mithridatic. moſchat. | Junip. Bacc. candef. | Jup. diaph. Jup. nitrat. | Mag. Jov. | Nod. Hyſt. | Ol. Camph. | Pil. Hyſt. | Pul. Hyſt. | Regul. | Jov. Reg. Solar. | Sal. c. c. ſuccinat. Sal. Jov. | Secundin. præp. | Spir. ceraſ. Spir. c. c. Spir. ſuccin. Spir. ſambuc. Spir. Vener. Suffim. Hyſt. | Syr. ſamb. c. | Teſtes equi præp. | Tinct. Aſæ fœt. T. Galbanet. T. Propriet. T. ſerpyll. Succin. T. Veneris.

I.

Icterica. Icteritiæ remed. Dec. Icteric. | Elect. Alb. | Extr. Icter. Infuſ. Icter. | Jul. Tart. | Pul. Icter. | Sal diuret. | Sal. Urin. | Spir. Sal. coag. | Syr. Jov. Syr. Lumbric. | Tab. Antim. | Tart. chalyb. Tart. Vitriolat. Antim. | Vin. Chalyb. | v. *Martiata, Tartarea, &c.*

Iliaca. v. *Colica.*

Impetigines curantia. Bez. Ven. | Flo. Biſmuth. & Zinci | Magiſt. Biſmuth. | Ol. Chart. Ol. Ranar. Ol. Viper. | v. *Tartarea, Nitrata, Aluminata, &c.*

Impotenia virilis remed. Miva Satyr. | Sacch. Ambrat. | Teſtes Apri præp. | Vin. Viper. | Ung. Virilit. | v. *Prolifica.*

Inflammationes, v. *Ambuſta ſanantia.*

Iſchiadis, Sciaticæ, &c. remed. Aqu. Hungar. v. *Arthritica.*

Iſchuria. v. *Urina ſuppreſſa.*

Joviata. ex Stanno, &c. præp. Antihect. Poter. | Arcan. Jovial. | Aur. Moſaic. | Bez. Jov. | Calx Jov. | Cerev. Jov. | Croc. Jov. Dec. ad

morſ.

morſ. Canis rab. | Flor. Jov. | Jup. diaph. Jup. Nitrat. Mag. Jov. | Regul. Jov. | Sal. Jov. | Syr. Jov. |

L

Lac coagulatum ſolventia. Emp. Diagalb. Emp. mammill. | Ung. Famil. Ung. Paregoric. |

Lateris dolorum remed. Balſ. Magiſtr. | Emp. Lateral. | Pul. Lateral. *v. Pleuritica*.

Laxantia Alvum, Eccoprotica, &c. Balſ. Tart. | Dec. Rhab. | Elix. Salut. | Ol. Aloet. | Paſſ. Laxat. | Pil. Catarrh. | Ptiſ. catharr. Sacch. Perſic. | Sal. Polychr. | Suppoſ. Alum. | Tart. Laxat. | Tinct. Hier. T. Prop. T. Rhab. T. Stom. v. *Purgantia*.

Lentiginum. Macularum, &c. remed. Aq. Bened. | Ol. Talch. | v. *Coſmetica, Tartarea, &c.*

Lepræ, Elephantiaſis, &c R. Bez. Ven. | Dec. Ulmi. | Ol. Viper. Pan. de Viper. | Pil. Balſam. | Vin. Viperin. |. v. *Scabiem curantia*.

Lethargo ſubvenit Pul. Sternutat. v. *Cephalica*.

Libidinem reſtinguunt. Elect. Caſtit. | Pil. Caſtit. | v. *Camphorata*.

Linguæ & Faucium aſperitati Medetur Dec. Ulmi. v. *Aphthæ*.

Linguæ Paralyticæ remed. Catapl. Apoplect. C. Cephal. v. *Apoplectica, Cephalica, &c.*

Lithontriptica. v. *Nephritica*.

Lochia ſuppreſſa. v. *Emmenagoga*.

Luis Venereæ Remed. v. *Siphylica*.

Lunaria ex Argento præp. &c. Bez. Lunar. Calx. Lunæ. | Cauſtic. Lunar. | Luna potab. | Regul. Lunar. Vitriol. Lunæ. |

M

Mammarum Cancer. v. Cancri Remedia.

Mammarum Tumores ſolvunt. Emp. dialgalb. & Emp. Mammill.

Maniæ Remedia. Elleb. alb. præp. | Extr. Melamp. | Pul. coronat. | Tinct. Saturnl. v. *Melancholiæ Rem.*

Martiata, Chalybeata. Ex chalybe, ferro, &c. præp. Aq. Chalyb. | Balſ. Mart. | Bez. Mart. | Ceruſ. Mart. | Chalyb. ſine Acid. Chal. Tart. | Clyſſ. Vitriol. | Elect. chalyb. | Ens Ven. | Eſſ. Mart. | Extr. chalyb. E. Ecphr. E. Icter. | Flo. Sal. Arm. Martiati | Julap. Antiſcorb. | Mars diaph. Mars potab. | Nitr. cachect. | Ol. Mart. | Pil. Pavii. P. Reſtring. | Pulv. Icter. Pul. Mart. c. | Regul. Mart. | Sal Chalyb. Sal Mart. Cathart. Spir. Vitriol. Mart. | Sulph. Vitrioli Mart. | Sulph. Vitr. narcot. | Syr. chalyb. S. chal. corallat. S. Jovial. S. Sider. | Tart. chalyb. Tinct. Armon. T. Ferri. T. Mart. T. Mart. aur. T. Mart. tartariſat. | Vin. Chalyb. Vin. chal. purg. | Vitriolum Martis. |

Melancholiæ remed. Arcan. dupl. | Cardiac. cœleſt. | Extr. Melamp. | Mars diaph. | Miv. Borrag. | Pil. Melanch. Pil. Pavii. | Pul. Coronat. | Sal Viper | Spir. Saturn. | Syr. Jov. | Tart. chalyb. | Tinct. Armon. Tinct. Mart. Tinct. Melamp. Tinct. Saturn. | v. *Martiata, Joviata &c.*

Memoriam recreantia, &c. Pul. cibar. Pul. Crinal. |

Menſes moventia, &c. v. *Emmenagoga.*

Mercuriata. Ex Hydrargyro, &c. præp. Æth. miner. | Arc. Corallin. Arc. Jov. | Aur. Moſaic. Aur. potab. Aur. Vitæ. | Bez. Merc. B. min. Bez. Solar. | Cinnab.

Ant.

Ant. | Croc.Jov. | Emp.opiat.Emp.ad Strum.Emp. Tibial. | Inject.ben. | Lac.Merc. | Mag.Turpeth. | Merc. præcip alb. &c. Merc. ſublim. rub. & flav. Merc. Vitæ . cor.Merc. Vitæ purg. | Panac.aur. Panac.cath. | Pilul.Æthiop.Pil.Balſam.Pil. de creta Palm. | Pil. Hydrop. | Pul. Baſil. | Tab.Infant. |

Mictus cruenti remed. Aq. Chalyb. | Conſ. Hep. Corallit. | Teſtes Apri. |

Morbilli v. Variolæ.

Morphæam curantia. Balſ. Saturn. | Aq. Merc. | Lac. Merc. |

Morſum canis rabidi curat Dec. ad morſ. can. rab.

N

Nephritica, Lithontriptica, Calculi, &c. remed. Alckek. cond. | Aqu. Cucum. c. Aqu. Cynosb. c. Aq. Lact. nephrit. Aq. Perſic. c. Aqu. Senel. c. | Conſ. Hep. coralit. | Elect. Lithontript. | Liquam. ſilic. | Miv. Dialth. | Nitrum Cachect. | Pil. Lithontrip. Pilul. Matth. Pil. Pacif. | Sacch. Sambuc. | Sal Spong. Vol. Sal Urin. | Silic. præp. | Spir. Alum. Spir. Corall. Spir. Junip. Spir. Spong. Spir. Ven. | Tinct. Junip. | Syr. Tereb. comp. D. G.

Nitrata ex Nitro, &c. præp. Aqu. fort. dupl. Aq. fort. aluminat. Aq. Reg. | Arc. dup. | Cryſt. miner. | Eſſ. Mart. | Nitr. Antim. Nitr. Cachect. Nitr. Cathart. N. Coral. N. fixat. N. Hermaph. N. Jov. N. Nitrat. N. Perlat. N. Saturn N. Sulph. N. Vitriolat. | Reg. Mart. Reg. Ven. | Sal Alkal. Sal. Polych. | Spir. Nitri Spir. Nitri Bez. Spir. Nitri d. Tab. Prunell. | Ung. depilator.

Nodos Venereos Solvit Emp. Tibiale.

Nutritiva v. Reſtaurantia.

O.

Odontalgica. v. *Dentium dolores ſedantia*.

Odorifera. Aq. Odorif. | Balſ. Apop. | Caryoph. odor. | Corp. ſine Anima. | Diachyl. Odor. | Diapalm. odor. | Pilæ odorat. | Pom. Ambr. | Pul. odorat. | Spir. Ambræ. Spir. Benz. |

Ophthalmica, *Oxydorcica*. *Oculorum morbos curantia*. Aq. Camph. Aq. Ophth. Aq. Ophth. ſapphirin. | Cerev. Oxydorc. | Elect. Oxydorc. | Emp. Burgund. Emp. Nuchal. | Ol. Linteor. | Pul. cibar. Pul. ophth. | Sp. Millep. | Syr. de Peto. | Vitriol. camph. | Ung. Ophthalm. |

Opiata, *ex Opio*, *&c. præp.* Balſ. Anodyn. | Emp. Opiat. Emp. Podagric. | Extr. Paregor. | Laudana. Pil. Catarrh. Pil. Matth. Pil. Pacif. | Syr. de croco. | Tinct. Bez. | Ung. Hæmorrh. | Extr. Hypn. D. G. | Syr. Hypn. pect. D. G. | Syr. Hypn. Balſamic. D. G. | Tinct. Opii. D. G. | Ung. Hæmorrh. D. G. |

Oris & Naſi fœtorem emendant Cathart. Cæſar. & Corp. ſine anima.

Oris Ulcera. v. *Aphthæ*.

Oxytocia. *Partum facilitantia*. Balſ. Fœminar. Balſ. Nuciſt. | Pul. Oxytoc. | Secund. præp. | Teſtes equi præp. |

P

Paralytica. *Paralyticos*, *&c. Juvantia*. Balſ. Apop. B. Paralyt. B. Succin. | Cinnab. Ant. Elect. Paralyt. | Emp. Paral. | Extr. Diateſſ. | Galbanet. | Maſtichat. | Nitr. cachect. | Ol. Balſam. Ol. Lumbr. Ol. Paralyt. | Pil. Maſtichat. | Sp. Sang. | Tinct. Galbanet. T. Paral. T. Succin. |

Paro-

Paronychiam curant Catapl. ad Paronych | Ung. Familiar. Ung. Paregor. |

Partum facilitantia. v. *Oxytocia*.

Pectoralia, Pulmonica, &c. Aq. Bechic. Aqu. Caryoph. Aq. Lactis pect. Aq. Pector. Aq. Tuſſil. c. | Dec. ad Tuſsim. | Elect. Pector. | Extr. Malt. c. Extr. Pector. | Liquam. Sulph. | Pil. Matth. Pil. Pacif. | Pul. Pect. | Spir. Hyſſop. | Syr. Balſ. S. Limac. S. de Rapis. S. Tolut. mag. | Tab. Burg. T. Dialth. T. Diatrag. Tab. Farfar. T. Lenth. T. de ſtyrac. | Tinct. Sulph. | Troch. Pector. | Aq. Lenit. D. G. Aq. Pect. & Propect. D. G. | Syr. Pect. Balſ. D. G. |

Pectoris vulneribus Medetur Dec. aſtacor.

Pediculos necat. Ol. Heraclein.

Perniones curant. Ung. famil. & Ung. paregor.

Peſtifuga. *Peſtis Antidota*. Acet. Peſtil. | Amul. peſtil. Balſ. Sulph. | Bez. Jov. B. miner. B. ſolar. | Catapl. peſtil. Dec. præſerv. | Elect. Macis. | Elix. Camph. Elix. Prop. | Lap. c. yerv. | Orviet. | Pul. Cant. | Sal. Viper. | Sp. Saturn. Sp. Ther. camph. Sp. Viper. | Syr. de Sulph. | Tinct. Bez. T. Prop. T. Virgin. | Elect. Antepidem & Syr. Antepid. D. G. | v. *Alexiteria*; *Camphorata*, *&c.*

Phthiſis, Hectica, Tabis, &c. Remed. Aq. Antiphth. Aq. Ben. Aq. Lact. pect. | Balſ. Sulph. aniſ. | Dec. Antiphth. Dec. Limac. | Extr. Malt. c. | Flo. Sulph. alb. | Lac. Sulph. | Liquam. Sulph. | Mag. Saturn. | Pil. de Pice. | Roſa ſolis. | Syr. Balſ. S. Limac. S. de Rap. S. Pepon. S. de Peto. S. Tolut. mag. | Tab. Sapon. | Tinct. Amygd. T. Saturn. | v. *Pectoralia*.

Pilos ut decidant facit. Ung. Depilat.

Piſcibus capiendis inſerviunt Ol. Polypod. | Paſta Halieut.

Pleuritica. *Pleuritidis remed.* Aq. Animal. Aqu.

Tuſsil.

Tuſsil. c. | Balſ. Sulph. | Emp. Lateral. | Ens Ven. | Liq. Sulph. | Nitr. Sulph. | Potio Pleurit. | Pul. Lateral. Pul. Pleurit. | Spir. Nitri. Spir. Rhœad. | v. *Pectoralia*.

Podagrica. v. *Arthritica*.

Profluvii albi remedia. Aq. Bened. Aq. Horm c. Aq. Lam. c. | Caudel. nenuph. | Gelat. Ichthyoc. | Lac. Alum. | Pil. cretac. | Pil. de Cret. Palm. |

Prolifica. Aq. Prolif | Clyſſ. Vitriol. | Gelat. c.c. | Miv. Satyr. | Sp. Ambræ. Sp. Junip. | Teſt. equi præp. | Tinct. Saſſafr. | Vin. Viper | Ung. Virilitat. | Ol. Formicar. |

Priapiſmi remed. v. *Libidinem reſtinguentia*.

Pruritus. v. *Scabies*.

Purgantia. *Eccoprotica*, *&c.* Cath. Cæſar. | Cerev. Catapſ. Cerev. Vern. | Dec. Amar. D. Polychr. D. ad ſtrum. | Diatart. | Emulſ. cath. | Extr. Alhand. E. Draſt. E. Fell. E. Melamp. | Infuſ. ben. | Lac. Scam. | Mag. Git. M. Tart. | Merc. præcip. alb. &c. M. ſublim. rub. & flav. M. Vitæ purg. | Mixt. Anticolic. | Nitr. Cath. | Panac. Cath. | Pil. Ammon. mag. Pil. Angel. Pil. Balſam. Pil. Crapul. Pil. de Cret. Palm. Pil. Hydrop. Pil. marocoſt. Pil. Melanag. Pil. Pavii. Pil. de Sagap. Pil. Tart. Bont. Pil. Vatic. Pil. Vermif. | Potio. alb. Potio hydrop. | Ptiſ. cath. | Pul. Arthr. Turn. P. Aſthm. P. Baſil. P. Cornach. P. Coronat P. Herm. c. | Sal. Mart. Cath. | Scam. cydon. Limon. Roſat. | Syr. bened. Syr. de Scam. Tab. Cathart. | Tinct. Antim. purg. T. aſthmat. T. aurea. T. Cath. R. T. Scorb. | Vin. Arthrit. purg. Vin. Hydrop. | Ung. ad Lumbric. | v. *Laxantia alvum*.

Puſtularum Cura. Aqu. Mellum. Aq. Ophth. Sapphir. | Ol. Bufon. | v. *Faciei ruboris remedia*.

Quar-

Q.

Quartanæ, Tertianæ, &c. remed. Aur. Vitæ. | Emp. febrif. | Epicarp. febrif. | Fl. Sal. Arm. martiat. | Lac. Alum. | Mag. Saturn. Mars diaph. | Ol. Antim. ſacch | Pil. de Ammon. mag. Pil. de Sagap. Pul. Antipyr. Pul. febrif. cert. | Ranar. Hepat. præp. | Sp. Camph. Sp. Viper. | Sulph. aurat. | Tart. chalyb. | Tinct. Armon. Tinct. Hier. T. Mart. T. Saturn. T. Stom. | Vin. chalyb. | v. *Febrifuga.*

R.

Rabiei cura. Dec. ad morſ. can. rab. | Extr. Diateſſar.

Rachitidis remed. Balſam. Spinal. | Dec. ad Rhachit. | Ens Ven. | Jul. ad Rhachit. | Pul. ad Rhachit. | Regul. Ven. | Spir. Millep. Spir. Vitriol. Mart.

Raucedinis R. Pil. Styracin. | Emp. |Solear. | Pul. Solear. | v. *Catarrhalia*

Reſtaurantia. Nutritiva, &c. Aq. Cordium c. Aq. Lact. pect. | Crem. Hord. | Dec. Analept. Dec. Limac. | Gelat. c. c. Jul. Vitæ. | Juſc. Galli. | Pul. Cardiac. perl. | Syr. Limac. S. Pepon. | Tinct. Mellis. | v. *Cardiaca, Pectoralia, &c.*

Rheumatiſmi remed. Aq. Animal. Aq. Omn. flor. | Dec. Rhab. Pan. Diaſarſ. |

Ructus & Rugitus cura. Aqu. Pneum. | Elæoſ. Fœnic. | Spir. Ambræ. | Tinct. Hier. | v. *Carminativa.*

S.

Salivalia. Aq. Salival. | Maſtichat. | Mixt. Tubul. | Panac. aur. | Pil. Maſtichat. | v. *Mercuriata*.

Sanguinem coagulatum ſolventia. Aqu. Chalyb. Cryſt. miner | Nitr. fix. | Spir. Vitriol. tart.

Sanguinem Rectificantia. Antim. diaph. &c. | Cath. Cæſar. | Cerev. Butl. C. Catapſ. C. Vernal. | Ceruſ. Antim. | Dec. Ant. Dec. Polychr. | Elect. alb. | Infuſ. ſanct. | Mag. Ant. diaph. | Merc. vitæ corr. | Nitr. Sulph. | Panac. Hartm. | Sal Corall. Sal Tart. | Spir. Corall. Spir. Vitr. diaph. | Tab. Antim. | Tinct. Corall. | v. *Plura inter Antimoniata, Mercuriata, Tartarea, Purgantia, Scorbutica, &c.*

Saturnina ex Plumbo, &c. præp. Balſ. Saturn. | Calx. Sat. | Bez. Sat | Emp. Sat. | Mag. Sat. | Nitr. Sat. | Pil. Caſtit. | Sal Sat. | Spir. Sat. | Tinct. Sat. |

Scabiem, Pruritum, &c Curantia. Aq. Camph. | Arc. Corallin. | Cerev. Catapſ. C. Scrophul. C. Vernal. | Dec. Antim. | Lap. Salut. & Medicam. | Mag. Git. | Merc. præc. alb. &c. Merc. ſublim. | Panac. Hartm. | Sal Tart. Sal Tart. Volat. | Sp. Vitriol. diaph. Sp. Vitr. Tart. | Tab. Divin. | Ung. de Aurant. Ung. de Beton. aq. Ung. Piperin. | v. *Camphorata, Sulphurata, Tartarea, &c.*

Sciatica. v. *Iſchias*.

Scorbutica. Scorbuti, &c. Remed. Acetar. ſcorb. | Antihect. Poter. | Antim. diaph. &c. | Aq. Antiſcorb. Aq. Lact. ſcorb. | Arcan. dupl. | Bez. Jovial. | Cerev. Butl. C. Scorb. | Ceruſ. Ant. | Conſ. hapat. corallit. | Dec. Scorb. | Dentif. Scorb. | Elect. alb. | Emp. Scorb. | Extr.

Ecphr. | Fot. ſcorb. | Garg. ſcorb. | Infuſ. Ireat. Inf. ſanct. | Jul. Antiſcorb. | Mars potab. | Nitr. cachect. | Ol. ſcrob. | Pedil. ſcorb. | Pil. Æthiop. | Sal diuret. Sal. urin. Vol. Serum ſcorb. Ser. de Sedo. | Spir. Cochl. Spir. Corall. Spir. Vin. Tart. | Succ. ſcorb. Syr. Antiſcorb. Syr. ſamb. c. | Tab. Antim. | Tinct. Armon. Tinct. cochl. c. Tinct. Mart. aur. Tinct. Scorb. Tinct. Virgin. | Vin. ſcelotyrb. | Aqu. Cochl. c. & Spirit. Raph. c. D. G. | v. *Antimoniata, Martiata, &c.*

Scrophularum, Strumarum, &c. Remed. Aq. Bened. | Cerev. ſcrophul. | Dec. ad Strum. | Emp. Diagalb. Emp. ad Strum. | Mag. Turpeth. | Pul. ad Strum. | Sal Spong. | Ung. Digital. | v. *Antimoniata Mercuriata, &c.*

Singultus cura. Elix. Prop. | Laudana. | Sal Armon. vol. | Tab. Diambr. | Tinct. Hier. Tinct. Stomach. | v. *Stomachica.*

Siphylica. Luis Venereæ, &c. Remed. Æth. min. | Antih. Pot. | Aq. Salſæ c. Aq. Siphyl. | Arc. corallin. | Aur. Vitæ | Bez. Merc. Bez. Sol. | Ceruſ. Antim. | Cinnab. Antim. | Croc. Jov. | Elect. alb. | Emp. Tibial. Emp. Opiat. | Infuſ. ſanct. | Jup. diaph. Jup. Nitrat. | Mag. Satur. M. Turpeth. | Merc. præcip. alb. Merc. ſubl. | Nitr. Antim. Nitr. Cachect. | Panac. | Aur. P. Cath. | Hartm. | Panis Diaſarſ. & de Viper. | Pil. Æthiop. Pil. Balſam. | Pul. Liliac. Regul. Mart. | Spir. Saturn. | Sulph. aurat. | Tab. Antim. | Tinct. Guajac. | v. *Antimoniata, Mercuriata.*

Sitim Extinguentia. Bez. Animal. | Crem. Hord. | Cryſt. miner. | Dec. alb. Dec. ad Sitim. | Jul. Frag. Jul. Idæum. Jul. purp. | Nitr. fixat. Nitr. ſulph. | Serum de Sedo. | Sp. Vitriol. coag. | Tab. Prunell. Tab. Tart. |

Solaria.

Solaria. ex Auro, &c. præp. Aur. Fulm. Aur. potab. Aur. Vitæ. | Bez. Solar. | Regul. Solar. |
Spaſmi, contractura, &c. remed. Balſ. Paralyt. | Emp. ſpaſm. | Lap. de Goa. | Nitr. Cacheſt. | Ol. Balſamic. Ol. Lumbr. chym. | Spirit. Vitr. diaphor. | Syr. Lumbric. | v. *Paralytica, Convulſiva, &c.*
Spiritus Reficientia. v. *Cardiaca.*
Splenetica. v. *Hepatica.*
Sterilitatis remed. v. *Prolifica.*
Stomachica. Stomachi, Ventriculi, &c. morbis conducentia. Aq. Pneumon. | Cerev. Butl. | Dec. Amar. | Elect. Caryoph. Elect. Junip. | Elix. Prop. El. Vitæ. El. Vitriol. | Extr. Diateſs. | Flo. Sal. Arm. mart. | Pil. de Ammon. mag. P. Angel. Pil. Crapular. P. Marocoſt. P. V..tic. | Pleres Arch. | Pul. Stom. | Roſa Solis. | Sacch. Caryoph. | Sal. Arm. Vol. Oleoſ. | Sal Philoſ. | Sedat. Arch | Sp. Junip. Spir. Ven. Sp. Vitr. coag. | Tab. Abſ. Tab. de Aurant. Tab. Diambr. Tab. de Piper. r. Tinct. Abſ. Tinct. Hier. T. Prop. T. Roſ. Tinct. Sepyl. l. Tinct. Stom. | Aq. Abſ c. & Tinct. Amar. D.G. | v. *Carminativa.*
Styptica. v, *Aſtringentia.*
Sudorifica. Diaphoretica. Alum. febrif. Antifeb. Conch. | Antim. diaph. &c | Aq. Stim. ſulph. | Arc. Jov. | Aur. fulm. Moſ. & potab. | Bez. animal. B. Jov. B. Lun. B. min. B. Sol. | Ceruſ. Ant. & Mart. | Cinnab. Ant. | Croc. Jov. Dec. Ambroſ. D. Ulmi. | Fl. Ant. Fl. Benz. Fl. Sal. Arm. | Jup. diaph. & nitrat. | Lap. c. yerv. L. de Goa. | Mars diaph. | Merc. præp. rub. | Mixt. ſimp. | Nitr. Cacheſt. | Ol. Camph. | Panac. Hartm. | Phoſph. | Pil. Matth. & Pacif. | Pul. alb. P. Cant. | Sal Acet. eſſent. S. Alum. S. Arm. Vol. S. Philoſ. | Sedat. Arch. | Spir. Camph. Cochl. C.C. Dracunc. Mann.
Nitr.

Nitr. Sal Arm. Samb. Saturn. Succin. Ther. Camph. & Vitriol. diaph. | Sulph. aurat. | Tart. Antim. Tinct. Bez. Guajac. & Virgin. |

Sulphurata. Ex Sulphure, &c. præp. Balſ. Sulph. aniſat. &c. | Elect. Aſthmat. | Emp. Diaſulph. Rul. Emp. Lateral. | Fl. Sulph. alb. | Hep. Sulph. | Lac. Sulp. Liquam. Sulph. | Pil. Styracin. | Pul. Aſthmat. P. Pect. P. Pleurit. | Sal Polychreſt. Sal Sulph. | Syr. de Sulph. | Tab. Amygd. Dialth. Divin. & Sapon. | Tinct. Sulph. | Ung. depilat. Facial. de Beton. aq. & Piperin. |

T.

Tabidis remedentia. Aq. Lact. Pect. | Dec. Limac. Emulſ. Dactyl. | Gelat. C. C. | Juſc. Galli. | Pul. Card. perlat. | Roſa Sol. | Syr. Limac. & Pepon | v. *Reſtaurantia, Ptbiſis remed. &c.*

Tartarea. ex Tartaro, &c. præp. Balſ. Tart. Cicer. Tart. | Dec. Pacif. | Jul. Tart. | Mag. Tart. | Mel. Sapon. | Mix. ſimp. | Nit. Herm. | Ol. Coſm. | Pil. Matth. & Pacif. Pil. Tart. B. | Pul. Baſil. Cornach. & Icter. | Sal Armon. Vol. Sal Tart. | Sapo. Tart. | Sav. Coſm. | Sp. Sal. Arm. Tart. Spir. Vitr. diaph. Sp. Vitr. Tart. | Sulph. Vitriol. | Tab. Cath. & Tart. | Tart. Ant. T. Chalyb. T. Emet. T. Laxat. Tinct. Vitrioli antim. T. Vitr. Emetico-purg. | Tinct. Bez. Tinct. Ceruſ. Tinct. Mart. Tart. |

Tertianæ cura. Emp. febrif. | Epicarp. febrif. | Lac. Alum. | Pul. Antipyr. Pul. febrif. cert. | Spir. Camph. | Sulph. aurat. | Tinct. Hier. Tinct. Stom.

Tineæ, capitis ulcerum &c. remed. Lap. Medicam. Lap. Salut. | Mag. Turpeth. | Ol. Sapon. |

Tophos, Nodos, &c. ſolvunt. Emp. Diagalb. | Ol. Viper. |

Tormina à partu mitigat Aq. Chamæm. c. v. *Carminativa.*

Traumatica, Vulneraria &c. Aq. chalyb. Aqu. Vuln. | Balſ. Lucat. Balſ. Magiſtr. Balſ. Sulph. Antimon. Balſ. Sulph. Bat. | Cerev. ſcrophul. | Dec. Antiphth. Dec. Aſtac. Dec. Traum. | Pil. Matth. | Tab. de Angel. | Tinct. Aſæ fœt. Tinct. Ocul. cancr. |

Tuſſis Remedia. Aq. Bech. Aq. Pect. | Balſ. Sulph. aniſ. & tereb. | Dec. ad Tuſſim. | Elect. Pect. | Laudan. | Liq. Limac. Loh. alb. &c. | Mixt. tub. | Ol. Sacch. | Paſt. Hypoglot. | Pil. Catarrh. P. Matth. & Pacif. P. Sinap. | Serum ſinap. | Syr. de rapis, & de Sulph. | Tab. Amygd. | Dialth. Diatrag. Farf. Lenth. & Roſ. | Troch. pect. | Ung. Solear. | v. *Pectoralia, &c.*

Tympanitidis cura. Aq. Ceraſ. c. | Sp. Sal. coag. |

V.

Variolarum, Morbillorum, &c. remed. Dec. rubicund. Emulſ. expulſ. | Lap. c. Yerv. L. de Goa. | Pul. Æthiop. P. alb. P. Cantian. P. Purp. | Sulph. aur. | v. *Alexiteria*.

Variolarum foveas delentia. Balſ. verum. | Cerat. alb. | Nod. facial. | Ung. ad foveas. |

Venerea, ex cupro præp. v. *Cuprea*.

Ventriculi doloris remed. Elect. Caryoph. | El. Piper. | Pul. Stom. | Syr. de Peto. | Tinct. Hier. T. Rhab. T. Stom. |

Ventris Torminum & Inflationis remed. But. Amygd. Elæoſ. Nuciſt. Enem. Vinoſ. |

Vermifuga. Æth. min. | Aq. Vermif. | Aur. Vitæ. | Balſ. magiſt. | Bez. Animal. | Elect. Vermif. | Elix. Prop. | Emp. Vermif. | Ens Ven. | Merc. præcip. | Ol. Aloet. Ol. Heracl. Ol. Tabac. | Pil. Vermif. | Pul. Vermif. | Sacch. Perſic. | Sal Sulph. | Syr. Vermif. | Tab. Infant. T. Vermif. | Tinct. Abſ. Tinct. Corall. | T. Hier. T. Prop. | Ung. ad Lumbric. |

Verrucæ. v. *Clavis*.

Ver-

Vertiginis remed. Elect. Epilept. | Emp. Camph. | Emulſ. Pœon. | Sacch. Caryoph. | Sulph. Vitriol. | v. *Epileptica*.

Vigiliarum R. Laudan. | Hypnotica. | Opiata | Pedil. Hypnot.

Vitriolata. ex Vitriolo, &c. præp. Aq. fort. dupl. Aq. Herpet. | Arc Dupl | Chalc. rubef. | Clyſ. Vitr. | Elix. Vitr. | Eſ. Mart. Flo. Vitr. Gil. Theoph. | Jul. purp. | Lap. Medic. & Salut. | Mixt. ſimp. Nitr. Vitr. | Ol. Vitr. d. | Panac. H. | Pil. Vom. | Pul. ſine pari P. Sympath. | Ros Vitr. | Sp. Vitr. Coag. | & diaph & tart. | Stypt. Reg. | Sulph. Vitr. & Sul. Vitr. narcot. | Tart. Vitriolat. Antim. | Terr. Vitr. d. | Tinct. Antim. Purg. T. Bez. | Vitriolum camph. | Ung. Fuſcum. |

Ulcera, Vulnera, Fiſtulas, &c. Curantia. Aq. Alum. Aq. Ben. Aq. amph. Aq. Vulner. | Arc. Corallin. | Balſ. Lucat. B. Mag. B. Mart. B. Momord. B. Satur. | B. Sclop. B. Sulph. Ant. & Bateã. | B. Vẽ. | Bez. Vẽn. Croc. Jov. | Elix. Prop. | Emp. Diaſulph. R. Emp. Saturn. | Merc. præc. & ſublim. Ol. Tritic. | Pil. Matth. | Pul. ſine pari. P. Sympath. | Sal. Litharg. Sal. Tart. & Tar. Vol. | Tinct. Myrrh. T. Ocul. c. T. Propriet. | Ung. Fuſc. Ung. famil. Ung. Pareg. Ung. Sympath. |

Vomitoria, Emetica &c. Antim. reſuſc. | Apoz. potent. expect. | Aq. Formic. | Dec. Digital. | Dec. Regul. | Extr. Petic. | Mag. Git. | Merc. præc. per ſe. Merc. præc. rub. | Oxyſacch. Emet. | Pil. Antim. Pil. Vom. | Serum Alum. | Sp. Tabac. | Sulph. Ant. & Ant. combuſt. | Tab. Emet. | Tart. Antim. Tart. Emet. | Tinct. Antim. Emet.

Urinæ Suppreſſæ, ardoris, ſtranguriæ, &c. remed. Emulſ. de Avell. | Mucil. nephrit | Pul. Liliac. | Aq. omn. flor. | v. *Nephririca, Diuretica, &c.*

Vulnera curant Pul. Sympath. & Ung. Sympath. v. *Ulcera*.

O *Cla-*

Clavis ad paucula reſeranda

In Pharmacop. Bateana.

Album Canis ———	Stercus album Canis.
Anaphromeli ———	Mel ſpumæ expers.
Apyrothium ———	Sulphur Vivum.
Chenocoprus ———	Stercus Anſeris.
Cynocoprus ———	Stercus canis.
Draconthæma ———	Sanguis draconis.
Hagioſpermus ———	Sem. Santonicum.
Hydrocrithe ———	Aq. Hordei.
Hydropege ———	Aq. Fontis.
Leptopityron ———	Furfur macer.
Leucelectrum ———	Succinum album.
Leucœnus ———	Vinum album.
Medulla Lactis ———	Butyrum.
Melanoſmegma ———	Sapo niger.
Neogala ———	Lac recens.
Oenogala ———	Vini & Lactis, an. p. æ.
Palœtyrus ———	Caſeus vetus.
Phyſalus ———	Bufo.
Pyrœnus ———	Alcohol vini.
Sulphur Cœleſte ———	Alcohol vini.
Xylagium ———	Lignum ſanctum.
Zibach, vel Ziabach ——	Mercurius.

FINIS.

APPENDIX
AD
PHARMACOPŒJAM
BATEANAM

Ex Autographo Eximii Authoris nunc primum deſumpta.

LECTORI CANDIDO.

SElectiſſima Remedia, quæ tibi exhibent ſequentes paginæ, ex Autographo eximii domini Doctoris Bates, cujus mihi copiam fecit (pro ſingulari qua pollet morum ſuavitate & benefaciendi ſtudio) illuſtriſſima D. D. James Authori noſtri digniſima filia, diligenter ſelegi & publici juris feci. Quamvis enim hæc quæ reſtituo, Præſcripta duntaxat inter ægros curandos, raptim exarata, & typis minimè deſtinata fuerunt, atque adeò minus forſan accurata cuipiam eſſe videantur; perſuaſſimus tamen ſum, quod nec Reipublicæ Medicæ inutilia, nec tanto Authore prorsùs indigna uſu reperientur: proindeque iniquum planè, imò nefas fore judicavi, ſi aut invidus in privatum uſum reconderem; aut negligens perire ſinerem. Porro tantus revera fuit Bateus Præſcribendi artifex, ut parum verecundum eum eſſe oportet, quiſquis, Emendationis prætextu, illius vel extemporanea immutare moliretur: Et propterea nec quippiam mutilando, nec (præter paucula de viribus) adjiciendo, ſed ipſiſſima Autographi verba fideliter tranſcribendo, ſpartam hanc ornare ſategi.

Hiſce ita præfatis recta jam ad Appendicem ipſam te relegarem, niſi quod æquum, imo & (Lector benevole) tibi gratum fore duxi, ut prius te moneam, quod plurima ex Remediis Pharmacopœia Bateana jam proſtantibus in hoc Manuſcripto reperi; eaque induſtrius vir Dominus Shipton ſumma fide, & integritate edidit.

T. Fuller M. D.

APPENDIX
AD
Pharmacopœjam Bateanam.

A*Pozema Cephalicum*: ℞. Rad. Pæon. mar. ℥ii ß. Valerianæ ℥iii. Cal. aromat. ℥ß. Fol. Beton. M iii. Roriſmar. M ß. Paſſul. ſol. exacin. M ii. coq. in Aq. Font. q. ſ. ſub finem addendo Sem. Carui ℥i. Col. adde Sacch. albi ℥iii. clarific. reducendo ad ℔iii. *Doſ.* ℥iv *ter in die.*

Apoz. Ictericum. ℞. Rad. Cichor. ℥i ß. Fol. Fragar. (cum Rad.) Fol. Pentaphyl. an. M i. Uvar. Corinth. ℥iii. Jujub. ℥ii. Sem. Aquileg. ℥i. coq. in Aq. font. q. ſ. ad ℔ii. col. adde Syr. è 5. Rad. ℥ii. M. *Dentur* ℥iv. *ter in die.*

Apoz. Phthiſicum ℞. Rad. Chinæ inciſæ ℥iii. Raſ. Eboris ℥i. Raſ. C. C. ℥i ß. Dactyl. Num. 4. infunde in Aq. font. q. ſ. per noctem tepidè: mane adde Fol. Arnogloſs. Bugulæ, Agrimon. Veron. Pauli, Virgæ aur. Alth. Capil. Ven. Summit Rubi an. p. iii. Hord. p. ii. Uvar. paſſ. enucl M ß. Coq. ad ℔ii. Col. addè Conſ. Roſ. rub. ℥ii. ſtent ſimul, per Hor. iii. & f. Col.

Apoz. de Pomis. ℞. Pom. redolent. (cum cort. & ſem. contuſ.) Num. ii. Rad. Scorzon. ℥i. Rad. Gram. Acetoſæ; Aſpar. Cichor.

Fœnic. an. ℥ſs. Fol. Fragar. cum toto, Lujulæ, Borrag. an. M. i. Raſ. Ebor. C. C. an. ʒiii. Tamar. ʒvi. Uvar. Corinth. ℥iii. coq. in Aqu. font. q. ſ. ad ℔iſs. col. adde Syr. de 5. Rad. & Aurant. an. ℥ii. M.

Sitim ſedat; Succos Atrabilarios corrigit; Obſtructiones reſerat; Urinam ciet. Febricitantibus, & Melancholicis ſubvenit. *Doſ.* ℥ iv. *ter in die.*

Apoz. Splanchnicum. ℞. Rad. 5. Aper. an. ℥iſs. Troch. de Cappar. de Rhab. an. ʒvi. Fol. Chamædr. M iv. Menth. M iſs. Ling. Cerv. M i. Sem. Cochlear. Naſturt aq. an. ℥i. Cort. Saſſafr. ℥ſs. Uvar. paſſ. ℥x. Lumbric. præp. ℥i. Coq. in Aq. Font. ℔vi. & Vin. alb. ℔ ii. ad ℔v. Col. infunde Fol. Cochl. mar. M vi. col. adde Spir. Menth. comp. ʒiii. M. *Ad Viſcerum Obſtructiones, & Scorbutum.*

Aqua Ferrata. ℞. Batituræ ferri (mundatæ ab omni ſorditie, & exſicc.) ℥ viii. Aq. Lact. comp. ℔iſs. macerentur, obſignato vaſe, in B. M. per horas 48. f. Col. *Doſ. Liquoris clari* ℥ii. *omni mane per longum tempus.*

Aq. Fragorum comp. ℞. Fruct. Fragor. matur. ℔ii. Album. Ovor. (in aquam agitat.) Num. 10. Fol. Cichor. Caudæ equinæ, Plantag. Virgæ aur. Roſ. rub. Fruct. Alkek. an. M iii. Jujub. Sebeſt. an. ʒvi. Glycyrrh. rec. raſæ ℥iv. Rad. Alth. Sem. Pepon. contuſ. an. ʒvi. Sem. Cydon. Malvæ, Alth. an. ℥ ſs. Lact. ℔ viii. macerentur per biduum; & dein Deſtil. in B. M. Calculoſis confert.

Aqua Glycyrrhiſæ. ℞. Glycyrrh. Angl. rec. contuſ. ℔ſs. Lact. ebutyrati cong. i. m. Deſtil. Organis communibus. Pectoralis, & Antinephritica audit.

Aqua

Aqua Menthæ comp. ℞. Fol. Menthæ pulv. Sem. Viticis an. ℥ ii. Sem. Plantag. ℥ i. Terebint. Ven. ℥ vi. Decocti fortis Plantag. ℥ xii. Succi Limon. ℥ vi. Deſtil. ad lenem cinerum calorem.

Aqua Phthiſica. ℞. Sem. Pepon. Melon. an. ℥ iv. Portul. ℥ vi. Fol. Piloſel. Plantag. an. M viii. Conſolidæ maj. Germin. querc. an. M vi. Seri Lact. cong. iv. Deſt. ſ. a. Bibat Patiens ℔ i. cum Lact. recent. ℔ i. & Sacch. candi ℥ i. bis in die per totum Menſem Aprilem, vel Majum.

Aq. Plantaginis comp. ℞. Fol. Plantag. Centinod. Portul. an. M vi. Piloſel. M viii. Veronicæ, mar. Equiſeti an. M iv. Rad. Sigil. Salom. ℥ vi. Rad. Bugloſſi ℥. iv. Seri Lact. ℔ xii. Deſtil. Hæmoptoicis, & Phthiſicis convenit.

Aq. Pomorum comp. ℞. Pomor. redolent. (cum cort. & ſem. contuſ.) ℔ xii. Fol. Meliſs. Scord. an. M x. pul. Rad. Torment. & Zedoar. an. ℔ ß. Mac. Nuc. Moſch. an. ℥ ii. Lact. recent. ℔ x. Deſt. ſ. a. In Febre, & Affectu Hypochondriaco confert.

Aq. Sanguinis. ℞. Sang. Vitul. rec. mactati ℔ iv. Lact. Vaccini ℔ vi. Summit. Rubi Idæi M vi. Rad. Tuſſilag. ℥ iv. Glycyrrh. rec. ℔ ß. Paſſul. ſol. ℥ x. m. Deſtil. Alembico Roſaceo, cavendo Empyreuma.

℞. Hujus Aquæ ℥ xii. Tabul. Diatrag. frig. ℥ i ß. m. ſumat æger ℥ iv. omni mane, cum dupla quantitate Lactis Aſinini, ad Tabem.

Aq. Saponariæ comp. ℞. Fol. Saponar. rec. M xx. Fumar. Scabioſæ an. M vi. Lign. Guajaci pul. ℔ i. Rad. Sarſap. craſsè contuſ. ℔ i ß. Aq. Saponar. ſimpl. Cong. iv. Deſtil. communibus Organis.

Ad Sanguinem depurandum, & Affectus Cutaneos. ℞. Hujus Aquæ ℔ ii. Sacch. albi ℥ ii. m. Propin. ℔ ß. pro vice, ter in die.

Aqu. Scorbutica. ℞. Fol. Agrimon. Cichor. Phyllit. Hepat. nobil. an. M viii. Abſinthii utriuſque, Cochlear. utriuſque, Naſturt. aqu Becab. an. M vi. Menth. aqu. M v. Scabioſæ, Praſii an. M iv. Rad. Ari craſsè contuſ. ℥ iv. Lign. Sanct. albi pul ℔ ß. Aq ſtill. Lumbric. ſimpl. ℔ ii. Aq. Antiſcorb noſt. ℔ vi. Vin. alb. ℔ iv. præp. Deſtil.

Balneum Pſoricum. ℞. Rad. Ireos noſt. Bryon. albæ, Farinæ Lupin. & Fabar. an. ℔ i ß. Fol. Borrag. Geniſtæ inciſ. an. M. xx. m. pro Decocto.

Vel,

℞. Rad. Bryon. alb. ℔ i ß Fol. Borrag. Sambuci an. M xviii. Tart. albi ℔ i. m. pro Decocto.

Balneum Venuſtatis. ℞. Hord. mund. ℔ ii. Orizæ ℔ i. Lupin. craſsè pul. ℔ iii. Furfuris macri ℔ viii. Fol. Viol. Borrag. an. M x. coq. in aq. font. q. ſ.

Ad Cutim detergendam, poliendam, & emolliendam.

Bochetum. ℞. Rad. Sarſapar. ℥ viii. Lign. Guajaci ℥ ii. infunde hor. xii. in aq. font. (vel aqu. Hord.) ℔ xii. adde Uuar. paſſ. enucl. ℔ ß. Coq. ad conſump dimidii, addendo ſub finem Glycyrrh. recent. ℥ i f. Col. pro potu ordinario.

Bolus Hæmorrboidalis. ℞. Pulp. Caſſiæ rec. extr. ʒ iii. Fl. Sulph. ℈ i. Pul. Glyc. ℈ ß. f. bol. Sumatur manè, & ſuperbibatur hauſtus ſeq. ℞. Decoct. Pect. (cum Rad. Alth. incoct.) ℥ iii.

Man-

Mannæ ℥ i. Syr. Viol. Oxym. ſcil. an. ℥ ß. Valet etiam ad Aſthma, & affectus Thoracicos.

Bolus Nephriticus. ℞. Terebint. Ven. coct. & pulv. ʒ i. Oc. Cancr. ℈ i Tartari Vitriolati ℈ ß. Sal. Succini gr. iv. Syr. Alth. q. ſ. f. bol. Sumatur mane, ſuperbib. Serum Nephriticum.

Bolus è Terebinthina. ℞. Caſſiæ rec. extract. ʒ iii. Terebint. Venet. ʒ i. pul. Rhab. ʒ ß. f. bol. Sumatur hora ſomni: mane ſequenti bibantur Infuſ. Bened. ℥ vi. In affectibus Venereis, &c.

Cataplaſma Anginoſum. ℞. Mel. Roſ. ℥ iv. Sterc. Canis pul. ℥ ii. Pulp. Caſſiæ ℥ i. m.

℞ Mel Roſ. Sterc. Canis an. ℥ i ß. Croci ʒ i ß. Farinæ Tritici ℥ iii. Aceti q. ſ. m. f. Catap. tepidè ſub mento applicandum.

Catapl. Artbriticum. ℞. Mucilag. ſem. Cydon. (Aqu. Lact. extract.) ℥ viii. Uv. Malagenſ. (exacinat. & in pulpam contuſ.) ℔ i. m. agitando ſuper prunas, f. pulticula adhibenda locis affectis, & renovanda ſexta quaque hora.

Catapl. Cardiacum. ℞. Cort. Citri cond. ℥ ß. Alkerm. ʒ iii. Conſ. Flor. Borrag. ℥ ii. contunde optimè cum Mellis Anthoſ. ℥ ß. Spec. Diamoſch. dulc. ℈ ii. Croci ℈ i. m. & adhibe Cordis regioni; ad Syncopen, Tremores, & Palpitationem.

Catap Cydoniatum. ℞. Cydon. cond. (in pulp. contuſ.) ℥ iii. Diaſc. Mel. Roſ. an. ℥ ii. Pul. Ter. ſigil ʒ. iii. Boli Armen. ʒ ii. f. pultricula adhibenda Ventriculo, vel Umbilico; & renovanda duodecima quaque hora.

Ad Vomitum, Diarrhœamvè ſiſtend. & Abortum prohibendum.

Catap. Diſcutiens. ℞. Rad. Enulæ rec. Ireos noſt. an. ℥iv. Alth. ℥viii. Fol. Scord. Naſturt. aqu. an. M vi. Ebuli, Abſint. Cicutæ, Malvæ an, M iv. Flor. Samb. p. xx. Fl. Geniſtæ p. xxvi. coq. in Aquæ q. ſ. ad mollitiem; contuſ. in pulpam admiſce Gum. Ammon. (in Aceto ſoluti) ℥iv. Farinæ Fabar. & Lini an. ℥ vi. Ol. Irini ℥iv. Ol. Geniſtæ ℥iii. m. f. Catapl. pro Splene.

Catapl. Diureticum. ℞. Fol. Parietar. M iii. Coq. in Lact. q. ſ. ad contabeſcentiam; dein contunde cum Cepis (ſub cineribus priùs coctis) Num. iii. Rad. Raph. ſylv. ℥ iii. Vitel. Ovor. Num. ii. Ol. Scorpion. ℥ i. Unguent. Dialth ℥ ii. f. Catapl. vel Perinæo, vel locis dolentibus applicandum, in Paroxyſmo Calculoſo.

Catap. Emolliens. ℞. Rad. Alth. rec. ℔ß. Rad. Lil. alb. ℥ iv. Fol. Malv. Alth. Sambuci, Abſint. Melil. Flor. Samb. an. M ii. coq. in Aqua ad mollitiem; adde Farinæ Sem. Lini ℔ ß. Fabar. ℥ii. Sevi Vervec. ℔ß. Ol. Lumbric. ℥ iii. m. f. Catap. & Liquor colatus ſervetur pro Fotu.

Catap. Febrifugum. ℞. Rad. Bryon. albæ recent. ℥ iv. Fol. Rutæ M iii. Sem. Sinap. ℥ ii. Sem. Coriand. ℥iii. Spir Sulph. ʒ i. Aceti ſcil. ℥ii. m. ſ. Catap.

Vel,

R. Rad. Bryon. recent. ℥ ii. Fol. Sabinæ, Rutæ, Erigeri an. M ii. Sapon. nig. ℥ ii. Muſtardæ, Salis nig. an. ℥i. m. f. Catap. pro Carpis, & Plantis pedum.

Catap. Hæmorrhoidale. ℞. Rad. Alth. Cyno-

gl.

gl. (ad putrilaginem in Aq. coct.) an. ℥ii. Mucilag. ſem. Cydon. Ung. Hæmorrhoid. an. ℥i. Vitel. Ov. Num. i. Plumbi uſti pulv. ʒvi. M. f. Catap. applicand. poſt Fotum.

Catap. Spleneticum. ℞. Fol. Nicot. ſicc. M iii. irig. cum Aceti Roſ. ℥ iii. adde Fol. Cicutæ rec. M iv. Malvæ, Viol. an. M i ß. contunde, & coque in Aquæ q. ſ. cum Farinæ Sem. Lini ℥ iii. adde Ol. Roſ. ℥ iii. Croci ʒ i. f. Catap.

Catap. ad Tonſillas. ℞. Pul. Sterc. Can. ℥ i. Croci ʒ ß. Sang. Drac. ʒ i ß. Mel. Roſ. ℥ ii. m. f. Catap.

Caudela Analeptica. ℞. Alæ mediocr. ℔ i. Dactyl. inciſ. Num. vi. Rad. Eryng. candefact. quant. 4. digitorum, Flor. Hormini, Lamii an. M i. Aven. decortic. pul. cochl. i. Coq. & expreſſioni adde Sacch. alb. q. ſ. ut f. Caudela.

Cereviſia Cephalica. ℞. Rad. Pœon. mar. ℥ iiß Valerianæ ℥ iii. Ireos Florent. Calami arom. an. ℥ ß. Enulæ ʒ iii. Fol. Beton. M iii. Capil. Ven. Tuſſilag. an. M ii. Roriſmar. M i. Flor. Paralyſ. ſicc. M iv. Flor Salv. p. vi. Sem. Carui ℥ i. Uvar. paſſ. enucl. ℔ i. f. Saccul. ſuſpend. in cong. v. Cerev. pro potu communi.

Vel,

℞. Rad. Pœon. mar. ℥ ii. Enulæ ℥ iii. Sterc. Pavon. ſicc. & craſsè pulv. ℥ xii. Uvar. paſſ. ℥ xii. f. Saccul. pro. cong. ii. Cerev. Ad Vertiginem, & Epilepſiam.

Cerev. Corroborans. ℞. Raſ. dent. Hippopotami ℥ iv. Virg. Hippopot. & Eboris an. ℥ iii. Rad. Conſolidæ maj. Sigil. Salom. an. ℥. vi. Fol. Equiſeti, Piloſel. Plantag. Alchymil. an. M. iii.

M. iii. Uvar. paſſ. enucl. ℔ i ß. m. f. Saccul.

Cerev. Diuretica. ℞. Bacc. Junip. contuſ. ℥ iv. Fruct. Cynorrhod. (ſicc. & craſsè pulv.) ℔ ß. Fol. Alth. Parietar. Aparines an. M. iv. Abſinth. M. ii. Uvar. paſſ. enucl. ℔ i ß. f. Saccul. pro cong. vi. ad potum communem.

Cerev. Scorbutica. ℞. Fol. Ling Cerv. Cochlear. utriuſque, Becab. an. M. vii. inciſa minutiſſimè, & paſta obvoluta coq. in furno; adde poſtmodùm Raſ. Ebor. Sem. coriand. an. ℥ iv. Uv. paſs. ℔ i ß. f. Saccul. pro cong. vii. cereviſ.

Vel,

℞. Fol. Cochl. utriuſq; Cardamines, Becab. an. M. vi. Hepaticæ, Agrimon. Ling. Cerv. an. M. ii. Abſinth. Rom. M. i. Rad. Raph. ruſt. ℥ iii. Rad. 5. Aper. Cichor. an. ℥ ii. Sem. carui ℥ i ß: Cort. extern. Limon. Num. vi. Uvar. paſs. exacin. ℔ ii. f. Saccul. pro cong. vi.

Cerev. cum Succis. ℞. Succ. Cochl. ℔ iv. ſuc. Becab. ℔ ii. cereviſ. Lupulatæ, & non Lupul. an. cong. ii ß. adde in Sacculo Fol. Cochl. M. vi. Salv. M. ii. Paſsul. ℔ ii. Mal. Aurant. inciſ. Num iv. pro potu ordinario.

Cerev. Traumatica. ℞. Fol. Piloſel. Equiſeti an. M. viii. Veron. mar. Millefol. Alchimil. an. M. vi. Uvar. paſſ. ℔ i ß. Coq in Aq. Hord. cong. iii. ad. ii col. adde Alæ cong. iv. ſuſpenſ. in Vaſe Uvar. paſſ. enucl. ℔ i. pro potu comm.

Collyrium Metallicum. ℞. Croci Metall ſubtil. pulv. ʒ i. Vitrioli albi ℈ ß. Aquæ Roſ. rub. ℥ ß. Aquæ Flor. Cichor. ſylv. per deliq. ℥ ii ß. macera tepide Hor. vi. f. Filtratio

In-

Inſtilletur gut. i. tepide in oculum ter in die, ad maculas, & nebulas detergendas.

Decoctum Becchicum. ℞. Rad. Helenii ℥ i. Glycyrrh. ℥ ii. Fol. Tuſſilag. Scabioſæ an. M. ii. Sem. Aniſi (ſub finem add.) ℥ ß. coq. in Aquæ Hord. q. ſ. ad ℔ i ß. col. adde Syr. Viol. ℥ ii. de Hyſſopo, Jujub. an. ℥ i. Croci (nodulo incluſi) ℈ ß. M. *Doſ.* ℥ iv. *ter in die, ad Tuſſim, & Catarrhum.*

Dec. Chinæ comp. ℞. Rad. Chinæ inciſ. ℥ i. infunde in Aqu. Hord. ℔ vi. adjectis Fol. Hed. terr. M. iv. Tuſſilag. Capil. Ven. an. M. ii. Uvar. paſſ. Dactyl. an. ℥ iii. coq. ad conſumpt. tertiæ partis; col. adde Sacch. candi ℥ ii. clarif. Summatur Hauſtus tepide ter in die: ad Tuſſim, & diſpoſitionem Phthiſicam.

Dec. Cretaceum. ℞. Cretæ albæ pulv. ℔ ß. coq. in Aqu. font. ℔ iii. ad ℔ ii. poſt craſſioris partis ſubſidentiam, tenuis Liquor inſtar lactis effundatur, cui adde Sacch. perl. q. ſ. bibatur affatim.

Dec. Cretaceum comp. ℞. Cretæ pul. ℥ iii. in coq. Aquæ Germin. querc. ℔ ii ß. ad tertiæ partis conſumpt. addendo panni Anchuſati quantum tingat; col. adde Conſ. Roſ. rub. ℥ ii. infunde & ſ. expreſ. cui adde pul. Terræ, Lemn. ʒ ii. (aliquando addit Author Syr. è Rubo Idæi ℥ iii.) Ad Diarrhœam, & Hæmorrhagias internas.

Dec. Cydoniatum. ℞. Mal. Cydon. inciſ. Num. ii. Aqu. font. ℔ iii. coq. ad ℔ ii. adde Cinnam. contuſ. ʒ ii. ſtennt ſimul ad frigiditatem; col. adde Sacch. candi albi ℥ ii. bibantur ℥ iii. tertia quaque hora, contra Vomitionem: & ℥ iv. ter in die, contra Abortum.

Dec.

Dec. Guajaci Purgans. ℞. Raſ. Guajaci ℥ iv. Sant. albi, Rad. Chinæ an. ℥ i. Sarſapar. ℥ ii. infunde ſ. a. in Aquæ font ℔ vi. per Hor. viii. adde Mechoac. ℥ i ß. Jalap. ℥ ß. Sem. Carth. Hermodact. Sennæ an. ℥ ii. Flor. Roriſm. Stæchad. an. p. iii. Fol. Salv. Beton. an. M. i. Uv. paſſ. enucl. ℥ vi. coq. ad conſumpt. tertiæ partis, f. col. adde Syr. Roſ. ſol. ℥ viii. clarif. cum Alb. Ov. Doſ. ℥ v.

Dec. Laxativum. ℞. Rad. 5. Aper. an. ℥ iii. Tamarind. ℥ i. Sennæ ℥ ii. Uv. Corinth. ℥ iv. coq. in Aqu. Font. ℔ ii ß. ad conſump. tertiæ partis, col. adde Syr. Roſ. ℥ ii. M. propin ℥ v. bis in die.

Dec. Paſſularum comp. ℞. Uv. paſſ. enucl. ℥ iv. coq. in Aq. Hord. q. ſ. circa finem addendo Cort. Pomor. redolent. M. ii. remotis ab igne adde Glycyrrh. raſ. ℥ vi. ſtent ſimul ad frigiditatem, f. col. ad ℔ iii.

Dec. Pectorale incraſſans. ℞. Rad. alth. ℥ i ß. Rad. & Fol. Tuſſilag. an. M. i ß. Sem. Malvæ ℥ ß. Jujub. Num. xx. Uvar. paſſ. ℥ iv. Glycyrrh. ℥ ii. coq. in Aqu. font. q. ſ. ad ℔ ii. col. adde Sacch. Candi rub ℥ i ß. clarif. ſumantur cochl. vi. vel viii. ſæpiùs in die.

Dec. Pleuriticum. ℞. Sulph. Animalis ℥ iv. Fol. Scabioſæ M. ii. Sem. Card. Mariæ ℥ ß. Nuc. Moſch. ℥ ii. Aq. Ulmar. & Card. Mariæ an. ℔ i ß. coque parùm. f. Expreſſ. adde Succi Aurant. ℥ iii. Syr. Papav. Rhœad. ℥ iv. clarif. bibatur ad libitum contra ſitim.

Dec. Raparum comp. ℞. Rad. Rapar. inciſ. Num. vi. Uuar. paſſ. enucl. ℥ iv. Fol. Tuſſilag. M. ii. Sem. 4. frig. mai. an. ℥ ß. Sem. Bombac. Coriand. an. ℥ iii. coq. in Aquæ Font. q. ſ. ad ℔ iii. col. adde Succ. Aurant. ℥ ii. Sacch. candi

candi albi ℥ iii. M. Doſ. ℥ iv. tertia quaque hora.

Decoc. Santalinum. ℞. Lign. Santali albi ℥ iii. Rad. Sarſapar. ℥viii. Chinæ ℥i. Raſ. Eboris ℥ i ß. infunde in Aqu. Hord. ℔ xiv. adde Uv. paſſ. & Corinth. an. ℥iii. coq. ad conſump. tertiæ partis. f. col.

Decoc. Sarſæ attemperans. ℞. Rad. Sarſæ ℥ vi. Chinæ ℥ i. infunde in Aqu. Font. ℔ viii. coq. cum Uv. Paſſ. enucl. ℥viii. ad conſumpt. tertiæ partis, infund. Fol. Cochl. mar. M. iv. f. col.

Dec. Sarſæ Cephalicum. ℞. Rad. Sarſæ ℥ vi. Lign. Saſſafr. ℥i. infunde in Aqu. Font. ℔ ix. adde Rad. Pœon. mar. Valerianæ an. ℥ß. Fol. Beton. M. iv. Anth. p. iii. Nuc. Moſch. Num. 4. Paſſul. enucl. ℥ii. coq. ad conſumpt. tertiæ partis, f. col. Doſ. ℥v. ter in die.

Dec. Sarſæ exſiccans. ℞. Rad. Sarſapar. opt. inciſ. ℥viii. Raſ. Guaiaci ℥ii. infunde per. hor. 12. in Aqu. font. ℔ xii. adde Uvar. Paſſ. enucl. ℔ ß. coq. ad conſumpt. dimidii, addendo ſub finem Glycyrrh. recent. ℥i. f. col. Doſ. ℔ ß. ter vel quater in die.

Dec. Sarſæ Traumaticum. ℞. Rad. Sarſæ ℥iii. Chinæ ℥ ß. Fol. Bugulæ, Piloſel. Veronicæ an. M. iſs. Alchimil. M. i Uv. paſſ. ℥vi. infunde, & coq. in Aqu. font. q. ſ. col. ℔iv. adde Sacch. candi albi ℥iv. clarif. Doſ. ℥ vi. ter in die.

Dec. Scorzoneræ. ℞. Rad. Scorzon. ℥ iii. Cort. Citri cond. ℈ii. C. C. C. Pulv. ℥i. Sem. Carui ℥ vi. coq. in Aqu. font. ℔ iv. ad conſump. tertiæ partis, f. col. clarif. adde Succi Aurant. ℥i. Sacch. opt. ℥iii. m. Bibatur ad libitum in Febribus.

Ele-

Electuarium Æthiopicum. ℞. Æthiod. miner. ℥ i. Troch. de Viper pul. ʒ vi. Gum. Guajaci ʒ ß. Extract. Guajaci comp. ℥ i ß. Syr Garyoph. q. ſ. f. Elect. cap. ʒ iii. bis in die, & ſuper bibatur Hauſtus Decocti Santali. Ad Affectus Cutaneos, & Luem Veneream.

Elect. de Althææ. ℞. Pulp. Rad. Alth. (in Aq. Hord coct. contuſ. & per Setac. traject.) ℥ ii. Pulp. Jujub. & Sebeſt. an. ℥ i. Spec. Diatrag. frig. ʒ iii. Sacch.; Penid. ℥ ii. Syr. de Nymph. q. ſ. f. Elect. cujus Doſ. ʒ iii. bis in die, cum Lacte Aſinino. Refrigerat; Incraſſat; Catarrhos ſiſtit; & Tabidis conducit.

Elect. Cardiacum temperatum. ℞. Pulp. Conſervæ Lujulæ ℥ iv. Cort. Citri cond. ℥ i ß. Pul. è Chel. comp. ʒ ii. Syr. de Succo citri ℥ iii. m. ſum. ʒ iii. ter in die, cum Julap. Card.

Elect. de Eryngio. ℞. Pulp. Rad. Eryngii cond. ℥ iv. Nuc. Moſc. cond. ℥ ii. conſ. flor. Hormini ℥ i. Lamii ℥ ii. Pulv. Priapi Hippopot. ʒ vi. Syr. de cond. Rad. Eryngii ℥ iv. m. Inſigniter corroborat, & inſtaurat. Detur qu. Caſtaneæ horis Somni, & mane; ſuperbibaturque Hauſtus Caudelæ Analepticæ.

Elect. de Guajaco. ℞. Rad. Eryng. candefact. ℥ iii. Scorzon. candefac. ℥ i ß. contunde irrigando cum Spir. Hormini comp. ℥ ii. exprime per Setaceum, adde Extrac Guajaci ℥ i Ceruſſæ Antimonii ʒ vi f. Elect. Sanguinem depurat, & Spiritus reficit.

Elect. Incraſſans. ℞. Pulp. Rad. Conſolidæ maj ℥ iii. Rad. Alth. Conſ. Flor. Nymph. an. ℥ ii. Spec. Diatrag. frig. ℥ ß. Sacch. opt. ℥ v. Syr. de Mucilag. ℥ ii. m. f. Elect. cujus Doſ. ʒ iii. ter in die.

Elect. Lætificans. ℞. Cort. Citri cond. ℥ i ß. Conſ.

Flor.

Flor. Garyoph. Calendulæ an. ℥i. Spec. Lætif. Galeni ʒ ii. Pul. Off. de Corde Cervi ʒ ß. Aquæ Meliſſæ comp. ℥ii ß. Syr. Garyoph. ℥i. m. f. Elect. Cardiacum eſt; & ad Cordis palpitationem ſpecifice inſervit. Doſ. ʒiii. ter in die, cum Jalapio cardiaco.

Elect. Laxativum. ℞. Pul. Caſſiæ rec. extrac. ℥iii. Pulv. Rad. Jalap. & Sem. Carui an. ʒiii. Syr. de Pomis Regis Saporis ℥ iii. m. ſumantur ʒ iii. quoties opus fuerit ad Alvum laxandam, hora ante prandium ſine custodia.

Elect. Nenupharinum. ℞. Conſer. fl. Nenuphar. ℥iii. Conſolidæ maj. Rad. Conſolidæ cond. an. ℥i. contunde pulpam cum Sem. Lactucæ ℥i ß. irrigando cum Syr. de Nymph. ℥iv. f. expreſ. per Setaceum; adde Rad. Nymph. pul. ʒii. Spec. Diatrag. frig. ʒi ß. m. f. Elect.

Refrigerat; Incraſſat; Inſtaurat; Urinæ ardorem extinguit. Dentur ʒiii. ter in die, cum Hauſtu Juſculi de China.

Elect. Paralyticum. ℞. Conſ. Fl. Salviæ ℥iii. Anthos ℥i. Cochl. marinæ ℥vi. Pul. Sem. Cochl. ℥i ß. Spec. Dianth. & Arom. Roſ. an. ℈iv. Syr. d Stœch. ℥iii. Ol. Succini rectif. ℈i. m. f Elect. cujus Doſ. ʒiii ter in die.

Elect. Pectorale Incraſſans. ℞. Pulp. Ficuum (Aqu. Hord. extract.) ℥i. Conſ. Roſ. rub. ℥ii. Lohoch. Sani, Syr. Capil Ven. an. ℥ iii. m. f. Elect.

Elect. Purgans. ℞. Pulv. Sancti ʒiii. Jalap. ℈iv. Sem. Carui ℈ii. Elect. Lenitivi ℥iv. Syr. Roſ. cum Agar. ℥i ß. m. f. Elect. Doſ. ʒvi. manè.

Elect. de Satyrio. ℞. Rad. Satyrii cond. & per Setaceum traject. ℥ iv. Rad. Conſolidæ

cond. & ſimiliter. præp. ℔i Pulv. Priapi Taur. ℥i. Priapi Hippopot. ℥iß. Dent. Hippopot. & Eboris an. ʒvi. Gum. Anime ℥ii. Maſtiches ℥ii. Nuc. Moſch. ℥ß. Syr. de Symph. ℥viii. m. f. Elect. Analepticum, & Aphrodiſiacum.

Sumat Patiens ℥ß. bis in die, ſuperbibendo manè Lactis Caprini ℔i. cum Sacch. Roſ. edulcor: Vel Hauſtum Decocti Fol. Conſol maj. cum Flor. Hyperici: Et hora Somni ſuperbibendo Aq. Hormini comp. ℥i.

Elect. de Symphyto. ℞. Pulp. Rad. Conſol. maj. Sacch. opt. an. ℥iii. coq. in Electuarii conſiſt. adde Virgæ Hippopot. pul. ℥ß. Syr. de Nuc. Moſch. ℥i m. Sumatur ℥ß. hor. Somni, & hora i. ante prandium; ſuperbibendo largum Hauſtum Decocti Fol. Conſol. maj. in Loq. Poſſet. cum Dactylis præp. Ad Dorſi imbecilitatem; Gonorrhœam; Fluorem album; &c.

Elect. de Terebinthina. ℞. Pulp. Caſſiæ ℥iii. Tereb. Ven. coct. & Cypr. coct. & pulv. an. ʒiii. Rhab. ʒi. Gum. Arab. Spec. Diatrag. frig. an. ℈iv. Syr. de Alth. q. ſ. m. Doſ. ʒiii. omni manè, ſuperbib Emulſionis hauſtum. Ad ardorem Urinæ; Affectus Nephriticos; & Venereos;

Elect. Tolutanum. ℞. Balſ. de Tolu pulv. ℥ß. Conſ. Roſ. rub. ℥iß. Liquam Sacch. Candi q. ſ. m. Ad Phthiſin.

Elect. Traumaticum. ℞. Conſ. Flor. Papav. Rhœad. & Roſ. rub. an. ℥iß. Pul. Lap. Hibern. ʒvi. Syr. de Symph. q. ſ. m. Doſ. ʒiii. ter in die.

Emplaſtrum contra Abortum. ℞. Pulv. Rad. Biſtortæ, Sem. Coriand. an. ʒii. Nuc. Cupreſ.

Lign.

Lign. Sant. rub. Hypociſt. an. ℥ i. Coral. rub Succini an. ℈ iv. Ladani, Maſtich. an. ℥ ß. Thuris, Bdelli an. ʒ ii. Ol. Maſtich. ℥ i. Ceræ citr. ℥ ii ß. Terebinth. Cypr. opt. ℥ ii. m. f. Empl. ſ. a.

Vel,

℞. Empl. Diapalm. (Aceto Roſ. lot.) ʒ vi. Balſ. de Tolu, Terebinth. Ven. Ceræ citr. an. ℥ ß. Sant. rub. Boli, Coral. rub. an. ʒ i. Terræ ſigill. ℈ iv. f. Empl. exterius tingendum Sp. Roſ. gt. ii. pro Dorſi regione, Syndone rubra tegendum.

Empl. Album. Ung. Albi, Ceræ albæ an. ʒ vi. f. Empl. ad Inflammationes, & Eroſiones, etiam ad Hæmorrhides internas.

Empl. de Balauſtiis. ℞. Pulv. Balauſt. Roſ. rub. Cinnam. Maſtich. an. Balſ. Tolut. ʒ ii. Terebint. Ven. (in Vino rubro auſtero coctæ) Ceræ citr. an. ʒ iii. m. f. Empl. pro Dorſo, ad Imbecillitatem, & Dolores.

Empl. Cypreum. ℞. Terebinth. Cypr. ʒ iii. Balſ. Tolut. ʒ i ß. Diapalm. (Aceto Roſ. loti) ʒ vi. f. Empl. Ad Lumbaginem, &c.

Empl. Spleneticum. ℞. Empl. è Bac. Lauri ʒ vi. Tacamah. ℥ ß. Balſ. Peruv. ʒ i. Ceræ ʒ ii. m. f. Empl. ſ. a. Syndone contegendum.

Empl. Tolutanum. ℞. Balſ. Tolutani ʒ vi. Balſ. Peruv. q. ſ. f. Empl. pro regione Ventriculi.

Emulſio Analeptica. ℞. Aq. Hord. ℔ iv. Poma iv. curtipendula, Fol. Tuſſilag. M iv Jujub ʒ iv. coq. ad ℔ ii. ℞. Col. ℔ i ß. Amygd. dulc. excortic. Num. iii Sem. Pepon. Piſtach. an. ℥ i. Rad. Eryng. candefact. ℥ i ß Sem. Bombacis ʒ iii. f. Emulſ. ſ. a. cui adde Aq. Roſ. rub. ℥ i ß Doſ. ℥ iii. tepidè tertia quaque hora.

Emulſ. Hæmoptoica. ℞ Fol. Tuſſilag. M ii. Dactyl. Jujub. an. ℥ ii. Hord. ℥ i. Glycyrrh. ʒ iii.

coq in Aq. font. q. ſ. Col. ℔iii. adde Cretæ ſubtil. pulv. ℥i. Sem. 4 frig. maj. an. ʒiii. Portul. Papav. albi an. ℥ß. f. Emulſ. cui adde Syr. Myrt. de Portul. an. ℥ii. m. Bib. ℥iv. ter in die.

Emulſ. Icterica. ℞. Sem. Aquileg. ʒvi. contuſ. affunde Aq. Chelidon. ℥vi. f. Emulſ. cui adde Sacch. perl. ℥ß. ſumatur pars dimidia pro vice bis in die.

Vel,

℞. Rad. Cichor. ℥iß. Fol. cum Rad. Fragar. & Pentaphyl. an. Mi. Jujub. ℥ii. Uvar. Corinth. ℥iii. coq. in Aq. font. q. ſ. ad ℔ii. f. col. & cum Sem. Aquileg. ℥i. Amyd. dulc. decort. Num. iv. f. Emulſ. cui adde Syr. de 5. Rad. ℥ii. m. Doſ. Hauſtus plenus bis in die.

Emulſ. Nenupharina. ℞. Rad. Nenuphar. ℥iv. infunde, & coq. in Aq. font. Chalybeatæ ℔vi. ad conſumpt. tertiæ partis, adjectis Dactyl. Num. vi. Rad. Sigil. Salom. ℥ii. Fol. Conſolidæ utriuſque, Flor. Lamii an. Mii. f. col. ℞. Hujus decoct. ℔ii. Dactyl. ſupraſcript. Num. iii. Amygd. d. decort. Num. xii. f. Emulſ.

Ad Urinæ ardorem; Fluorem album; Gonorrhœam, &c.

Emulſ. Phthiſica. ℞. Aqu Hord. ℔iv. Jujub. ℥iv. Fol. Capil. Ven. Tuſſilag. an. Miß. Sem. Viol. Bombac. Portul. an. ʒii. Aniſi ʒiß. coq. ad conſumpt. tertiæ partis, f. col. cui clarificatæ adde Sem. Melon. Cucumer. an. ℥i. Amygd. dulc. decort. N. vi. Nuc. Pinear. ℥ß. f. Emulſ. ſ. a. adde Aq. Roſ. rub. ℥iv. Sacch. candi albi ℥i. m. Propin. ℥iv. tepidè quarta quaque hora.

Emulſ. de Sarſa. ℞. Rad. Sarſæ inciſ. ℥iii. Rad. Nymph. ℥iß. Raſ. Ebor. ʒiii. infunde in Aquæ font. ℔iii. per horas viii. adde

Uvar.

Uvar. paſſ. enucl. ℥iv. coq. ad ℔ii. cum col. & Sem. Pepon. ℥i. Lactucæ, Can. ab. an. ʒvi. Amygd. dulc. decort. N. viii. Album. Ov. (prius in Aquam agitat. cum an. Aq. Roſ.) N. ii. Sacch. candi ℥ii. f. Emulſ. Doſ. ℔ß. manè, & hora Somni. Refrigerat; incraſſat; edulcotat.

Emulſ. de Scorzoneru. ℞. Rad. Scorzon. recent. ℥ii coq. cum Hord. perl. cochl. iv. in Aq. Font. ℔iii. ad ℔ii. f. col. Contunde Rad. Scorzon cum Sem. Pepon. & Melon. an. ℥i. Amygd. d. decort. Num. iii. & cum Aq. Hord. præſcriptæ claræ ℔i. f. Emulſ. cui adde Sacch. candi albi ℥i. Aq. Menth. comp. gt. iv. Bibatur dimidium hora ſomni; alteraque pars media nocte. In Febribus.

Emulſ. Somnifica. ℞. Sem. Papav. albi contuſ. ʒvi. Amyd. dulc. decort. Num. ii. Aq. Citri, Papav. Rhœad. an. ℥ii. f. Emulſ. adde Aq. Mariæ ℈i. Manus Chriſti perl. ℥ß. m. ſumatur hora ſomni.

Enema Conſolidans. ℞. Lact. (cum Fol. Conſol. maj. & Flor. Roſ. rub. an. M. ii. coct.) ℔ii. Album. Ov. conquaſſ. N. ii. Sacch. candi alibi ℥iii. m. pro ii. Enemat. ad inteſtinorum eroſionem, Diarrhœam, & Dyſenteriam.

Vel,

℞. Fol. Conſol. utriuſque, Plantag. an. M. vi. Sem. Cydon. ℥ii. Sem. Coriand. ℥iv. coq. in aquæ & Lact. an. q. ſ. ad ℔iii. col. adde Sacch. Roſ. ℥vi. miſce cum Ovo toto (exempto cortice) optimè conquaſſato, pro iv. Enemat.

Enem. Hæmorrhoidale. ℞. Fol. Chelid. min. Sambuci, Linariæ, Verbaſci, Viol. an. M ii.

Cicutæ, Hyoſc. an. M i ß. Sem. Lini ℥ i ß. coq. in Aq. Font. q. ſ. ℞. Col. ℔ i ß. Vitel. Ov. Num. i. f. Injectio ſæpè per Syringam immittendam in Anum.

Enema Sanativum. ℞. Ped. Ovil. Nu. xii. Lumbric. præp. ℥ ii. Fol. Hyper. cum floribus M iv. Alth. Conſol. maj. an. M iii. Rad. Torment. ℥ iv. Aq. Font. q. ſ. f. Decoct. pro Clyſteribus, ad Dyſenteriam.

Epicarpia. ℞. Cretæ (in crucibulo ignitæ, & in Aceto Samb. extinctæ) ℥ i. Sapon. nig. ℥ ii. m. f. Ung. pro carpis, contra Febrem Intermittentem.

Epithema contra Abortum. ℞. Succi Cydon. ℔ i. Vini rub. auſteri ℥ iv. m. huic immergatur panis toſtus, inſpergendus poſtea pulv. ſequenti, & inter duo linteola adhibeatur Umbilici regioni; renovando ter in die, & nocte.

Pulv. dict. ℞. Nuc. Moſch. ʒ i. Cinnam. ʒ ii. Mac. ℈ i. f. Pulv.

Conducit etiam ad Vomitum, Diarrhœam, & Hypercatharſin ſedandam.

Epithema Stomachicum. ℞. Fol. Abſint. Menth. an. M. ii. Mac. ʒ iii. contunde, & f. Sacculus immergendus Aceto Roſaceo; expreſſus admoveatur calidè Ventri, renovando quarta quaque hora, ad eoſdem uſus cum priori.

Expreſſio Citrea. ℞. Cort. citri cond. ℥ iii. Conſ. Caryoph. ℥ i ß. Sem. Fœnic. dulc. ʒ iii. Aniſi ʒ ii. Carui ʒ ß. Spec. Aromat. Roſ. ʒ i. Aqu. Lumbric. Magiſt. ℔ ß. Aquæ Meliſſæ ℔ i ß. macera tepide per horas 4. col. adde Syr. Caryoph. ℥ iii. m. Spiritus reficit; & Flatus diſcutit.

Ex-

Expreſ. Hemoptoica. ℞. Sem. Papav. albi ℥ i. Hyoſcy. albi ℥ ß. Conſ. Roſ. rub. ℥ i ß. contunde optimè ſæpè irrigando Aquæ Portul. ℥ viii. f. Expreſ. adde Syr. è Roſ. ſicc. ℥ i. ſumantur cochl. iv. ſæpè urgente Sanguinis Sputo; ſcil. horæ quoquo dimidio.

Expreſ. Scorbutica. ℞. Fol. Naſturt. Aq. Becab. an. M ix. Pini M vi. Rad. & fol. Tarax. Ling. Cerv. an. M iv. contuſ. affunde Aq. Antiſcorb. noſt. ℔ ii. f. Expreſ. adde Sacch. candi ℥ vi. trajice ſæpè per Manicam Hippoc. ſuprà Cortic. Saſſafr. contuſ. ℥ ß. Doſ. ℥ iv. bis in die.

Fotus ad Calculum. ℞. Fol. Alſines M iv. Alth. Viol. Malvæ, Parietar. an. M iii. Cherefol. Flor. Chamæm. Sambuci an. M ii. Sem. Lini ℥ iv. Anethi ℥ iii. coq. in Aq. Font. q. ſ. f. col.

Fot. ad Cancrum. ℞. Rad. Tormentil. ℥ ii. Herb. Elatines M iii. Verbaſci, Plantag. Agrimon. an. M ii. Capriſol. Scabioſæ, Summit. Rubi, Equiſeti, Flor. Roſ. rub. an. M i. Balauſt. M ß. Alum. rupei i. coq. in Aqu. Fabror q. ſ. ad ℔ v. col. ℥ adde Vini rub. auſteri ℥ iv. Succi Solani, & Sempervivi an. ℥ iii. m.

Fot. Cephalicus. ℞. Fol. Salv. Primulæ veris, Flor. Chamæm. an. M iv. Rad. Pœon. ℥ vi. coq. in Aq. font. q. ſ. ad ℔ iv. f. col. qua foveatur Caput quotidie manè horæ ſpatio.

Fot. Crinificus. ℞. Fol. Abrotani M iii. Gum. Labd. ℥ i. Adip. Urſini ℥ iii. Mellis ℥ iv. coq. in Vini Hiſpan. ℔ iv. ad tertiæ partis conſump. addendo ſub finem Nuc. Moſch. ℥ i. Mac. ʒ iii. Caryoph. ʒ i. f. col. qua foveatur pars affecta

bis in die , per horæ ſpatium pro vice : inung. poſtea Unguento Crinifico.

Fot Emmenagogus. ℞. Fol. Artemiſ. Matricar. an. M ii. Puleg. M iii. Calamint. Fl. Chamæm. an. M i m. Rad. Cyclam. ℥ ii. Ireos ℥ iv. Lil. alb. ℔ m. Bacc. Junip. Sem. Anethi an. ℥ iii. coq. in aqu. q ſ. col. Convenit etiam ad dolores Colicos.

Fot. Hemorrhoidalis. ℞. Rad. cum Fol. Scrophular. utriuſque an. M ii. Fol. Linar. Sambuci, Millefol. Verbaſci an. M iii. Malvæ, viol. an. M i ß. Sem Lini ℥ iv. coq. in aq. q. ſ. ad mollitiem, f. col.

Fot. Spleniticus. ℞. Rad. Bryon. albæ, Alth. Petroſel. an. ℥ i ß. Fol. Melil. Tamariſci, Chamæm. Malvæ, Agrimon. an. M i. Sem. Lini ℥ iv. Sem. Cymini ℥ ii. Flor. Lil. alb. Malvæ, Chamæm. Anethi an. p. ii. coq. in Aq. fontis q. ſ. ad ℔ iii. addendo in fine Vini albi, & Aceti an. ℥ iii f. col.

Gargariſma de Acacia. ℞ Vini rub. auſteri ℔ ii. Acaciæ ℥ i. Syr. de Roſ. ſicc. ℥ iv. m. potenter Aſtringit ; Detergit ; & Ulcera ſanat.

Gargar. Anginoſum. ℞. Spong. Sambuc. Num. x. Fic. Num. xii. Sem. Fœnugr. ʒ iii. S. Lini ʒ ii. Mivæ Fruct. Rubi Idæi (cum nucleis contuſæ) ℥ iv. Sterc. Can ℥ i ß. Succi Agreſt. ℥ iv. coq. in Aquæ font ℔ iv. ad ℔ ii. col. adde Syr. de Rubo Idæo, Diamor. an. ℥ i ß. clarific.

Gargar. Aſtringens ℞. Flor. Balauſt. ʒ i. Roſ. rub. ſicc. ʒ ii. Aq. Hord. ℔ ii. Sp. Vitrioli ℈ i. macerentur tepidè horæ ſpatio : Col. adde Syr. de Rubo Idæo ℥ iii. m.

Gargar. Benedictum. ℞. Aq. Benedictæ fortis

℔ ii.

℔ ii. Mellis Roſ. ℥iv. m. f. Garg. ad Oris ulcera, &c.

Garg. Emolliens. ℞. Rad. Alth. ℥i. Fol. Malvæ M i. em. Lini ʒ ii. Fœnugr. ʒ i ß. Glycyrrh. ʒiii. Fic. inciſ. ℥iv. coq. in Aq. ſ. q. ad ℔ ii. f. Col

Gargar. de Ficubus. ℞. Fic. ping. inciſ ℥ iv. coq. in Aq. font. ℔ iii. (adject. ſub finem Sem. Fœnugr. ℥ ß.) ad ℔ ii. f. col.

Gargar. ad Inflammationem. ℞. Fol. Plantag. Pentaph. Torment. an. M i ß. Flor. Roſ. rub. ſic. p. iv. Spong. Samb. Num. xvi. Sem. Fœnugr. ʒ iii. Sterc. Can. M iv. Fruct. Rubi Idæi (cum Sem. contuſ. in pulpam) an ℥ iii. coq. in Aq. font. q. ſ. Col. ℔ ii adde Syr. de Roſ. ſicc. Mell. Roſ. an. ℥ ii. clarif.

Hauſtus Febrifugus. ℞. Succi Plantag. ℥ iii. Ther. Lond. ʒ i. Syr. de 5. Rad. ℥ i. m. ſumatur hora i. ante Paroxyſmum; & Sudor provocetur.

Vel,

℞. Succi Arnogloſſi ℥ iv. Mellis ℥ i. Aquæ Roſ. rub & Succi Aurant. an. ℥ iii. clarif. cum Alb. Ovi, & divid. in ii. partes, quarum i. ſumatur hor. ii. ante Paroxyſmum; & altera ingruente Paroxyſmo.

Hydromel Bechicum. ℞. Fol. Cynogloſ. Conſolidæ maj. an. M iii. Hed. terr. M iv. Uvar. paſſ. enucl. ℥ v. Fic. ℥ iv. Sem. Urticæ ʒ i ß. Aniſi ʒ iii. coq. in Aq. font. ℔ viii. cum Mellis ℥ vi. ad conſumpt. tertiæ partis, col. Doſ. ℥ iv. quater, vel quinquies in die tepidè.

Hydrom. Traumaticum. ℞. Fol. Hyper. Sanic. Bugulæ an. M ii. Pyrolæ, Conſolidæ utriuſque, Plantag. an. M i ß. Piloſel. M ii ß. Uvar. paſſ. enucl. ℥ viii. coq. in Aq. font. ℔ vi. ad ℔

iii.

iii. col. adde Mellis ℥vi. clariſ. Doſ. ℥ iv. ter in die.

Infuſum Benedictum. ℞. Raſ. Sant. rub. ℥ iii. Flor. Roſ rub. ſicc. M ß. Aqu. Bened. ℔ iii. infunde frigidè xii. horas col. adde Sacch. Roſ. q. ſ. Propin. ℔ ß. ter in die, ad Catarrhum; & ad Ulcera.

Infuſ. Cardiacum. ℞. Cort. Citri cond. ℥ iii. Sem. Fœnic. d. ʒ vi. Carui, Aniſi an. ℥ ß. Flor. Calend. ſicc. ℥ ß. Croci ℈ i. Spec. Lætif. Galeni ʒ ii. Succ. Chermes ʒ vi. Aquæ Meliſſæ ℔ ii ß. Infuſ. tepida per horas viii. Col. adde Syr. Caryoph. ℥ iii. m. f. Julap. Vires reficit; & Flatus diſcutit.

Infuſum Carminativum. ℞. Sem. Aniſi, Fœnic. dulc. an. ʒ ii. contuſis affunde Aqu. font. calentis ℥ xii. f. Infuſ. per iii. horas: Col. adde Aqu. Angel. comp. ℥ iv. Syr. Caryoph. ℥ ii. m.

Infuſ. Cephalicum. ℞. Sterc. Pavon. ſicc. ℥ iii. Aqu. Salv. Vini albi an. ℔ i. f. Infuſ. per noctem: Col. adde Sacch. ℥ ii. f. Julap. Specificè medetur Vertigini.

Infuſ. Glycyrrhizæ. ℞. Glycyrrh. Angl. recent. raſæ & contuſæ ℥ iv. huic affunde Aquæ font. ebullientis ℔ ii. ſinatur refrigerare; col. adde Aqu. Theriacal. ſtil. ℥ iv. Syr. de Succo Citri ℥ ii. m. ſumantur ℥ iv. ad placitum. Ad Sitim, & Tuſſim, in Febribus moleſtam.

Injectio Aluminoſa. ℞. Alum. ʒ iii. Camph. ʒ ß. Troch. alb. Rhaſ. ʒ iii. Aqu. Sperniolæ ℥ vi. Aqu. Roſ. rub. ʒ x. Vini albi ℥ iv. macerentur tepidè per hor. xii. Col. injiciatur bis tervè in die.

Injectio ad Cancrum. ℞. Decocti pro fotu ſupraſcripto ad Cancrum ℔ i. Tutiæ præp. Antimo-

timonii crudi (in Aqu. Solani loti) Plumbi uſti (in Aqu. Sperniolæ loti) an. ʒ iii. Troch. alb. Rhaſ. Boli Armen. Sacch. Saturni an. ʒ ii. m. f. Injectio.

Inject. Detergens. ℞. Rad. Gent. Ariſtol. rot. an. ℥ m. Fol. Scord. Fœniculi, Summit. Centaur. min. Hyper. an. M i. Myrrhæ ℥ m. coq. in Aqu. font. q. ſ. ad ℔ i. m. col adde Spirit. Vini opt ℔ ß. m.

Julapium Catharticum. ℞. Fol. Sennæ ℥ ß. Sem. oriand. ℈ iv. f. Infuſ. in Aqu. Cichor. ℥ iv. & Succi Aurant. ℥ ii. per vi. horas; Col. adde Syr. Samb. ℥ ii. m. pro Hauſtu matutino.

Julapium Citreum. ℞. Pulp. Cort. Citri cond. ʒ iii. contunde cum Aqu. Borrag. ℥ i. & f. Expreſ. dein adde Aqu. Citri totius ℥ iii. Succi Chermes ʒ ii. Syr. Caryoph. ʒ iv. Sacch. perlati ʒ iii. m. Cap. cochl. v. in Languoribus.

Julapium Cydoniatum. ℞. Aqu. Cydon. ſimpl. ℥ vi. Aqu. Menth. ℥ i. m. Syr. Granator. ℥ ii. m. ſumat ſæpè Cochl. ii. vel iii. Contra Vomitum, & Abortum.

Julap. Diureticum. ℞. Aqu. Aparin. ℔ i. m. Syr. Alth. ℥ iv. Sp. Nitri ℈ ii. vel. q. ſ. m. Doſ. ℥ vi. pro vice.

Julap. Gravidarum ℞. Aqu. Roriſmar. ℥ iv. Sacch. opt. ℥ i. M. ſumatur cochl. i. ſæpè contra Abortum.

Vel,

℞. Aq. Rubi Idæi ℔ i. Balſ. Embryon. ℥ iv. Coral. rub. ℈ iv. Manus Chriſti per l. ℥ i. m. M. f. Jul. contra Abortum.

Julap. de Hormino. ℞. Aqu. Hormini ſimpl. ℥ xii. Aqu. Meliſſæ ℥ vi. Sp. Hormini ℥ ii. Sacch.

ch. perl. ℥ iii. M. Fluore Albo debilitatis ſubvenit.

Jul. ad Sitim. ℞. Aq. Fragor. ℔ ii. Succi Aurant. ℥ ii ß. Viol. ℥ iii. propin. Hauſtus bis, terve in die.

Jul. Stypticum. ℞. Succi Millefol. opt. clarific. ℔ i ß. Sacch. albi ℥ ii M.

Juſculum China comp. ℞. Rad. Chinæ, Nymp. an. ℥ iii. Raſ. Sant. alb. ℥ i ß. Sem. Lactucæ ℥ i. Sem. Papav. albi ʒ x. Semfrig. 4. maj. an. ʒ vi, M. divide in partes tres æquales: Una pars pro vice coq. cum Pullo Gallin. & fruſto Carnis Vitul. in Aq. f. q. ſ. ut f. Juſcul. col. Refrigerat Incraſſat, Edulcorat, Nutrit.

Linimentum Paralyticum. ℞. Ol. Exceſtrenſ. ℥ iii. Ol. ſtill. Cinnam. Caryoph. Nuc. Moſch. an. ʒ ß. Ol. Succini ſuaveolent. Ol. Salviæ, Roriſmar. an. ℈ i. M. Cum hoc illin. locus obtuſi ſenſus tepide, hora ſomni, adverſus ignem luculentum, manu multùm demulcendo.

Litus Dorſalis. ℞. Sacch. Saturni ʒ iii. diſſolve in Aq. Sperm. Ranar. ℥ i ß. miſce cum Ung. Roſ. ℥ iv. adde Ol. ſtil. Nuc. Moſch. gt. iv. m. Cum iſto illinatur Dorſi regio bis in die, quando maximus calor ſentitur, & commotio; ſepoſito pro eo tempore Emplaſtro: Vel quandocunque depoſuerit Emplaſtrum, Pruritus, vel Puſtularum cauſa.

Lobocb de Albuminibus. ℞. Album. Ovor. (in aqueam ſubſtantiam conquaſſat.) ℥ iiii. Sacch. candi albi ℥ i ß. M. ad Oris calorem, & eroſionem.

Lobocb Anginoſum. ℞. Spong. Samb. N. 12. Sterc. Can. ʒ i. Fruct. Rubi Idæi (cum oſſiculis in nivam redact) ℥ i. coq. in Aq. Font. ℔ i. donec tertia pars ſolùm ſupererit, f. Expreſſ.

preſſ. adde Syr. de Moris, Rubi Idæi an. ℥ i. f. Lambitivum.

Lob. Hæmoptoicum. ℞. Conſ. Roſ. rub. veter. ℥ iii Syr. de Symph. ℥ ii. de Nymph. Portul. an. ℥ i ß. Pulv. Sem. Hyoſcy. ℥ ii ß. Papav. albi, Coral. rub. an. ʒ i ß. Spir. Sulph. gt. vi. m. ſumatur cochleatim.

Lob. Incraſſans. ℞. Pulv. Rad. Alth. ℥ ß. Spec. Diatrag. frig. ʒ i. Pulv. Glycyrrh. ʒ i ß. Ol. Amygd. dulc. ʒ x. Sacch. Penid. ʒ i. Syr. Jujub. ℥ iv. M. lambatur ſæpe cochl. i.

Lob. Mucilaginoſum. ℞. Mucilag. Sem. Cydon. (Aq. Prunellæ extrac.) ℥ iv. Syr. de Moris, Viol. an ℥ i. M. Ad Oris Inflammationem, Ariditatem, & Eroſiones.

Magiſterium Benzoini. ℞. Benzo. puriſſ. pulv. ℥ iv. affunde Alc. Vin. ℔ i. Infunde tepide in Lagena; viz. donec Benzoe diſſolvetur: Poſteà Aquæ Lactis q. ſ. affuſa, præcipitetur. Pulvis albus præcipitatus ab aqua ſeparetur, & lentiſsimo igne ſiccetur.

Inter Expectorantia ſummum jure merito tenet locum. ℞. Hujus Magiſterii ℥ ß. Sacch. candi albi ℈ viii. f. pul. divid. in partes viii. ſumatur i. omni mane ex cochleari Alæ Maciatæ, vel Syrupi cujuslibet appropriati.

Miſtura Catarrhalis. ℞. Sem. Papav. albi (Syrupo Capil. Ven. irrorati) ʒ v. contuſ. adde Succi Aurant. ʒ iii. Syr. de Mecon ʒ x. M. ſumatur cochl. i. hora 8. à veſp. Poſt horam ſemis coch. i. & hora nona aliud: poſtea media nocte, ſi Tuſſis urgeat.

Miſt. Purgans Hæmoptoica. ℞. Album. Ovor. N. vi. conquaſſentur diligenter, & adde Syr. de Pomis purg. ℥ iii. M. ſumatur dimidium in Hauſtu Cereviſ. omni mane.

Miſt. Tubularis Cephalica. ℞. Fol. Beton. Roriſmar. ſicc. & inciſ. an. ℥ ſs. Ol. Succin. rectif. ʒ ſs. f. Miſt. Hyſtericis etiam convenit.

Nepenthe. ℞. Opii (tenuiter diſſecti ; ſupra laminam ferri calefactam exſiccati, & pulv.) ʒ i ſs. diſſolve in Aceti Sambuc. ℥ iv. & col. Poſteà ad Balnei calorem exhalando ; & miſcendo Ambræ griſ. ℈ i. Extrac. Croc. ℈ ii. Succ. Glycyrrh. ʒ iii. Ol. ſtill. Majoranæ ℈ ſs. Ol. ſtill. Nuc. Moſch. gt. xvi. Succi Cherm. ʒ i. fiat Extractum molle. Apud Authorem occultatur ſub titulo ſulphuris Vitrioli Magiſtralis.

Oleum Juniperi comp. ℞. Bacc. Junip. contuſ. ʒ iii. Succ. Cochl. mar. Becab. Naſturt. aq. an. ℥ iv. Ol. Lumbric. ℥ viii. coq. ad conſumpt. Succorum ; col. adde Ol. Rhodii ℈ i. M. Ad dolores Scorbuticos.

Oxymel Hæmoptoicum. ℞. Rad. Alth. Conſolidæ maj. Urticæ an. ℥ i. Fol. Pimpinel. Pulmonar. macul. Hed. terr. an. Miſſ. Dactyl. Num. vi. Sebeſt. Num. xx. coq. in q. ſ. Poſcæ ad ℔ iii. col. adde Mellis ℥ iv. clariſ. bib. ℥ iv. ter indies, & alias pitiſſetur.

Pedilavium. ℞. Fol. Puleg. Roriſmar. Salv. an. M. iv. Angel. M. iii. Bac. Junip. ℥ iv. coq. in Aq. q. ſ. ad ℔ viii. Ad Cephalalgiam & Vigilias in Febribus, atque ad Menſes movendos.

Peſſaria. ℞. Cort. extern. Aurant. Rad. Angel. an. ʒ i ſs. Croci ʒ i. Flor. Calend. Fol. Dictamni Cret. an. ʒ ii. f. Pulv. craſſus : miſce cum floccis ſcarlatis, & f. Peſſaria iv. Ad Menſes educendos.

Pilulæ Aphrodiſiacæ. ℞. Balſ. Oriental. veri ʒ ii. ſs. de Tolu ʒ ii. Terebint. Cypr. ʒ iii. Am-

Ambræ griſ. ℈ ß. Sem. Erucæ ℈ iv. Angel. ℈ ii. Xyloaloes ʒ i. Caud. Scinci marin. ℈ iv. Ol. ſtill. Nuc. Moſc. ℈ i. Syr. de Nuc. Moſc. q. ſ. f. Maſsa Pilul.

Pil. Arthritica. ℞ Pul. Rad. Ari ʒ ß. Fol. Beton. Chamæpit an. ʒ iii. Terebint. Cypr. ℥ i. Ol. Terebint. ʒ ii. Ol. ſtill. Major. ℈ i. m. f. Pil. Num. vi. è ʒ i. ſumantur iv. mane, & 4. promerid.

Pil. Camphorata. ℞. Camph. ℈ ii. Caſtor. ʒ i. Aſ. fœt. ℈ iv. Sem. Dauci ſylv. ʒ i ß. Syr. de Artemiſ. q. ſ. f. Pil. vi. è ʒ i. ad affectus Hyſtericos.

Pil. Chalybeata. ℞: Chalyb. cum Sulphur. præp. ʒ iii. Spec. Hieræ ſimpl. ʒ ii. Fæc. Bryon. ℈ i. Syr. ZZ. q. ſ. f. pil. vi. è ʒ i. ſum. ii. hora ſomni & iii. mane.

Vel,

℞. Luti Chalyb. ʒ ii. Spec. Arom. Roſ. Jalap. an. ʒ i. Extrac Croci gr. xii. Syr. de Succo Citri q. ſ. f. Pil. xii. è ʒ i. ſumant. Num. iv. omni mane, ſuperbibendo Aq. Lumbric Magiſtr. ℥ i. ex hauſtu Alæ Maciatæ.

Pil. Corroborantes. ℞. Terebint. Cypr. ℥ i. Pulv. Priapi Tauri ʒ x. Trochiſc. Gordon. ʒ ii. Troch. de Ter Lem ʒ ii ß. Gum. Anime ʒ vi. Coral. rub. Succin. alb. an ʒ iii. Cinnam. ʒ ii. Syr. de Symph. q. ſ. f. Pil. vi. è ʒ i. ſumantur iii. mane, & veſp.

Ad Dorſi debilitatem, & dolorem; ad Gonorrhœam, & Fluorem album.

Pil. Diuretica. ℞. Terebint. Chienſ. puriſs. ℥ i ß. Lap. Prunel. pul. ℥ ß. Nuc. Moſch. pul. ʒ ii. m. f. Maſſa.

Vel,

℞. Terebint. Ven. (lotæ, & coctæ in Aq. Saxifrag.)

Saxifrag.) ʒ iii ß. Oc. Canc. ℈ iv. Sal. Succini ℈ ii. Sem. Geniſtæ ʒ ß. Ol. ſtil. Nuc. Moſc. ℈ ß. f. pil. Doſ. ʒ ß.

Pil. Emmenagogæ. ℞. Gum. Ammon. (Tinct. Caſt. præp.) ʒ ß. Aloes Roſ. ʒ i ß. Bidellii, (Tinct. Caſt. præp.) ℈ i. Myrrhæ gr. xv. Sal Abſint. ℈ ß. f. Pil. vi. è ʒ i. ſum. ii. mane, & ſerò per dies duos, ter quaterve in Menſe.

Pil. Gummoſæ. ℞. Maſtich. Succini an. ʒ i ß. Gum. Anime ʒ ii. Benzo. alb. ʒ i. ex his fiat Alcohol. ℞. Terebint. Cypr. opt. ℥ i. Liquidambræ veræ ʒ vi. liquentur lento Igne; liquatis; adde pulveres prædictos: adde poſtea Aq. Plantag. & Roſ. rub. an. ℥ iv. coque lentè agitando, donec maſsa lenteſcat, & cogi poſſit in pilulas, f. Pil. Num. vi. è ʒ i. Doſ. ii. mane, & veſperi.

Ad Lumbaginem, Dorſi debilitatem, &c.

Vel,

℞. Balſ. Peruv. ʒ i. Terebint. Cypr. ℥ i. Maſtic. Gum. Anime an. ʒ vi. Styrac. ℥ ß. Spec. Arom. Roſ. Diatrion. Santal. an. ʒ i. Syr. de Coral. comp. q. ſ. f. Pil. Num. vi. è ʒ i.

Pil. è Mercurio vivo. ℞. Mercur. vivi probè extincti ʒ ii. Extrac. Euſtachii ʒ i ß. Scammon. (Aceto præp.) ʒ i ß. f. Pil. vi. è ʒ i. ſumantur iv. omni mane: & intra horæ ſpatium ſugatur Caſſiæ ex canna ʒ i ß. Ad Dolores nocturnos, & Vagos Scorbuticos; item ad Strumas.

Pil. Reſinoſæ. ℞. Reſ. Jalap. ʒ ß. Sp. Vini gt. aliquot f. Pil. ix. Doſ. Num. iii. mane.

Pil.

Pil. Reſtringentes. ℞. Croci Martis aſtring. ℨ iii. Colcoth. Vitrioli (ab omni acrimonia frequenti ablutione vendicati) ℨ ii ſs. Oſſis Sepiæ ℨ iii. f. Pulv. & cum Tereb. Cypr. ℥ ii. & Syr. Nymph. ℥ i ſs. (vel q. ſ.) Ol. ſtill. Cinnam. Menth. an. ℈ ſs. f. Pil. vi. e ℨ i. Sumantur iii. ter in die ; ſuperbibaturque hauſtus Emulſ. Dactylorum.

Pil. Splenetica. ℞. Troch. de Myrr. ℈ ii. Caſtor. ℈ ſs. Fec. Bryon. ℈ i. Rhab. ℈ iv. Spec. Hieræ ſimpl. ℈ ii. Salis Martis ℨ i. Tereb. Ven. q. ſ. f. Pil. vi. è ℨ i. ſumantur iii. hora ſomni; manè bibantur Aq. Tunbrigenſ. Hyſtericis etiam ſuccurrunt.

Pulvis contra Abortum. ℞. Coral. rub. Margarit. præp. an. ℨ i. Sant. citrini, Eboris præp. an. ℨ iii. Bac. Kermes ℨ ii. Sacc. perl. ℥ ſs. f. Pulv. ſubtilis ; divid. in partes 42. ſumatur i. omni mane ex Ovi recentis tepefacto vitello.

Pulv. Capillaris. ℞. Succini ℥ ſs. Flor. Roſ. rub. ℨ iii. Orizæ ℥ i ſs. m. f. Pulv. inter Capillos inſpergendus.

Pulv. Croci comp. ℞. Croci ℈ iv. Eboris ℨ ſs. Sacch. candi albi ℥ i. m. f. Pul. in partes viii. divid. ſumatur i. bis in die. Ad Icterum.

Pulv. Euphragii comp. ℞. Fol. Euphrag. ℥ i. Sem. Fœnic. dulc. ℨ iii. Mac. ℨ i. Sacch. opt. ℥ i. f. Pulv. de quo ſumatur cochl. i. poſt paſtus. Ad Viſus debilitatem, & Cephalalgiam.

Pul. Pepticus Cephalicus. ℞. Sem. Coriand. ℨ vi. Carui, Fœnic. dulc. an. ℨ iii. Aniſi ℨ ii. Rad. Pœon. mar. ℨ i ſs. Sem. ejuſdem ℈ ii.

Cranii hum. ℈iv. Cort. exter. Citri, Aurant. Limon. candefact. an. ℥ iii. Flor. Roriſmar. candefact. Sacch. Roſ. an. ℥ii ß f. Pulv. ſumatur ℥i. poſt paſtus.

Pul. Sternutatorius. ℞. Fol. Majoranæ ſicc. ℥i ß. Nicot. ℥ß. Nuc. Moſc. ℥i. Ol. ſtill. Majoranæ gt. iii. m. f. Pul.

Vel,

℞. Nicot. Majoranæ an. ℥i. Rad. Helleb. alb. ℈ii. Euphorb. ℈i. Elater. ℈ß. Moſchi gr. iv. m. f. Pulv.

Sacculus Aromaticus. ℞. Nuc. Moſc. Cinnam. an. ℥ iii. Mac. Caryoph. an. ℥ i ß. m. f. Pulv. pro Saccullo interpaſſato rotundo, qui regioni Ventriculi, vel Umbilici adhibeatur calidè, inſperſo Vino Hiſpanico: Ad Nauſeam. Vomitum, Ventriculi imbecilitatem, Diarrhœam, Dolores Colicos, &c.

Saculi Cephalici. ℞. Sem. Carui ℥ß. Pœon. ℥iii. Mac. Nuc. Moſch. an. ℥ii ß. Fol. Verbenæ, Primul Veris, Beton. an. M. iii. Flor. Roriſmar. Paralyſ. an. M i. Bacc. Junip. ℥i ß. f. Pulv. craſſus; undè Sacculi fiant duo interpuncti. Coq. in Aq. font. q. ſ. f. Expreſ. Adhibeantur alternatim calidè Capiti per horæ ſpatium manè.

Sacc. Colici. ℞. Fol. Abſint. Lauri, Puleg. Calamint. Origani, Centaur Min. Flor. Chamæm. an. M iii. Sem. Anethi, Fœnic. dulc. Aniſi an. ℥ii. f. Sacculi duo pro Abdomine. Valent etiam ad Menſes evocandos.

Sacch. Nucalis. ℞. Sem. Cymini ℥ii. Macropiper. ℥vi. M. f. Pulv. qui interpaſſatus inter duo linteola, irrigetur Aqua Anthos; exſicce-

tur;

tur; & calidè Nuchæ adhibeatur. Ad Catarrhum, & Defluxiones.

Sacc. Stomachicus. ℞. Fol. Abſint. ſicc. Menth. an. M. ii. Macis ʒ iii. ex contuſis f. Sacculus immergendus Aceto Roſaceo; exprimendus; calidè Ventriculo adhibendus, & quarta quaque hora renovandus. Ad Vomitum ſiſtendum.

Serum Nephriticum. ℞. Lactis ℔ ii. Vini Rhen. ℔ i. f. Poſſetum clarum ad ℔ ii. cui adde Syr. Roſ. Sol. ℥ ii. Syr. Alth. ℥ i. Lapid. Prunel. ʒ i. M. bibatur manè.

Ser. Pſoricum. ℞. Fol. Agrimon. Scabioſæ an. M. i. Hepaticæ M. i ß. Fumar. Tarax. Argentinæ an. M. ii. contuſ. infund. in Seri Lact. ℔ ii ß. coque parùm, & expreſſ. adde Sacchari ℥ i ß. clarifi.

Succi Scorbutici. ℞. Succ. Cochl. mar. Naſturt. aq. an. ℥ xii. Tarax. ℥ vi. Aurant. Sacch. an. ℥ iv. clarif. cum alb. Ov. Doſ. ℥ iv. bis in die cum Elect. Scorb. ʒ iii.

Suffumigium Peſtilentiale. ℞. Aceti acerrimi ℔ i. Rad. Zedoar. ʒ i. Fol. Rutæ ʒ ß. M. cum hac miſtura ſuffumigetur perpetuò Cubiculum.

Tab. Diamargariton. ℞. Cort. exter. Citri cond. ʒ iii. Limon. ℥ ß. Aurant. ʒ ii. Conf. Sem. Fœnic. dulc. ʒ ii ß. Coriand. ʒ iii. Carui ʒ i. Incidantur omnia ferè in pulverem, & leviter contundantur: admiſce Nuc. Moſc. pul. ʒ ß. Spec. Aromat. Roſ. ℈ iv. Ambræ griſ. ℈ ß. Sacch. opt. ℥ vi. Mucilag. Sem. Cydon. (Aqua Meliſſæ extract.) q. ſ. f. Tab. ſ. a.

Tab. Diamargariton. ℞. Margarit. præp. ʒ ß.

Corallii rub. Succin. alb. an. ʒ ii. Magiſter. CC. & Ebor. an. ʒ iii. Sacch. albi ℥ iv. Mucilag. Sem. Cydon. q. ſ. f. Tab.

Tab. Tartarea comp. ℞. Cryſtal. Tartari ſubtil. pulv. ʒ ii. Lap. Prunel. ℥ ß. Pul. Glycyrrh. ʒ iii. Sacch. albiſs. ℥ ii. Mucilag. Sem. Cydon. q. ſ. f. Tab. ſ. a. pendentes ℈ i. teneatur i. frequenter in ore, quando Tuſſis viſcidior fuerit, & craſſa; aut Sitis urget.

Vinum Ecphracticum. ℞. Chalyb. præp. ʒ vi. Rad. Emulæ rec. ℥ ii. Fol. Abſint. utriuſque an. M. ii. Uvar. Corinth. ʒ vi. Sennæ ℥ ii. Vini albi ℔ iv. Infundè 24. horas. Col. claræ Doſ. ℥ iv. omni mane.

Vinum Sidereum. ℞. Limat. Martis ʒ vi. igniantur, & extinguantur in Vini Rhen. ℔ iv. ad ſextam vicem. Col. adde Cinnam. ℥ ii. Cort. exter. Citri, Aurant. an. ʒ i. Caryoph. ℈ ii. Cort. Winter. ʒ ii. Sacch. albi ℥ iv. f. Infuſ. per tridum, f. col. clara, cui adde Aqu. Mirab. ℔ ß. m. Propin. ℥ iii. omni mane. Ad Cachexiam, & Diarrhœam.

Unguentum Balſamicum. ℞. Balſ. Peruv. ʒ x. Balſ. Tolut. ʒ ii. m. f. Ung. ad Herpetem, &c.

Ung. ad Cancrum. ℞. Unguenti albi Camphorati, Diapomphol. & Rub. deſiccat. an. ℥ ii. Ung. Popul. Sevi Cerv. an. ℥ i. Tutiæ præp. Antimoni crudi (in Aqua Solani loti) Plumbi uſti loti, an. ʒ ii. Litharg. Ceruſſæ (in Aqua Plantag. lotæ,) Boli Armenæ an. ʒ i. Succi Elatines, Solani, & Sempervivi an. ℥ i. Agitentur omnia in Mortario plumbeo: adde

adde Plumbi (Mercurii tantillo amalgamati) ℥i. m. f. Ung.

Vel;

℞. Ol. Roſ. (diu in Mortario plumbeo ducti) ℥xii. Ceruſſæ pulv. ℥iv. Litharg. & Plumbi crudi pulv. an. ℥ii. Tutiæ præp. Cinerum Cancror. fluviatil. an. ℥i. Succi Cicutæ, Solani, Sempervivi an. ℥i ß. m. f. Ung

Ung. ad Eryſipelas. ℞. Sapon com. ℥iv. Ol. Sambuc. ℥i. m. Pars hujus inducta papyro nigræ adhibeatur tepidè Locis Affectis, renovando bis in die.

Ung. Mercuriale. ℞. Ung. è flor. Aurant. ℥ii. Ol. Amygd. dulc. ℥ß. Hydrarg. ℥i. m. f. Ung. ad Salivationem excitandam.

Ung. Muliebre. ℞. Ung. e flor. Aurant. ℥ß. Ol. Amygd. dulc. ℥i. Zibet. Moſchi an. ℈ß. m. pro utero.

Ung. de Ovo. ℞. Vitel. Ov. Num. i. Pul. Croci ℈i. Ung. Popul. ʒvi. m. f. Ung. ad Hæmorrhoidum dolorem.

Ung. Paralyticum. ℞. Ung. Martiati ℥iii. Nervini ℥ii. Ol. ſtill. Nuc. Moſch. Caryoph. an. ʒi ß. Spir. Salis ℈iv. m. cum iſto inungpars affecta, tegendo panno Scarlato.

Ung. Pectorale. ℞. Ung. è florib. aurant. ℥ii. Ol Mac. expreſ. ℥ß. Ol. Amygd. dulc. ℥i. Ol. ſtill. Macis ʒß. Sperm. Ceti ʒi ß. m. f. Ung.

Ung. de Sedo. ℞. Succi Sedi maj. Butyri Majalis an. ℥iv. coq. ad conſump. Succi, adde ♃. pulv. ʒii. f. Ung. ad Scabiem.

Uva Corinthiaca laxativa. ℞. Sennæ ʒii ß

Aqu. Malvæ ℔i. macer. per hor. iv. tepidè ſ. Col. in qua Uvar. Corinth. ℥iv. macerentur, & coquantur (adject. Syr. de Pomis Regis Saporis ℥iii.) ad Uvarum mollitiem; & ſimul conſerventur.

Sumantur cochl. ii ante Jentaculum, quoties Alvus aſtricta fuerit.

Finis Appendicis.

INDEX
Morborum, Curationum, &c.
IN
APPENDICE.

A.

Abortum probibentia; Fœtum roborantia &c. Catapl. Cydon. | Cerev. Corrobor. | Dec. Cydon. | Elect. de Eryng. | Empl. contra Abort. E. de Balauſt. | Epith. contra Abort. | Julap. Cydon. | I. Gravidar. I. de Hormino. | Tab. Diamarg. | Pil. Corrob. P. Reſtring. Pul. contra Abort.

Alexiteria: Decoc. Scorzon. | Elect. Card. temper.

Alopeciæ curæ. Fot. Crinific.

Alvi fluxibus Remedentia, Catapl. Cydon. | Dec. Cretæ ſimpl. & compoſ. | Enema conſolid. E. Sanativ. | Epith. contra Abort. | Sacc. Aromat.

Alum inatum. Inject. de Alumine.

Ambuſta, Inflammationes, &c. Sanantia. Empl. à lb. | Ung. ad Eriſypel.

Anginæ, Oris & Faucium Ulceribus, &c. Medentia Catapl. Angin. | ad Tonſillas. | Garg. Angin. | G. ad Inflam. | Lohoch Angin. |

Animi deliq. & Syncopes remedia. Catapl. Cardiac. | Epith. Stom. | Expreſ. Citrea. | Infuſ. Card. | Julap.

lap. Citreum. Julap. de Horm. | Saccul. Stom. | Tab. Card. |

Anodyna Emulſ. Somnif. | Nepenthe.

Aphthas, Ulcera Oris, &c. Sanantia. Gargariſmi omnes. | Lohoch de Album.

Apoplectica. Apoz. Cephal. | Pul. Sternutator. | Tab. card.

Arthritica. Bochetum | Capl. Arthrit. | Cerev. Cephal. | Dec. Sarſæ Cephal. | D. Guaj. purg. | Pil. Arthrit.

Aſtringentia, Styptica, &c. Aq. Ment. comp. A. Plant. comp. | Cerev. Traumar. | Pil. Reſtring. | vid. *Hæmopt.*

Atrophiæ conducentia. vid. *Phthiſica, & Reſtaurantia.*

Auditum juv. Sacculi Cephal.

O.

Cachectica. Pil. Chalyb. | Vin. Sider.

Calculi Renum, & Veſicæ remedia. Vide *Diuret. & Nephrit.*

Cancri Remed. Fotus ad Cancrum. | Inject. ad C. | Ung. ad C.

Cardiaca. Elect. Card. temp. | El. Lætif. | Expr. Citr. | Infuſ. Card. | Tab. Diamarg.

Cardialgiæ cura. Dec. Cret. | Tab. Diamarg.

Carminativa. Expreſ. Citr. | Infuſ. Carminat. Tab. Card.

Catarrhalia. Bochetum. | Dec. Pect. incraſſ. | D. Sarſæ exſicc. | Elect. incraſſ. | Infuſ. bened. | Lohoch incraſſ. | Miſt. Catarrh. | Pul. Capil. | Saccul. Nuchal.

Cephalica. Apoz. Cephal. | Cerev. Ceph. | Dec. Sarſæ Ceph. | Fot. Ceph. | Miſt. tub. Ceph. | Pul. Sternutat. | Ung. Balſam.

Cephalalg. remed. Pedilav. | Pul. Capil. P. Euphrag.

phrag. c. | Pul. Pet. Ceph. P. Sternut. | Sacch. Cephal.

Chalybeata. vide *Martiata*.

Colicæ remed. Saccul. Arom. S. Colic.

Columellæ relaxatæ conducunt. Garg. de Acacia. G. Aſtring.

Cordis palpitationis, & tremoris medela. Catapl. Card. | Elect. Lætif. | Expreſ. Citrea. | Jul. de Hormino. | Tab. Card.

Coſmeticum. Bal. Venuſtat.

D.

Diarrhæa. v. *Alvi flux*.

Diſcutiens. Catapl. Diſcut.

Diuretica. Jul. Diuret. | Pil. Diuret. | Serum Nephrit.

Dorſi doloris, & infirmitatis remedia. Elect. Nenuph. E. de Satyrio. E. de Symphyto | Empl. Alb. | E. de Balauſt. E. Cypreum | Emulſ. Nenuph. | Lit. Dorſal. | Pil Gum.

Dyſenterica. Enema conſolid. Enema Sanativ. | Nepenthe.

E.

Eccoprotica. v. *Laxantia alvum*.

Ecphractica. *Aperientia*. Apoz. Splanch. | Pil. Chalyb. P. Splenet. | Vin Ecphract.

Emmenagoga. *Menſes moventia, &c.* Fot. Emmenag. | Pedilav. | Peſſar. | Pil. Chal. P. Emmenag. | Saccul. Col.

Emolliens. Catapl. Emoll. | Gargar. Emolliens.

Eryſipelatis remed. Ung. ad Eryſip.

Expectorantia. Bechica. Decoct. Bechic. | Hydrom. Bech. | Magiſt. Benzo.

F.

Febrifuga. Catapl. Febr. | Epicarp. | Hauſt. Febr.

Flatus diſcutientia. v. *Carminativa.*

Fœtum roborantia. v. *Abortum probibentia.*

G.

Gonorrhœæ remedia. Aq. Ment. comp. | Bol. è Terebint. | Emulſ. de Sarſa | Inject. Alumin. | Pil. Reſtring.

H.

Hæmoptoica. Decoc. Cretæ comp. | Emulſ. Hæm. | Expreſ. Hæm. | Jul. Stypt. | Lohoch Hæm. | Miſt. purg. Hæm. | Oxym. Hæm.

Hæmorrhoidalia. Bol. Hæm. | Catapl. Hæm. Empl. album. | Enema H. | Fot. H. | Ung. de Ovo.

Hectica. v. *Phthiſis.*

Hepatica, Splenetica, &c. Apoz. Splanch. | Catapl. Splen. | Empl. Spl. | Fot. Spl. | Pil. Splen. |

Herpetis cura. Ung. Balſam.

Hypnotica. Emulſ. ſomni. | Nepenthe.

Hyſterica. Miſt. tub. Cephal. | Pil. Camph.

I.

Icterica. Apoz. Icter. | Emulſ. Icter. | Pul. Croci comp.

Impotentiæ virilis remed. Elect. de Satyrio | Pil. Aprod.

Iſcuria, v. Urina ſuppreſſa.

L.

Lateris dol. remed. v. *Pleuritica*.
Laxantia alvum. Decoct. Laxat. | Elect. Lax. | Uv. Corinth. lax.
Lethargo ſubvenit. Pul. Sternut. v *Apoplect.* & *Cephalica*.
Linguæ, & *Faucium aſperitati medentia*. v. *Aphth.*
Lithontriptica. v. *Nephritica*.
Lochia ſuppreſſa. v. *Emmenag.*
Luis Venereæ remed. v. *Siphylica*.

M.

Mammarum Cancer. v. *Cancri remed.*
Martiata. Aq. ferrata | Pil. Chalyb. P. Splenet. | Vin. Ecphract. | V. Sidereum.
Melancholiæ remed. Apoz. de Pomis. A. Splanch. | Aq. Pom. comp.
Menſes moventia. v. *Emmenagoga*.
Mercuriata. Elect. Æthiop. | Pil. de Mercurio vivo | Ung. Mercurii.
Morbilli. v. *Variolæ*.

N.

Nephritica. Aq. Fragar. comp. A. Glycyr. | Bol. Nephrit. | Catapl. Diuret. | Cerev. Diuret. | Elect. è Tereb. | Fot. ad Calc. | Serum Nephrit.
Nutritiva. v. *Reſtaurantia*.

O.

Ophthalmica. Collyr. Metall. Pul. Euphrag. comp.

Opiata.

Opiata. v. *Hypnotica*
Oris Ulcera. v. *Aphth.*

P.

Paralytica. Elect. Paralyt. | Linim. Paral. | Pul. ſternut. | Sacc. Cephal. | Ung. Paralyt.

Pectoralia. Decoc. Bech. D. Chinæ comp. D. Pect. incraſſ. | Hydrom. Bech. | Magiſt. Benzo. | Ung. Pector. | v. *Catarrh.*

Peſtifuga. Suffumig. Peſtil. | v. *Alexiteria.*

Phthiſeos remed. Apoz. Phthiſ. | Aq. Glycyrrh. Aq. Phthiſ. Aq. Plant. comp. Aq. Sang. | Decoc. Chinæ comp. D. Rapar. comp. | Elect. Tolut. | vide *Pectoralia*, & *Reſtaurantia.*

Pili ut creſcant. Fot. Criniſ.

Pleuritica. Decoct. Pleur.

Podagrica. v. *Arthritica.*

Profluvii albi remedia. Aq. Ment. comp. | Cerev. Traumat. | Hydrom. Traumat. | Jul. de Hormino. Pil corrob. | Pil. Gum. | P. Reſtring.

Prolifica. Elect. de Satyr. | Pil. Aphrod. v. *Reſtaurantia.*

Pruritus. v. *Scabiem.*

Purgantia. Dec. Guaiaci purg. | El. Purg. | Jul. Cathart. | Miſt. purg. Hæm. | Pil. Reſin.

R.

Raucedinis remed. v. *Catarrhalia.*

Reſtaurantia, *Nutritiva.* Caudela Analep. | Cerev. corrob. | Elect. de Eryng. | Emulſ. Analept. | Juſc. Chinæ comp. | Pil. corrob.

Sali.

S.

Salivationem excitans. Ung. Mercur.
Sanguinem rectificantia. Aq. Saponar. comp. | Bochet. | Decoc. Santal. D. Sarſæ attemp. | Elect. Æthiop. El. de Guajaco.
Scabiem, Pruritum, &c. curantia. Aq. Sapon. comp. | Baln. Pſoric. | Elect. Æthiop. | Ung. de Sedo.
Scorbutica. Aq. Scorb. | Cerev. Scorb. Cerev. è ſuccis. | Expr. Scorb. | Ol. Junip. comp. | Pil. Mercur. viv. | Succi Scorb.
Scrophularum remed. Elect. Æthiop. | Pil. Mercur. viv.
Siphylica. Aq. Sapon. comp. | Decoct. Sarſæ exſicc. | Elect. Ethiop. E. de Guajaco. | Pil. | è Mercurio vivo. | Ung. Mercur.
Sitim extinguentia. Apoz. de Pomis | Dec. Paſſul. comp. | Emulſ. de Scorzon. | Infuſ. Glycyr. | Jul. ad ſitim. | Tab. Tartar. comp. |
Splenetica. v. *Hepatica, & Melancholiæ remed.*
Sterilitatis remed. v. *Prolifica.*
Stomachica. Catapl. Cydon. | Decoc. Cydon. | Empl. Tolut. | Epith. Stom. | Sacc. Aromat. Sacc. Stom. | Tab. Card.
Styptica. v. *Aſtringentia, & Hæmoptoica.*

T.

Tabidis remedentia. v. *Reſtaurantia, & Pthiſ. remed.*
Traumatica, Cerev. Traum. | Decoc. Sarſæ Tr. | Elect. Tr. | Hydrom. Tr.
Tuſſis remedia. Elect. de Alth. El. incraſſans.

El.

El. Pect. incraſſ. | Infuſ. Glycyrr. v. *Catarrhalia, & Pectoralia.*

V.

Variolæ. Decoct. Scorzon. | Gargar. Emoll. Garg. de Ficub. | Lohoch Angin.
Ventris Tormina. Nepenthe. | Saccul. Aromat.
Vertiginis remed. Infuſ. Ceph. | Pul. Pept. Cephal.
Vigiliarum remed. Emulſ. Somnif. | Nepenthe | Pedilav.
Ulcera. Infuſ. bened. | Inject. Alum. | Inject. detergens.
Urinæ ardorem extinguentia. Elect. Nenuph. El. de Terebint. | Emulſ. Nenuph.
Urinæ ſuppreſſæ remed. Catapl. Diuret. | v. *Diuretica, & Nephritica.*

FINIS.

[illegible]

... Poſt. incraſſ. ... Infuſ. [illegible] ... [illegible]
[illegible], & *Peſtandia*.

[illegible]

Regula. Electori Sotmoni [illegible] ...
Cata. de Ficuſ. [illegible] ...
Roſtro. Tumbar. Nepenthe. [illegible] ...
[illegible] Infuſ. Capit. [illegible] ...
Cephal.
[illegible] Emuls. [illegible] ...
[illegible]
[illegible] Infuſ. [illegible] ...
[illegible]
Urina [illegible] *extinguentis*. Electu. [illegible]
[illegible] Emuls. Nenuph.
Urina [illegible] Electu. [illegible] ...
[illegible], & [illegible].

FINIS.